



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 913 392 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:

06.05.1999 Bulletin 1999/18

(21) Application number: 97919686.2

(22) Date of filing: 24.04.1997

(51) Int. Cl.⁶: **C07D 207/325**, C07D 207/335,

C07D 231/16, C07D 231/20,

C07D 237/08, C07D 239/26,

C07D 249/04, C07D 249/08,

C07D 251/14, C07D 253/065,

C07D 257/08

(86) International application number:

PCT/JP97/01440

(87) International publication number:

WO 97/40009 (30.10.1997 Gazette 1997/46)

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

(30) Priority: 25.04.1996 JP 104878/96

07.06.1996 JP 145802/96

20.06.1996 JP 159346/96

13.02.1997 JP 28916/97

(71) Applicant:

NISSAN CHEMICAL INDUSTRIES, LIMITED
Chiyoda-ku Tokyo 101 (JP)

(72) Inventors:

• OGURA, Tomoyuki;
Nissan Chemical Industries, Ltd.
Funabashi-shi; Chiba-ken 274 (JP)

• MURAKAMI, Hiroshi;
Nissan Chemical Ind.,
Ltd.
Funabashi; Chiba-ken 274 (JP)

• NUMATA, Akira;
Nissan Chemical Ind., Ltd.
Funabashi-shi; Chiba-ken 274 (JP)

• MIYACHI, Rika;
Nissan Chemical Industries, Ltd.
Funabashi-shi; Chiba-ken 274 (JP)

• MIYAKE, Toshiro;
Nissan Chemical Industries, Ltd.
gun, Saitama-ken 349-02 (JP)

• MIMORI, Norihiko;
Nissan Chemical Industries,
ama-gun, Saitama-ken 349-02 (JP)

• TAKII, Shinji;
Nissan Chemical Industries, Ltd.
gun, Saitama-ken 349-02 (JP)

(74) Representative: HOFFMANN - EITL


Patent- und Rechtsanwälte

Arabellastrasse 4

81925 München (DE)

(54) **ETHYLENE DERIVATIVES AND PEST CONTROLLING AGENTS**

(57) Ethylene derivatives of formula (I):



(I)

stituent such as an alkylcarbonyl group. Agricultural chemicals and agents for preventing the attachment of aquatic organisms containing one or more such ethylene derivatives.

where Q is an unsubstituted or substituted phenyl or heterocyclic group, especially a 4-thiazolyl, 1- or 3-pyrazolyl, 1,3-oxazol-4-yl, phenyl or pyridyl group; E is a substituent such as a cyano group; A is a substituent such as a 4-pyrazolyl or thiazolyl group; and B is a sub-

EP 0 913 392 A1

Description

Technical Field

[0001] The present invention relates to novel ethylene derivatives, and also to agricultural chemicals and agents for preventing the attachment of aquatic organisms containing said derivatives as an active ingredient. The agricultural chemicals as referred to herein include insecticides, acaricides, nematocides, herbicides and fungicides, etc., and are especially pesticides in the field of agriculture, horticulture, stock farming and sanitation. The agent for preventing the attachment of aquatic organisms are chemicals for preventing the attachment of harmful aquatic organisms such as shells and algae to fishing nets, the bottoms of ships, marine equipment such as buoys, marine constructions, circulating water systems in thermal and atomic power plants, inlet channels for heat exchanger cooling water in chemical industry, underwater constructions and reservoirs.

Background Art

[0002] For acrylonitrile derivatives, Japanese Patent Application Laid-Open No. Sho 53-92769 discloses the use of 2'-chloro-3-hydroxy-2-(4-phenyl-2-thiazolyl)-cinnamoyl nitrile as an insecticide; and International Patent Application Laid-Open No. WO-95/29591 discloses its use as an aquatic adhesion inhibitor. Japanese Patent Application Laid-open No. Sho 60-11452 discloses the use of 2-(4-chlorophenyl)-3-(3-pyridyl)-3-oxopropionitrile as a herbicide and Japanese Patent Application Laid-open No. Sho 60-11401 discloses its use as a fungicide.

[0003] With the long-term use of insecticides and fungicides, recently, some pests have become resistant to chemicals and are often difficult to exterminate with conventional insecticides and fungicides. In addition, some insecticides are highly toxic and are prone to remain long, without being decomposed, to destroy the ecosystem. Accordingly, it is always expected to develop novel, low-toxic and low-persistent insecticides and fungicides.


[0004] On the other hand, in order to prevent the adhesion and growth of marine and freshwater aquatics, it is used antifouling coatings comprising organic tin compounds such as bis(tributyltin) oxide or copper compounds such as copper sulfate and cuprous oxide. However, organic tin compounds are highly toxic, though being effective in preventing the adhesion of aquatics, and are especially prone to accumulate in the bodies of fishes and shellfishes. As so promoting the environmental pollution, the use of those compounds is now under legal controls. Copper compounds are widely used in antifouling coatings for inlet channels and for the bottoms of ships. However, like tin compounds, copper compounds contain a copper as a heavy metal. Therefore, the use of copper compounds will bring about the environmental pollution in future, and agents for preventing the attachment of aquatic organisms comprising such copper compounds are not preferred. Under the above-mentioned situation, it has been desired agents for preventing the attachment of aquatic organisms that have few influences on the ecosystem and bring about little secondary pollution.

Disclosure of Invention

[0005] In order to solve the above-mentioned problems, the present inventors have assiduously studied to develop agricultural chemicals and agents for preventing the attachment of aquatic organisms which can exhibit excellent pesticidal activities even when used in small amounts, and which have few negative influences on non-targeted organisms such as mammals, fishes and useful insects, and, as a result, have found that the compounds mentioned hereinafter are highly safe and have excellent pesticidal activities and activities for preventing the attachment of aquatic organisms. On the basis of these findings, the present inventors have completed the present invention.

[0006] Specifically, the present invention provides the following [1] to [25]

[1] Ethylene derivatives of a formula (I):



[wherein;

Q represents a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, iso-

(g) when Q is a benzimidazolyl group optionally substituted by R, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-

thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolynyl, isoxazolynyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolyl or quinazolinyl group);

(h) when Q is a phenyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolynyl, isoxazolynyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinoxalinyl, phthalazinyl, cinnolyl or quinazolinyl group);

(i) when Q is a naphthyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolynyl, isoxazolynyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolyl or quinazolinyl group);

B represents H, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃SCH₂, CH₃OC₂H₄OCH₂, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a benzoyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a tetrahydropyranyl group, (CH₃)₃Si, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₁-C₄ monoalkylaminosulfonyl group, a C₂-C₈ dialkylaminosulfonyl group, a phenylaminosulfonyl group, a C₂-C₅ monoalkylaminothiocarbonyl group, a C₃-C₉ dialkylaminothiocarbonyl group, a C₂-C₅ cyanoalkyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, -P(=S)T²T³, an alkali metal atom, an alkaline earth metal atom, or NHT⁴T⁵T⁶;

provided that, when Q is a 2-thiazolyl or 2-benzothiazolyl group, then B is a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃SCH₂, CH₃OC₂H₄OCH₂, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a benzoyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a tetrahydropyranyl group, (CH₃)₃Si, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₁-C₄ monoalkylaminosulfonyl group, a C₂-C₈ dialkylaminosulfonyl group, a phenylaminosulfonyl group, a C₂-C₅ monoalkylaminothiocarbonyl group, a C₃-C₉ dialkylaminothiocarbonyl group, a C₂-C₅ cyanoalkyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, or -P(=S)T²T³;

E represents a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl, 1,3,4-oxadiazol-2-yl, 5-tetrazolyl, 2-oxazolynyl or 1,2,4,5-tetrazin-3-yl group) - or represents a halogen, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, an isonitrile group, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxycarbonyl group, a C₃-C₅ alkenyloxycarbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocarbonyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³; a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.

G is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₂-C₄ cyanoalkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₂-C₆ haloalkenyl group, a C₂-C₆ haloalkynyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a C₁-C₁₀ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylsulfinyl group, a C₂-C₆ haloalkynylsulfinyl group, a C₂-C₆ haloalkynylsulfonyl group, CHO, NO₂, CN, -NU¹U², OH, a naphthyl group, a methoxy group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₇ alkoxycarbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a C₂-C₄ haloalkylcarbonyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₅ haloalkylcarbonyloxy

group, a C₃-C₇ dialkylaminocarbonyloxy group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a benzoyl group optionally substituted by Z, a pyridyl group optionally substituted by Z, a pyridyloxy group optionally substituted by Z, a thienyl group optionally substituted by Z, a methylenedioxy group as bonded at the adjacent substituting positions, a halomethylenedioxy group as bonded at the adjacent substituting positions, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring), (provided that when the the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, G, is 1, 2, 3 or 4; or G is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

R is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₂-C₆ haloalkenyl group, a C₂-C₆ haloalkynyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfenyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkynylsulfenyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfenyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylsulfenyl group, a C₂-C₆ haloalkynylsulfinyl group, a C₂-C₆ haloalkynylsulfonyl group, NO₂, CN, -NU¹U², a phenoxy group, OH, a naphthyl group, a C₂-C₇ alkoxy carbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₆ haloalkylcarbonyloxy group, a benzoyl group optionally substituted by X, a phenyl group optionally substituted by X, a pyridyl group optionally substituted by X, a thienyl group optionally substituted by X, and -N=CT⁷T⁸, (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituents, R, is 1, 2, 3 or 4; or R is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

Y is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfenyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkynylsulfenyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfenyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylsulfenyl group, a C₂-C₆ haloalkynylsulfinyl group, a C₂-C₆ haloalkynylsulfonyl group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy carbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₅ haloalkylcarbonyloxy group, a C₃-C₇ dialkylaminocarbonyloxy group, a phenyl group optionally substituted by X, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring), (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, Y, is 1, 2, 3 or 4; or Y is an alkylene group bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

W is a substituent freely selected from a halogen atom, a C₁-C₆ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfiny group, a C₁-C₄ alkylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfiny group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₄ alkenyl group, a C₂-C₄ haloalkenyl group, a C₂-C₄ alkenyloxy group, a C₂-C₄ haloalkenyloxy group, a C₂-C₄ alkenylsulfenyl group, a C₂-C₄ alkenylsulfiny group, a C₂-C₄ alkenylsulfonyl group, a C₂-C₄ haloalkenylsulfenyl group, a C₂-C₄ haloalkenylsulfiny group, a C₂-C₄ haloalkenylsulfonyl group, a C₂-C₄ alkynyl group, a C₂-C₄ haloalkynyl group, a C₂-C₄ alkynyloxy group, a C₂-C₄ haloalkynyloxy group, a C₂-C₄ alkynylsulfenyl group, a C₂-C₄ alkynylsulfiny group, a C₂-C₄ alkynylsulfonyl group, a C₂-C₄ haloalkynylsulfenyl group, a C₂-C₄ haloalkynylsulfiny group, a C₂-C₄ haloalkynylsulfonyl group, NO₂, CN, a formyl group, a C₂-C₆ alkoxy carbonyl group, a C₂-C₆ alkyl carbonyl group, a C₂-C₆ haloalkyl carbonyl group, a C₂-C₆ alkyl carbonyloxy group, and -NU¹U², (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, W, is 1, 2, 3 or 4;

T¹ represents a C₁-C₂₀ alkyl group, a C₂-C₆ alkenyl group, a C₁-C₆ haloalkyl group, a C₁-C₄ alkoxy-C₁-C₄ alkyl group, a C₃-C₆ halocycloalkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a cycloalkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a cyclopropyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group

and a C₁-C₄ alkyl group, a C₃-C₄ cycloalkyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkoxy group, and a halogen, a cyclopropyl group substituted by both a C₂-C₄ alkenyl group optionally substituted by a halogen, and a C₁-C₄ alkyl group, a C₂-C₄ alkenyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₁₂ alkoxy group, a C₁-C₄ haloalkoxy group, a C₂-C₅ alkenyloxy group, a C₃-C₆ cycloalkoxy group optionally substituted by a C₁-C₃ alkyl group, a benzyloxy group, a C₂-C₅ alkoxycarbonyl group, -NU¹U², a phenylamino group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a phenylthio group optionally substituted by Z, a naphthyl group optionally substituted by Z, or a 5-membered or 6-membered heterocyclic group optionally substituted by Z, (said heterocyclic group being selected from thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl and 3(2H)-pyridazinone groups);

T² and T³ each independently represent OH, a phenyl group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy group, or a C₁-C₄ alkylsulfenyl group;

T⁴, T⁵ and T⁶ each independently represent H, a C₁-C₆ alkyl group, a C₁-C₆ alkenyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, or a benzyl group; or any two of T⁴, T⁵ and T⁶ may, together with the nitrogen atom to which they are bonded, form a 5-, 6-, 7- or 8-membered cyclic group optionally containing oxygen, nitrogen and/or sulfur atoms;

X and Z are independently substituents as freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₅ alkenylsulfenyl group, a C₂-C₅ alkenylsulfanyl group, a C₂-C₅ alkenylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfanyl group, a C₁-C₄ haloalkylsulfonyl group, NO₂, CN, CHO, OH, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxycarbonyl group, (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, X and Z, is 1, 2, 3, 4 or 5 each;

T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring; and

U¹ and U² each independently represent H, a C₁-C₆ alkyl, C₂-C₅ alkylcarbonyl, phenyl or benzyl group, or U¹ and U² may, together with the nitrogen atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring.

[2] Ethylene derivatives of the above-mentioned [1], in which;

Q is a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R, (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, 1,2,4,5-tetrazinyl, pyrazolinyl, imidazolinyl, imidazolinone or imidazolidinedione group);

A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl or imidazolinyl group;

B is H, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃OC₂H₄OCH₂, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₂-C₈ dialkylaminosulfonyl group, a C₂-C₉ dialkylaminothiocarbonyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, -P(=S)T²T³, an alkali metal atom, an alkaline earth metal atom, or NHT⁴T⁵T⁶; and

T¹ is a C₁-C₂₀ alkyl group, a C₂-C₆ alkenyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy-C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a cycloalkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a cyclopropyl group substituted by both a phenyl optionally substituted by a halogen or a C₁-C₄ alkyl group, and a C₁-C₄ alkyl group, a C₃-C₄ cycloalkyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkoxy group and a halogen, a cyclopropyl group substituted by both a C₂-C₄ alkenyl group optionally substituted by a halogen and a C₁-C₄ alkyl group, a C₂-C₄ alkenyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₁₂ alkoxy group, a C₁-C₄ haloalkoxy group, a C₂-C₅ alkenyloxy group, a C₃-C₆ cycloalkoxy group optionally substituted by a C₁-C₃ alkyl group, a

benzyloxy group, a C₂-C₅ alkoxy carbonyl group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a phenylthio group, a naphthyl group, or a heterocyclic group optionally substituted by Z, said heterocyclic group being selected from thienyl, furyl, oxazolyl, thiazolyl, pyrazolyl and pyridinyl groups.

5

[3] Ethylene derivatives of the above-mentioned [2], in which;

Q is a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R, said heterocyclic group being

10

15

20

25

30


35


40

45


50


55






A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, said heterocyclic group being







provided that, when (a) Q is any of Q-1, Q-2, Q-3 or Q-4, then A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(b) when Q is Q-12, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(c) when Q is any of Q-52, Q-53 or Q-54, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-60, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(d) when Q is any of Q-23, Q-24, Q-43, Q-44, Q-45, Q-46 or Q-49, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(e) when Q is any of Q-37, Q-38, Q-39, Q-40, Q-41 or Q-42, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(f) when Q is a phenyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y, said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75,

(g) when Q is a naphthyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-

15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75,

R¹ is selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy-carbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a phenyl group optionally substituted by X, a pyridyl group optionally substituted by X, a thienyl group optionally substituted by X, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring); or may, together with the adjacent R, form a 5-, 6-, 7- or 8-membered ring as an alkylene group;

Y¹ is selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy-carbonyl group, a C₂-C₄ alkoxyalkyl group, a phenyl group optionally substituted by X, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded), form a 5-, 6-, 7- or 8-membered ring); or may, together with the adjacent Y¹, form a 5-, 6-, 7- or 8-membered ring as an alkylene group;

X is a substituent of which the number is from 1 to 4 and which is freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₅ alkenylsulfenyl group, a C₂-C₅ alkenylsulfanyl group, a C₂-C₅ alkenylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfanyl group, a C₁-C₄ haloalkylsulfonyl group, NO₂, CN, CHO, OH, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxy-carbonyl group, (provided that when the number of the substituent, X, is two or more then said substituents may be the same or different);

Z is a substituent of which the number is from 1 to 4 and which is freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a C₁-C₄ alkenylsulfenyl group, a C₁-C₄ alkenylsulfanyl group, a C₁-C₄ alkenylsulfonyl group, NO₂, CN, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxy-carbonyl group, (provided that when the number of the substituent, Z, is two or more, then said substituents may be the same or different);

m indicates the number of the substituents, and is 0, 1, 2 or 3;

n indicates the number of the substituents, and is 0, 1, 2, 3, or 4;

p indicates the number of the substituents, and is 0, 1 or 2;

q indicates the number of the substituents, and is 0 or 1;

(provided that when m, n and p each are an integer of 2 or more, the substituents may be the same or different).

[4] Ethylene derivatives of the above-mentioned [2], in which E is CN.

[5] Ethylene derivatives of the above-mentioned [3], in which E is CN.

[6] Ethylene derivatives of the above-mentioned [2], in which E is a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group) - or is a halogen atom, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxy-carbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocarbonyl group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfanyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.

[7] Ethylene derivatives of the above-mentioned [3], in which E is a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group) - or is a halogen atom, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxy-carbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocarbonyl group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfanyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.

[8] Ethylene derivatives of the above-mentioned [4], in which Q is a phenyl group optionally substituted by G, an

oxazolyl group optionally substituted by R, a thiazolyl group optionally substituted by R, a pyrazolyl group optionally substituted by R, a 1,2,3-triazolyl group optionally substituted by R, a pyridinyl group optionally substituted by R, or a pyrimidinyl group optionally substituted by R.

[9] Ethylene derivatives of the above-mentioned [8], in which Q is a phenyl group optionally substituted by G.

[10] Ethylene derivatives of the above-mentioned [8], in which Q is an oxazolyl group optionally substituted by R, or a 1,2,3-triazolyl group optionally substituted by R.

[11] Ethylene derivatives of the above-mentioned [8], in which Q is a thiazolyl group optionally substituted by R.

[12] Ethylene derivatives of the above-mentioned [8], in which Q is a pyrazolyl group optionally substituted by R.

[13] Ethylene derivatives of the above-mentioned [5], in which Q is a phenyl group optionally substituted by G, or is Q-9, Q-10, Q-11, Q-12, Q-13, Q-14, Q-25, Q-26, Q-27, Q-28, Q-29, Q-30, Q-44, Q-45, Q-46, Q-47, Q-52, Q-53, Q-54, Q-55, Q-56 or Q-57.

[14] Ethylene derivatives of the above-mentioned [7], in which Q is a phenyl group optionally substituted by G, or is Q-9, Q-10, Q-11, Q-12, Q-13, Q-14, Q-25, Q-26, Q-27, Q-28, Q-29, Q-30, Q-44, Q-45, Q-46, Q-47, Q-52, Q-53, Q-54, Q-55, Q-56 or Q-57.

[15] Ethylene derivatives of the above-mentioned [13], in which Q is Q-10, Q-44, Q-45, Q-46 or Q-47.

[16] Ethylene derivatives of the above-mentioned [13], in which Q is Q-12, Q-13 or Q-14.


[17] Ethylene derivatives of the above-mentioned [13], in which Q is Q-25, Q-26, Q-27, Q-28, Q-29 or Q-30.


[18] Ethylene derivatives of the above-mentioned [13], in which Q is a phenyl group optionally substituted by G.

[19] Ethylene derivatives of the above-mentioned [2], in which A is a phenyl group optionally substituted by W, a thiazolyl group optionally substituted by Y, a pyrazolyl group optionally substituted by Y, a pyridinyl group optionally substituted by Y, or a pyrimidinyl group optionally substituted by Y.

[20] Ethylene derivatives of the above-mentioned [3], in which;

Q is a phenyl group optionally substituted by G, a naphthyl group, Q-31, Q-32, Q-33, Q-34, Q-35, Q-36, Q-37, Q-44, Q-45, Q-46, Q-49,





























30 Y^2 is a halogen atom, a C_1 - C_4 alkyl group, a C_1 - C_4 haloalkyl group, a C_1 - C_4 alkoxy group, NO_2 , CN, or a C_2 - C_5 alkoxycarbonyl group; and
 Y^3 is a halogen atom, a C_1 - C_4 alkyl group, a C_1 - C_6 haloalkyl group, a C_2 - C_4 alkoxyalkyl group, or a phenyl group optionally substituted by X.

35 [21] Ethylene derivatives of the above-mentioned [20], in which E is CN.


40 [22] Ethylene derivatives of the above-mentioned [20], in which E is a heterocyclic group optionally substituted by a C_1 - C_4 alkyl or C_1 - C_4 haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group) - or is a halogen atom, a C_2 - C_4 alkynyl group, a phenylethynyl group optionally substituted by Z, a C_1 - C_4 haloalkyl group, CN, NO_2 , N_3 , CHO, a C_2 - C_5 alkylcarbonyl group, a C_2 - C_5 alkoxycarbonyl group, a C_2 - C_4 alkylaminocarbonyl group, a C_3 - C_9 dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocabonyl group, a C_1 - C_4 alkylsulfenyl group, a C_1 - C_4 alkylsulfinyl group, a C_1 - C_4 alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, $-P(=O)T^2T^3$, or $-P(=S)T^2T^3$.

45 [23] Ethylene derivatives of the above-mentioned [1], which are selected from the following:







(25)




(26)




(27)




(28)




(29)




(30)




(31)




(32)




(33)




(34)




(35)



(36)



(37)




[24] An agricultural chemical comprising, as the active ingredient, one or more ethylene derivatives of the above-mentioned [1] to [23].

[25] An agent for preventing the attachment of aquatic organisms containing, as an active ingredient, one or more acrylonitrile derivatives of the above-mentioned [1] to [23].

Modes of Carrying out the Invention

[0007] The moiety $-C(E)=C(OB)-$ of the compounds (I) of the present invention includes two isomers of E-form and Z-form, both of which are within the scope of the invention.

[0008] It will be understood that the compounds of formula (I) of the present invention where the substituent B is a hydrogen atom exist as tautomers to be represented by the following:



Although the compounds (I) will exist essentially as the enol-form (1'), they could be as the tautomer form (2) under some conditions. It should be understood that the present invention includes all these three tautomers and their mixtures.

[0009] Now, preferred embodiments of Q, A, B, E, G, R, R¹, Y, Y¹, Y², W, X, Z, T¹, T², T³, T⁴, T⁵, T⁶, T⁷, T⁸, U¹, U², m, n, p and q are referred to hereinafter.

[0010] The heterocyclic group for Q, A and B indicates the following meanings.

[0011] Specifically, thienyl is thiophen-2-yl or thiophen-3-yl; furyl is furan-2-yl or furan-3-yl; pyrrolyl is pyrrol-1-yl, pyrrol-2-yl or pyrrol-3-yl; oxazolyl is oxazol-2-yl, oxazol-3-yl, oxazol-4-yl or oxazol-5-yl; thiazolyl is thiazol-2-yl, thiazol-4-yl or thiazol-5-yl; imidazolyl is imidazol-1-yl, imidazol-2-yl or imidazol-4-yl; isoxazolyl is isoxazol-3-yl, isoxazol-4-yl or isoxazol-5-yl; isothiazolyl is isothiazol-3-yl, isothiazol-4-yl or isothiazol-5-yl; pyrazolyl is pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl or pyrazol-5-yl; 1,3,4-oxadiazolyl is 1,3,4-oxadiazol-2-yl; 1,3,4-thiadiazolyl is 1,3,4-thiadiazol-2-yl; 1,2,4-oxadiazolyl is 1,2,4-oxadiazol-3-yl or 1,2,4-oxadiazol-5-yl; 1,2,4-thiadiazolyl is 1,2,4-thiadiazol-3-yl or 1,2,4-thiadiazol-5-yl; 1,2,4-triazolyl is 1,2,4-triazol-1-yl, 1,2,4-triazol-3-yl or 1,2,4-triazol-4-yl; 1,2,3-thiadiazolyl is 1,2,3-thiadiazol-4-yl or 1,2,3-thiadiazol-5-yl; 1,2,3-triazolyl is 1,2,3-triazol-1-yl, 1,2,3-triazol-2-yl or 1,2,3-triazol-4-yl; 1,2,3,4-tetrazolyl is 1,2,3,4-tetrazol-1-yl, 1,2,3,4-tetrazol-2-yl or 1,2,3,4-tetrazol-5-yl; pyridinyl is pyridin-2-yl, pyridin-3-yl or pyridin-4-yl; pyrimidinyl is pyrimidin-2-yl, pyrimidin-4-yl or pyrimidin-5-yl; pyrazinyl is pyrazin-2-yl; pyridazinyl is pyridazin-3-yl or pyridazin-4-yl; 1,3,5-triazinyl is 1,3,5-triazin-2-yl; 1,2,4-triazinyl is 1,2,4-triazin-3-yl, 1,2,4-triazin-5-yl or 1,2,4-triazin-6-yl; 1,2,4,5-tetrazinyl is 1,2,4,5-tetrazin-3-yl; pyrazolinyl is 3-pyrazolin-1-yl, 3-pyrazolin-3-yl, 3-pyrazolin-4-yl or 3-pyrazolin-5-yl; imidazolinyl is 1-imidazolin-3-yl, 1-imidazolin-2-yl, 1-imidazolin-4-yl or 4-imidazolin-2-yl; oxazolinyl is 2-oxazolin-2-yl, 2-oxazolin-4-yl or 2-oxazolin-5-yl; isoxazolinyl is 2-isoxazolin-3-yl, 2-isoxazolin-4-yl or 2-isoxazolin-5-yl; thiazolinyl is 2-thiazolin-2-yl, 2-thiazolin-4-yl or 3-thiazolin-2-yl; imidazolidinon-yl is imidazolidin-2-on-1-yl; imidazolinon-yl is 2-imidazolinon-1-yl; and 3(2H)-pyridazinon-yl is 3(2H)-pyridazinon-2-yl, 3(2H)-pyridazinon-4-yl, 3(2H)-pyridazinon-5-yl or 3(2H)-pyridazinon-6-yl.

[0012] Preferred scope of Q is the following groups.

QI: phenyl, thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, 1,2,4,5-tetrazinyl.

QII: phenyl, thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl.

QIII: phenyl, thienyl, oxazolyl, thiazolyl, pyrazolyl, pyridinyl, pyrimidinyl, 1,2,3-triazolyl.

QIV: phenyl.

QV: oxazolyl.

QVI: thiazolyl.

QVII: pyrazolyl.

QVIII: pyrimidinyl.

QIX: 1,2,3-triazolyl.

[0013] Preferred scope of A is the following groups.

AI: phenyl, thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl.

AII: phenyl, thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, pyrazolyl, imidazolyl, 1,2,3-triazolyl, 1,2,3-thiadiazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl.

AIII: phenyl, thiazolyl, pyrazolyl, pyridinyl, pyrimidinyl.

AIV: thiazolyl, pyrazolyl, pyridinyl.

AV: thiazolyl.

AVI: pyrazolyl.

AVII: pyridinyl.

[0014] Preferred scope of B is the following groups.

BI: H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₂-C₄ alkoxyalkyl, CH₃OC₂H₄OCH₂, C₁-C₄ alkylsulfonyl, phenylsulfonyl optionally substituted by halogen or C₁-C₄ alkyl, -SO₂CF₃, C₂-C₃ dialkylaminosulfonyl, C₃-C₉ dialkylaminothiocarbonyl, C₃-C₉ alkoxyalkyl, -C(=O)T¹, -P(=O)T²T³, -P(=S)T²T³, alkali metal, alkaline earth metal or NHT⁴T⁵T⁶.

BII: H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₂-C₄ alkoxyalkyl, CH₃OC₂H₄OCH₂, C₁-C₄ alkylsulfonyl, -SO₂CF₃, -C(=O)T¹, alkali metal, alkaline earth metal or NHT⁴T⁵T⁶.

BIII: H, C₂-C₄ alkoxyalkyl, C₁-C₄ alkylsulfonyl, -SO₂CF₃, -C(=O)T¹, alkali metal, alkaline earth metal, NHT⁴T⁵T⁶.

BIV: C₂-C₄ alkoxyalkyl, C₁-C₄ alkylsulfonyl, -SO₂CF₃, -C(=O)T¹, alkali metal, alkaline earth metal or NHT⁴T⁵T⁶.

[0015] Preferred scope of E is the following groups.

EI: halogen, C₂-C₄ alkynyl, phenylethynyl optionally substituted by Z, C₁-C₄ haloalkyl, CN, NO₂, N₃, CHO, C₂-C₅ alkylcarbonyl, C₂-C₅ alkoxyalkyl, C₂-C₄ alkylaminocarbonyl, C₃-C₉ dialkylaminocarbonyl, benzoyl optionally substituted by Z, aminothiocarbonyl, C₁-C₄ alkylsulfonyl, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, phenylsulfonyl optionally substituted by Z, phenylsulfinyl optionally substituted by Z, phenylsulfonyl optionally substituted by Z, -P(=O)T²T³, -P(=S)T²T³.

EII: halogen, C₂-C₄ alkynyl, phenylethynyl optionally substituted by Z, CN, C₂-C₅ alkylcarbonyl, C₂-C₅ alkoxyalkyl, C₂-C₄ alkylaminocarbonyl, C₃-C₉ dialkylaminocarbonyl, benzoyl optionally substituted by Z, aminothiocarbonyl, C₁-C₄ alkylsulfonyl, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, phenylsulfonyl optionally substituted by Z, phenylsulfinyl optionally substituted by Z, phenylsulfonyl optionally substituted by Z or -P(=O)T²T³.

EIII: CN.

[0016] Preferred scope of G is the following groups.

GI: substituents freely selected from halogen, C₁-C₆ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₁-C₄ haloalkyl, C₂-C₄ haloalkenyl, C₂-C₄ haloalkynyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, C₁-C₆ alkoxy, C₂-C₄ alkenyloxy, C₂-C₄ alkynyloxy, C₁-C₄ haloalkoxy, C₂-C₄ haloalkenyloxy, C₂-C₄ haloalkynyloxy, C₁-C₄ alkylsulfonyl, C₁-C₄ alkylsulfinyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkenylsulfinyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynylsulfonyl, C₂-C₄ alkynylsulfinyl, C₂-C₄ alkynylsulfonyl, C₁-C₄ haloalkylsulfonyl, C₁-C₄ haloalkylsulfinyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ haloalkenylsulfonyl, C₂-C₄ haloalkenylsulfinyl, C₂-C₄ haloalkenylsulfonyl, C₂-C₄ haloalkynylyl, C₂-C₄ haloalkynylyl, C₂-C₄ haloalkynylyl, NO₂, CN, -NU¹U², methoxy substituted by phenyl

optionally substituted by halogen or C₁-C₄ alkyl, C₂-C₆ alkoxy carbonyl, C₂-C₄ alkoxy alkyl, C₂-C₄ alkyl carbonyl, C₂-C₄ haloalkyl carbonyl, C₂-C₆ alkyl carbonyloxy, C₂-C₅ haloalkyl carbonyloxy, C₃-C₇ dialkylaminocarbonyloxy, phenyl optionally substituted by Z, phenoxy optionally substituted by Z, benzoyl optionally substituted by Z, pyridyl optionally substituted by Z, and pyridyloxy optionally substituted by Z (provided that when the substituent is two or more, said substituents may be the same or different) and the number of the substituent, G, is 1, 2, 3 or 4, or G is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring.

GII: substituents freely selected from halogen, C₁-C₆ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₁-C₄ haloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, C₁-C₆ alkoxy, C₂-C₄ alkenyloxy, C₂-C₄ alkynyloxy, C₁-C₄ haloalkoxy, C₂-C₄ haloalkenyloxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfonyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfonyl, methoxy substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₂-C₆ alkoxy carbonyl, C₂-C₅ alkyl carbonyloxy, C₂-C₅ haloalkyl carbonyloxy, phenoxy optionally substituted by Z, and pyridyloxy optionally substituted by Z (provided that the number of the substituent is two or more, said substituents may be the same or different), and the number of the substituent, G, is 1, 2 or 3.

GIII: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₄ haloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, C₁-C₆ alkoxy, C₂-C₄ alkenyloxy, C₂-C₄ alkynyloxy, C₁-C₄ haloalkoxy, C₂-C₄ haloalkenyloxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfonyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfonyl, methoxy substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₂-C₆ alkoxy carbonyl, C₂-C₅ alkyl carbonyloxy, phenoxy optionally substituted by Z, and pyridyloxy optionally substituted by Z (provided that when the substituent is two or more, said substituents may be the same or different), and the number of the substituent, G, is 1 or 2.

[0017] Preferred scope of R is the following group.

RI: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₃ alkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₁-C₆ haloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, C₁-C₄ alkoxy, C₂-C₄ alkenyloxy, C₂-C₄ alkynyloxy, C₁-C₄ haloalkoxy, C₂-C₄ haloalkenyloxy, C₂-C₄ haloalkynyloxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfonyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfonyl, NO₂, CN, -NU¹U², naphthyl, C₂-C₄ alkoxy carbonyl, C₂-C₄ alkoxy alkyl, phenyl optionally substituted by X, pyridyl optionally substituted by X, and thienyl optionally substituted by X (provided that when the substituent is two or more, said substituents may be the same or different), and the number of the substituent, R, is 1, 2 or 3, or R is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring.

RII: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₃ alkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, NO₂, CN, -NU¹U², naphthyl, C₂-C₄ alkoxy carbonyl, C₂-C₄ alkoxy alkyl, phenyl optionally substituted by X, and pyridyl optionally substituted by X (provided that when the substituents is two or more, said substituents may be the same or different), and the number of the substituent, R, is 1, 2 or 3.

RIII: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₃ alkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, NO₂, CN, -NU¹U², naphthyl, C₂-C₄ alkoxy carbonyl, phenyl optionally substituted by X, and pyridyl optionally substituted by X (provided that when the substituent is two or more, said substituents may be the same or different), and the number of the substituent, R, is 1 or 2.

[0018] Depending on the type of the heterocyclic group to be substituted by R, the number of R differs. For the group of 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,3-oxadiazolyl, 1,2,3-thiadiazolyl or 1,2,3,4-tetrazolyl, the number of R is 0 or 1, preferably 1. For the group of thiazolyl, oxazolyl, isoxazolyl, isothiazolyl, 1,3,4-triazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,3,5-triazinyl, 1,2,4-triazinyl or 1,2,4-triazinyl, the number of R is an integer of from 0 to 2, preferably 1 or 2. For the group of thienyl, furyl, pyrazolyl, imidazolyl, pyrimidinyl, pyrazinyl or pyridazinyl, the number of R is an integer of from 0 to 3, preferably an integer of from 0 to 2, more preferably 1 or 2. For the group of pyrrolyl, pyridinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl or thiazolinyl, the number of R is an integer of from 0 to 4, preferably an integer of from 0 to 3, more preferably 1 or 2.

[0019] Preferred scope of Y is the following groups.

YI: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₂-C₄ alkenyloxy, C₂-C₄ alkynyloxy, C₁-C₄ haloalkoxy, C₂-C₄ haloalkenyloxy, C₂-C₄ haloalkynyloxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfanyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfanyl, C₂-C₄ alkynylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfanyl, C₂-C₄ haloalkenylsulfonyl, C₂-C₄ haloalkynylsulfenyl, C₂-C₄ haloalkynylsulfanyl, C₂-C₄ haloalkynylsulfonyl, NO₂, CN, -NU¹U², C₂-C₄ alkoxycarbonyl, C₂-C₄ alkoxyalkyl, C₂-C₄ alkylcarbonyloxy, C₂-C₄ haloalkylcarbonyloxy, and phenyl optionally substituted by X (provided that the substituent is two or more, said substituents may be the same or different) and the number of the substituent, Y, is 1, 2 or 3.

YII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, NO₂, CN, C₂-C₄ alkoxycarbonyl, and phenyl optionally substituted by X (provided that when the substituent is two or more, said substituents may be the same or different) and the number of the substituent, Y, is 1, 2 or 3.

[0020] Depending on the type of the heterocyclic group to be substituted by Y, the number of Y differs. For the group of 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,3-thiadiazolyl or 1,2,3,4-tetrazolyl, the number of Y is 0 or 1, preferably 1. For the group of thiazolyl, oxazolyl, isoxazolyl, isothiazolyl, 1,3,4-triazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,3,5-triazinyl, 1,2,4-triazinyl or 1,2,4-triazinyl, the number of Y is an integer of from 0 to 2, preferably 1 or 2. For the group of thienyl, furyl, pyrazolyl, imidazolyl, pyrimidinyl, pyrazinyl or pyridazinyl, the number of Y is an integer of from 0 to 3, preferably an integer of from 0 to 2, more preferably 1 or 2. For the group of pyrrolyl, pyridinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl or thiazolinyl, the number of Y is an integer of from 0 to 4, preferably an integer of from 0 to 3, more preferably 1 or 2.

[0021] Preferred scope of W is the following group.

WI: substituents freely selected from halogen, C₁-C₆ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ alkenyloxy, C₂-C₄ haloalkenyloxy, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfanyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ haloalkenylsulfenyl, C₂-C₄ haloalkenylsulfanyl, C₂-C₄ haloalkenylsulfonyl, C₂-C₄ alkynyloxy, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfanyl, C₂-C₄ alkynylsulfonyl, NO₂, CN, C₂-C₄ alkoxycarbonyl, C₂-C₄ alkylcarbonyl, C₂-C₄ haloalkylcarbonyl, C₂-C₄ alkylcarbonyloxy, and -NU¹U² (provided that when the substituent is two or more, said substituents are the same or different) and the number of the substituent, W, is 1, 2, 3 or 4.

WII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, C₂-C₄ alkenyloxy, C₂-C₄ haloalkenyloxy, C₂-C₄ alkenylsulfenyl, C₂-C₄ alkenylsulfanyl, C₂-C₄ alkenylsulfonyl, C₂-C₄ alkynyloxy, C₂-C₄ alkynylsulfenyl, C₂-C₄ alkynylsulfanyl, C₂-C₄ alkynylsulfonyl, NO₂, and CN (provided that the substituent is two or more, said substituents may be the same or different) and the number of the substituent, W, is 1, 2 or 3.

WIII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, NO₂, and CN (provided that when the substituent is two or more, the substituents may be the same or different) and the number of the substituent, W, is 1 or 2.

[0022] Preferred scope of T¹ is the following groups.

T¹I: C₁-C₁₈ alkyl, C₂-C₆ alkenyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy-C₁-C₄ alkyl, C₁-C₄ alkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₃-C₆ halocycloalkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, cycloalkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₂-C₄ alkenyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₁-C₁₀ alkoxy, C₁-C₄ haloalkoxy, C₂-C₅ alkenyloxy, C₃-C₆ cycloalkoxy optionally substituted by C₁-C₃ alkyl, benzyloxy, C₂-C₅ alkoxycarbonyl, -NU¹U², phenyl optionally substituted by Z, phenoxy optionally substituted by Z, phenylthio optionally substituted by Z, naphthyl, and heterocyclic group optionally substituted by Z, (said heterocyclic group being selected from thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl and 1,2,4-triazinyl groups).

T¹II: C₁-C₁₈ alkyl, C₂-C₆ alkenyl, C₁-C₄ haloalkyl, C₂-C₄ alkoxyalkyl, C₁-C₄ alkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₃-C₆ cycloalkyl optionally substituted by C₁-C₃ alkyl, cycloalkyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₂-C₄ alkenyl substituted by phenyl optionally substituted by halogen or C₁-C₄ alkyl, C₁-C₁₀ alkoxy, C₁-C₄ haloalkoxy, C₂-C₅ alkenyloxy, C₃-C₆ cycloalkoxy, benzyloxy, C₂-C₅ alkoxycarbonyl, phenyl optionally substituted by Z, phenoxy optionally substituted by Z, phenylthio, naphthyl,

and heterocyclic group optionally substituted by Z (said heterocyclic group being selected from thienyl, furyl, oxazolyl, thiazolyl, pyrazolyl and pyridinyl groups).

T¹III: C₁-C₁₇ alkyl, C₂-C₆ alkenyl, C₁-C₄ haloalkyl, C₂-C₄ alkoxyalkyl, C₁-C₄ alkyl substituted by phenyl, C₃-C₆ cycloalkyl optionally substituted C₁-C₃ alkyl, cycloalkyl substituted by phenyl, C₂-C₄ alkenyl substituted by phenyl, C₁-C₈ alkoxy, C₁-C₄ haloalkoxy, C₂-C₅ alkenyloxy, C₃-C₆ cycloalkoxy, benzyloxy, C₂-C₅ alkoxy-carbonyl, phenyl optionally substituted by Z, phenoxy optionally substituted by Z, phenylthio, naphthyl, pyrazolyl optionally substituted by Z or pyridinyl optionally substituted by Z.

[0023] Preferred scope of T² is the following groups.

T²I: phenyl, C₁-C₄ alkyl, C₁-C₄ alkoxy or C₁-C₄ alkylsulfenyl.

[0024] Preferred scope of T³ is the following groups.

T³I: phenyl, C₁-C₆ alkyl, C₁-C₆ alkoxy or C₁-C₄ alkylsulfenyl.

[0025] Preferred scope of T⁴ is the following groups.

T⁴I: H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl or benzyl. Also preferred is such that any two of T⁴, T⁵ and T⁶, together with the nitrogen atom to which they are bonded, forms a 5-, 6- or 7-membered ring optionally having oxygen, nitrogen and/or sulfur atoms.

[0026] Preferred scope of T⁵ is the following groups.

T⁵I: H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl or benzyl. Also, preferred is such that any two of T⁴, T⁵ and T⁶, together with the nitrogen atom to which they are bonded, forms a 5-, 6- or 7-membered ring optionally having oxygen, nitrogen and/or sulfur atoms.

[0027] Preferred scope of T⁶ is the following groups.

T⁶I: H, C₁-C₄ alkyl, C₃-C₆ cycloalkyl or benzyl. Also, preferred is such that any two of T⁴, T⁵ and T⁶, together with the nitrogen atom to which they are bonded, forms a 5-, 6- or 7-membered ring optionally having oxygen, nitrogen and/or sulfur atoms.

[0028] Preferred scope of X is the following groups.

XI: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₂-C₅ alkenylsulfenyl, C₂-C₅ alkenylsulfanyl, C₂-C₅ alkenylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, NO₂, CN, -NU¹U² and C₂-C₅ alkoxy-carbonyl (provided that the substituent is two or more, said substituents may be the same or different) and the substituent, X, is 1, 2 or 3.

XII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₂-C₅ alkenylsulfenyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, and NO₂ (provided that when the substituent is two or more, said substituents may be the same or different) and the number of the substituent, X, is 1, 2 or 3.

XIII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, and C₁-C₄ alkoxy (provided that when the substituent is two or more, said substituents may be the same or different) and the number of the substituent, X, is 1 or 2.

[0029] Depending on the type of the ring to be substituted by X, the number of X differs. For phenyl, the number of X is an integer of from 0 to 5, preferably an integer of from 0 to 3, more preferably an integer of from 0 to 2. For pyridyl, the number of X is an integer of from 0 to 4, preferably 0, 1 or 2, more preferably 0 or 1. For thienyl, the number of X is an integer of from 0 to 3, preferably 0 or 1.

[0030] Preferred scope of Z is the following groups.

ZI: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfanyl, C₁-C₄ alkylsulfonyl, C₂-C₅ alkenylsulfenyl, C₂-C₅ alkenylsulfanyl, C₂-C₅ alkenylsulfonyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfanyl, C₁-C₄ haloalkylsulfonyl, NO₂, CN, -NU¹U² and C₂-C₅ alkoxy-

ycarbonyl (provided that when the substituent is two or more, said substituents may be the same or different) and the number of the substituent, Z, is 1, 2, 3 or 4.

ZII: substituents freely selected from halogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfenyl, C₁-C₄ alkylsulfenyl, C₂-C₆ alkenylsulfenyl, C₂-C₅ alkenylsulfenyl, C₂-C₅ alkenylsulfenyl, C₁-C₄ haloalkylsulfenyl, C₁-C₄ haloalkylsulfenyl and C₁-C₄ haloalkylsulfenyl (provided that when the substituent is two or more, said substituents may be the same or different) and the substituent, Z, is 1, 2, 3 or 4.

[0031] Depending on the type of the ring to be substituted by Z, the number of Z differs. For phenyl, the number of Z is an integer of from 0 to 5, preferably an integer of from 0 to 4, more preferably 0, 1, 2 or 3, even more preferably 0, 1 or 2. For naphthyl, the number of Z is an integer of from 0 to 7, preferably 0. Where the ring to be substituted by Z is a heterocyclic group, the number of the substituents of Z also differs depending on the type of the heterocyclic group. For the group of 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,3-oxadiazolyl, 1,2,3-thiadiazolyl, 1,2,3,4-tetrazolyl or 1,2,3,5-tetrazolyl, the number of Z is 0 or 1. For the group of thiazolyl, oxazolyl, isoxazolyl, isothiazolyl, 1,3,4-triazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,3,5-triazinyl, 1,2,4-triazinyl or 1,2,4-triazinyl, the number of Z is an integer of from 0 to 2, preferably 1 or 2. For the group of thienyl, furyl, pyrazolyl, imidazolyl, pyrimidinyl, pyrazinyl or pyridazinyl, the number of Z is an integer of from 0 to 3, preferably an integer of from 0 to 2, more preferably 1 or 2. For the group of pyrrolyl, pyridinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl or thiazolinyl, the number of Z is an integer of from 0 to 4, preferably an integer of from 0 to 2, more preferably 1 or 2.

[0032] Preferred scope of T⁷ is the following groups.

T⁷I: H, phenyl, benzyl or C₁-C₄ alkyl. Also preferred is such that T⁷ and T⁸, together with the carbon atom to which they are bonded, form a 5-membered or 6-membered ring.

[0033] Preferred scope of T⁸ is the following groups.

T⁸I: phenyl, benzyl or C₁-C₄ alkyl. Also preferred is such that T⁷ and T⁸, together with the carbon atom to which they are bonded, form a 5-membered or 6-membered ring.

[0034] Preferred scope of U¹ is the following groups.

U¹I: H, C₁-C₄ alkyl or C₂-C₅ alkylcarbonyl. Also preferred is such that U¹ and U², together with nitrogen atom to which they are bonded, form a 5-, 6- or 7-membered ring.

[0035] Preferred scope of U² is the following groups.

U²I: H, C₁-C₄ alkyl or C₂-C₅ alkylcarbonyl. Also preferred is such that U¹ and U², together with the carbon atom to which they are bonded, form a 5-, 6- or 7-membered ring.

[0036] Preferably, m is 1, 2, or 3, more preferably 1 or 2.

[0037] Preferably n is 0, 1, 2 or 3, more preferably 1 or 2.

[0038] Preferably, p is 1 or 2.

[0039] The above-mentioned preferred groups in the scopes of the preferred substituents can be optionally combined and show the scopes of the preferred compounds of the present invention. Hereinunder mentioned are especially preferred scopes.

[0040] Compounds of the invention comprising preferred substituents of QI, AI, BI, EI, GI, RI, YI, WI, T¹I, T²I, T³I, T⁴I, T⁵I, T⁶I, XI, ZI, T⁷I, T⁸I, U¹I and U²I.

[0041] Compounds of the invention comprising preferred substituents of QI, AI, BI, EIII, GI, RI, YI, WI, T¹I, T²I, T³I, T⁴I, T⁵I, T⁶I, XI, ZI, T⁷I, T⁸I, U¹I and U²I.

[0042] Compounds of the invention comprising preferred substituents of QII, AII, BI, EII, GI, RI, YI, WI, T¹I, T²I, T³I, T⁴I, T⁵I, T⁶I, XI, ZI, T⁷I, T⁸I, U¹I and U²I.

[0043] Compounds of the invention comprising preferred substituents of QII, AII, BI, EIII, GI, RI, YI, WI, T¹I, T²I, T³I, T⁴I, T⁵I, T⁶I, XI, ZI, T⁷I, T⁸I, U¹I and U²I.

[0044] Compounds of the invention comprising preferred substituents of QIII, AIII, BI, EIII, GI, RI, YI, WI, T¹I, T²I, T³I, T⁴I, T⁵I, T⁶I, XI, ZI, T⁷I, T⁸I, U¹I and U²I.

[0045] Compounds of the invention comprising preferred substituents of QIII, AIII, BII, EIII, GII, RII, YII, WII, T¹II, T²I, T³I, T⁴I, T⁵I, T⁶I, XII, ZII, T⁷I, T⁸I, U¹I and U²I.

[0046] Compounds of the invention comprising preferred substituents of QIII, AIII, BII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.

- [0047] Compounds of the invention comprising preferred substituents of QIII, AIV, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0048] Compounds of the invention comprising preferred substituents of QIV, AIV, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- 5 [0049] Compounds of the invention comprising preferred substituents of QV, AIII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0050] Compounds of the invention comprising preferred substituents of QVI, AIII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0051] Compounds of the invention comprising preferred substituents of QVI, AIV, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- 10 [0052] Compounds of the invention comprising preferred substituents of QVII, AIII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0053] Compounds of the invention comprising preferred substituents of QVIII, AIII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- 15 [0054] Compounds of the invention comprising preferred substituents of QIX, AIII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0055] Compounds of the invention comprising preferred substituents of QIII, AV, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0056] Compounds of the invention comprising preferred substituents of QIII, AVI, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- 20 [0057] Compounds of the invention comprising preferred substituents of QIII, AVII, BIII, EIII, GIII, RIII, YII, WII, T¹III, T²I, T³I, T⁴I, T⁵I, T⁶I, XIII, ZII, T⁷I, T⁸I, U¹I and U²I.
- [0058] Now, specific examples of Q, A, B, E, G, R, R¹, Y, Y¹, Y², W, X, Z, T¹, T², T³, T⁴, T⁵, T⁶, T⁷, T⁸, U¹ and U² are mentioned below.
- 25 [0059] The halogen atom for E, G, R, R¹, W, X, Y, Y¹, Y², Y³ and Z includes a fluorine atom, a chlorine atom, a bromine atom, and an iodine atom. Preferred are a fluorine atom, a chlorine atom and a bromine atom.
- [0060] The alkyl group for B, G, R, R¹, T¹, T², T³, T⁴, T⁵, T⁶, T⁷, T⁸, U¹, U², W, X, Y, Y¹, Y², Y³ and Z may be a straight chain or branched alkyl group having indicated carbon atoms, which includes, for example, methyl, ethyl, n-propyl, iso-propyl, n-butyl, isobutyl, tert-butyl, sec-butyl, pentyl-1, pentyl-2, pentyl-3, 2-methylbutyl-1, 2-methylbutyl-2, 2-methylbutyl-3, 3-methylbutyl-1, 2,2-dimethylpropyl-1, hexyl-1, hexyl-2, hexyl-3, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl, 1-ethyl-2-methylpropyl, n-heptyl, n-octyl, n-nonyl, n-undecyl, n-dodecyl, n-tridecyl, n-tetradecyl, n-pentadecyl, n-hexadecyl, n-heptadecyl, n-octadecyl, n-nonadecyl and n-eicosyl groups.
- 30 [0061] The alkenyl group for G, R, R¹, T¹, T⁴, T⁵, T⁶, Y¹ and W may be a straight chain or branched alkenyl group having indicated carbon atoms, which includes, for example, ethenyl, 1-propenyl, 2-propenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 1-methyl-2-butenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 1-methyl-3-butenyl, 2-methyl-3-butenyl, 3-methyl-3-butenyl, 1,1-dimethyl-2-propenyl, 1,2-dimethyl-2-propenyl, 1-ethyl-2-propenyl, 1-hexenyl, 2-hexenyl, 3-hexenyl, 4-hexenyl, 5-hexenyl, 1-methyl-2-pentenyl, 2-methyl-2-pentenyl, 3-methyl-2-pentenyl, 4-methyl-2-pentenyl, 1-methyl-3-pentenyl, 2-methyl-3-pentenyl, 3-methyl-3-pentenyl, 4-methyl-3-pentenyl, 1-methyl-4-pentenyl, 2-methyl-4-pentenyl, 3-methyl-4-pentenyl, 4-methyl-4-pentenyl, 1,1-dimethyl-2-butenyl, 1,1-dimethyl-3-butenyl, 1,2-dimethyl-2-butenyl, 1,2-dimethyl-3-butenyl, 1,3-dimethyl-2-butenyl, 1,3-dimethyl-3-butenyl, 2,3-dimethyl-2-butenyl, 2,3-dimethyl-3-butenyl, 3,3-dimethyl-2-butenyl, 1-ethyl-2-butenyl, 1-ethyl-3-butenyl, 2-ethyl-2-butenyl, 2-ethyl-3-butenyl, 1,1,2-trimethyl-2-propenyl and 1-ethyl-1-methyl-2-propenyl groups.
- 35 [0062] The alkynyl group for E, G, R, R¹, Y¹ and W may be a straight chain or branched alkynyl group having indicated carbon atoms, which includes, for example, ethynyl, 1-propynyl, 2-propynyl, 1-butylnyl, 2-butylnyl, 3-butylnyl, 1-methyl-2-propynyl, 1-pentynyl, 2-pentynyl, 3-pentynyl, 4-pentynyl, 1-methyl-2-butylnyl, 1-methyl-3-butylnyl, 2-methyl-3-butylnyl, hexynyl, 1-methyl-3-pentynyl, 1-methyl-4-pentynyl, 2-methyl-3-pentynyl, 2-methyl-4-pentynyl, 3-methyl-4-pentynyl, 4-methyl-2-pentynyl, 1,1-dimethyl-2-butylnyl, 1,1-dimethyl-3-butylnyl, 1,2-dimethyl-3-butylnyl, 2,2-dimethyl-3-butylnyl, 1-ethyl-2-butylnyl, 1-ethyl-3-butylnyl and 2-ethyl-3-butylnyl groups.
- 40 [0063] The haloalkyl group for B, E, G, R, R¹, T¹, W, X, Y, Y¹, Y², Y³ and Z may be a straight chain or branched haloalkyl group having indicated carbon atoms, which includes, for example, fluoromethyl, chloromethyl, bromomethyl, fluoroethyl, chloroethyl, bromoethyl, fluoro-n-propyl, chloro-n-propyl, difluoromethyl, chlorodifluoromethyl, trifluoromethyl, dichloromethyl, trichloromethyl, difluoroethyl, trifluoroethyl, trichloroethyl, chlorodifluoroethyl, bromodifluoroethyl, trifluorochloroethyl, hexafluoro-n-propyl, chlorobutyl, fluorobutyl, chloro-n-pentyl, fluoro-n-pentyl, chloro-n-hexyl and fluoro-n-hexyl groups.
- 45 [0064] The C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group for G, R, T¹, T⁴, T⁵ and T⁶ includes,

for example, cyclopropyl, 1-methylcyclopropyl, 2,2,3,3-tetramethylcyclopropyl, cyclobutyl, 1-ethylcyclobutyl, 1-n-butylcyclobutyl, cyclopentyl, 1-methylcyclopentyl, cyclohexyl, 1-methylcyclohexyl and 4-methylcyclohexyl groups.

[0065] The C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group for B, G, R and T¹ includes, for example, benzyl, 2-chlorobenzyl, 3-bromobenzyl, 4-chlorobenzyl, 4-methylbenzyl, 4-tert-butylbenzyl, 1-phenylethyl, 1-(3-chlorophenyl)ethyl, 2-phenylethyl, 1-methyl-1-phenylethyl, 1-(4-chlorophenyl)-1-methylethyl, 1-(3-chlorophenyl)-1-methylethyl, 1-phenylpropyl, 2-phenylpropyl, 3-phenylpropyl, 1-phenylpropyl, 2-phenylbutyl, 3-phenylbutyl, 4-phenylbutyl, 1-methyl-1-phenylpropyl, 1-methyl-2-phenylpropyl, 1-methyl-3-phenylpropyl, 2-methyl-2-phenylpropyl, 2-(4-chlorophenyl)-2-methyl-propyl and 2-methyl-2-(3-methylphenyl)propyl groups.

[0066] For T¹, the C₃-C₆ cycloalkyl group substituted by a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group includes, for example, 1-phenylcyclopropyl, 1-(3-chlorophenyl)cyclopropyl, 1-(4-chlorophenyl)cyclopropyl, 1-(4-bromophenyl)cyclopropyl, 1-(4-fluorophenyl)cyclopropyl, 1-(4-ethylphenyl)cyclopropyl, 1-(4-propylphenyl)cyclopropyl, 2-phenylcyclopropyl, 1-phenylcyclobutyl, 2-phenylcyclobutyl, 1-phenylcyclopentyl, 1-(4-chlorophenyl)cyclopentyl, 2-phenylcyclopentyl, 3-phenylcyclopentyl, 1-phenylcyclohexyl, 1-(3-fluorophenyl)cyclohexyl, 1-(4-chlorophenyl)cyclohexyl, 1-(4-tert-butylphenyl)cyclohexyl, 2-phenylcyclohexyl, 3-phenylcyclohexyl and 4-phenylcyclohexyl groups.

[0067] For T¹, the cyclopropyl group substituted by both a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group and a C₁-C₄ alkyl group includes, for example, 2,2-dimethyl-1-phenylcyclopropyl, 1-(4-chlorophenyl)-2,2-dimethylcyclopropyl, 2,2-dimethyl-3-phenylcyclopropyl, 3-(3-chlorophenyl)-2,2-dimethylcyclopropyl, (4-chlorophenyl)-2,2-dimethyl-3-phenylcyclopropyl, (4-bromophenyl)-2,2-dimethyl-3-phenylcyclopropyl, 2,2-dimethyl-3-(4-methylphenyl)cyclopropyl and (4-tert-butylphenyl)-2,2-dimethyl-3-phenylcyclopropyl groups.

[0068] For T¹, the C₃-C₄ cycloalkoxy group substituted by both a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkoxy group and a halogen atom includes, for example, 2,2-dichloro-1-phenylcyclopropyl, 2,2-dichloro-1-(3-chlorophenyl)cyclopropyl, 2,2-dichloro-1-(4-methoxyphenyl)cyclopropyl, 2,2-dichloro-1-(4-ethoxyphenyl)cyclopropyl, 2,2-dichloro-1-(4-propyloxyphenyl)cyclopropyl, 2,2-dichloro-1-(4-tert-butylphenyl)cyclopropyl, 2,2-dichloro-1-(4-methoxyphenyl)-3-phenylcyclopropyl and 1-(4-ethoxyphenyl)-2,2,3,3-tetrafluorobutyl groups.

[0069] For T¹, the cyclopropyl group substituted by both a C₂-C₄ alkenyl group optionally substituted by a halogen atom, and a C₁-C₄ alkyl group includes, for example, 2,2-dimethyl-3-(2,2-dimethylethenyl)cyclopropyl, 3-(2,2-dibromoethenyl)-2,2-dimethylcyclopropyl, 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropyl and 3-(2,2-chlorotrifluoroethenyl)-2,2-dimethylcyclopropyl groups.

[0070] For T¹, the C₃-C₆ cycloalkoxy group optionally substituted by a C₁-C₃ alkyl group includes, for example, cyclopropoxy, cyclobutoxy, cyclopentoxy, cyclohexyloxy and 1-methylcyclopropoxy groups.

[0071] For T¹, the C₂-C₄ alkenyl group substituted by a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group includes, for example, 1-phenylethenyl, 2-phenylethenyl, 2-(2-chlorophenyl)ethenyl, 2-(3-chlorophenyl)ethenyl, 2-(4-chlorophenyl)ethenyl, 2-(4-methylphenyl)ethenyl, 2-(2,6-difluorophenyl)ethenyl, 2-(2,5-dimethylphenyl)ethenyl, 1-methyl-2-phenylethenyl, 2-phenyl-1-propenyl, 2-(4-bromophenyl)-1-propenyl and 2-(2,4,6-trimethylphenyl)-1-propenyl groups.

[0072] The alkoxy group for G, R, T¹, T², T³, R¹, W, X, Y, Y¹, Y² and Z may be a straight chain or branched alkoxy group having indicated carbon atoms, which includes, for example, methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, isobutoxy, sec-butoxy, tert-butoxy, n-pentyloxy, 1-methylbutoxy, 2-methylbutoxy, 3-methylbutoxy, 1,1-dimethylpropoxy, 1,2-dimethylpropoxy, 2,2-dimethylpropoxy, 1-ethylpropyloxy, n-hexyloxy, 1-methylpentyloxy, 2-methylpentyloxy, 3-methylpentyloxy, 4-methylpentyloxy, 1,1-dimethylbutoxy, 1,2-dimethylbutoxy, 1,3-dimethylbutoxy, 2,2-dimethylbutoxy, 2,3-dimethylbutoxy, 3,3-dimethylbutoxy, 1-ethylbutoxy, 2-ethylbutoxy, 1,1,2-trimethylpropyloxy, 1,2,2-trimethylpropyloxy, 1-ethyl-1-methylpropyloxy, 1-ethyl-2-methylpropyloxy, n-heptyloxy, n-octyloxy, n-nonyloxy and n-decyloxy groups.

[0073] The C₃-C₆ halocycloalkyl group for G, R and T¹ includes, for example, fluorocyclopropyl, difluorocyclopropyl, chlorocyclopropyl, dichlorocyclopropyl, 1-methyl-2,2-dichlorocyclopropyl, chlorocyclobutyl, dichlorocyclobutyl, chlorocyclopentyl, dichlorocyclopentyl, chlorocyclohexyl, dichlorocyclohexyl and tetrafluorocyclobutyl groups.

[0074] The group -NU¹U² for G, R, R¹, T¹, W, X, Y, Y¹ and Z includes, for example, methylamino, ethylamino, n-propylamino, isopropylamino, n-butylamino, isobutylamino, sec-butylamino, tert-butylamino, n-pentylamino, 1-methylbutylamino, 2-methylbutylamino, 3-methylbutylamino, 1,1-dimethylpropylamino, 1,2-dimethylpropylamino, 2,2-dimethylpropylamino, 1-ethylpropylamino, n-hexylamino, 1-methylpentylamino, 2-methylpentylamino, 3-methylpentylamino, 4-methylpentylamino, 1,1-dimethylbutylamino, 1,2-dimethylbutylamino, 1,3-dimethylbutylamino, 2,2-dimethylbutylamino, 2,3-dimethylbutylamino, 3,3-dimethylbutylamino, 1-ethylbutylamino, 2-ethylbutylamino, 1,1,2-trimethylpropylamino, 1,2,2-trimethylpropylamino, 1-ethyl-1-methylpropylamino, 1-ethyl-2-methylpropylamino, dimethylamino, diethylamino, di-n-propylamino, diisopropylamino, di-n-butylamino, di-sec-butylamino, diisobutylamino, di-n-pentylamino, di-n-hexylamino, methylethylamino, methylpropylamino, methylisopropylamino, methylbutylamino, methylsec-butylamino, methylisobutylamino, methyl-tert-butylamino, methylpentylamino, methylhexylamino, ethylpropylamino, ethylisopropylamino, ethylbutylamino, ethyl-sec-butylamino, ethylisobutylamino, ethylpentylamino, ethylhex-

ylamino, phenylamino, benzylamino, N-methylacetamido, N-ethylacetamido, N-phenylacetamido and N-acetylacetamido groups, to which is applied the indicated scope of the carbon atoms constituting it.

[0075] The C₅-C₅ alkoxy carbonyl group for E, G, R, R¹, T¹, W, X, Y, Y¹, Y² and Z includes, for example, methoxycarbonyl, ethoxycarbonyl, n-propoxycarbonyl, iso-propoxycarbonyl, n-butoxycarbonyl, sec-butoxycarbonyl, iso-butoxycarbonyl and tert-butoxycarbonyl groups.

[0076] The C₁-C₄ haloalkoxy group for G, R, T¹, W, X, Y and Z may be a straight chain or branched C₁-C₄ haloalkoxy group, including, for example, fluoromethoxy, difluoromethoxy, trifluoromethoxy, chlorodifluoromethoxy, bromodifluoromethoxy, dichlorodifluoromethoxy, chloromethoxy, dichloromethoxy, trichloromethoxy, bromomethoxy, fluoroethoxy, chloroethoxy, bromoethoxy, difluoroethoxy, trifluoroethoxy, tetrafluoroethoxy, pentafluoroethoxy, trichloroethoxy, trifluoroethoxy, fluoropropoxy, chloropropoxy, bromopropoxy, fluorobutoxy, chlorobutoxy, fluoro-iso-propoxy and chloro-iso-propoxy groups.

[0077] The C₁-C₄ alkylsulfenyl group for E, G, R, T², T³, W, X, Y and Z includes, for example, methylthio, ethylthio, n-propylthio, iso-propylthio, n-butylthio, iso-butylthio, sec-butylthio and tert-butylthio groups.

[0078] The C₁-C₄ alkylsulfanyl group for E, G, R, X, W, Y and Z includes, for example, methylsulfanyl, ethylsulfanyl, n-propylsulfanyl, iso-propylsulfanyl, n-butylsulfanyl, iso-butylsulfanyl, sec-butylsulfanyl and tert-butylsulfanyl groups.

[0079] The C₁-C₄ alkylsulfonyl group for B, E, G, R, W, X, Y and Z includes, for example, methylsulfonyl, ethylsulfonyl, n-propylsulfonyl, iso-propylsulfonyl, n-butylsulfonyl, iso-butylsulfonyl, sec-butylsulfonyl and tert-butylsulfonyl groups.

[0080] The C₂-C₄ alkoxyalkyl group for B, G, R, R¹, T¹, Y, Y¹ and Y² includes, for example, C₁-C₃ alkoxy-methyl, C₁-C₂ alkoxy-ethyl, methoxyethoxymethyl and methoxypropyl groups.

[0081] The C₂-C₄ alkylcarbonyl group for E, G, R, R¹, U¹, U², Y¹, Y² and W includes, for example, acetyl, propionyl, butanoyl and iso-butanoyl groups.

[0082] The C₂-C₆ haloalkylcarbonyl group for G and W includes, for example, chloroacetyl, trifluoroacetyl, 3,3,3-trifluoropropionyl and pentafluoropropionyl groups.

[0083] The C₅-C₅ haloalkylcarbonyloxy group for G, R and Y includes, for example, chloroacetyloxy, trifluoroacetyloxy, 3,3,3-trifluoropropionyloxy and pentafluoropropionyloxy groups.

[0084] The C₃-C₇ dialkylaminocarbonyloxy group for G and Y includes, for example, dimethylaminocarbonyloxy, diethylaminocarbonyloxy and di-*i*-propylaminocarbonyloxy groups.

[0085] The naphthyl group for R, Y, Z and T¹ includes, for example, 1-naphthyl and 2-naphthyl groups.

[0086] The pyridyl group optionally substituted by Z for G and T¹ includes, for example, 2-pyridyl, 3-pyridyl and 4-pyridyl groups all optionally substituted by Z. Preferred are 2-pyridyl and 3-pyridyl groups both optionally substituted by Z; and more preferred is a 2-pyridyl group optionally substituted by Z.

[0087] The pyridyloxy group optionally substituted by Z for G and T¹ includes, for example, 2-pyridyloxy, 3-pyridyloxy and 4-pyridyloxy groups all optionally substituted by Z.

[0088] The pyridyl group optionally substituted by X for R and R¹ includes, for example, 2-pyridyl, 3-pyridyl and 4-pyridyl groups all optionally substituted by X. Preferred are 2-pyridyl and 3-pyridyl groups both optionally substituted by X; and more preferred is a 2-pyridyl group optionally substituted by X.

[0089] The pyridyloxy group optionally substituted by X for R and R¹ includes, for example, 2-pyridyloxy, 3-pyridyloxy and 4-pyridyloxy groups all optionally substituted by X.

[0090] The thienyl group optionally substituted by X for R and R¹ includes, for example, 2-thienyl and 3-thienyl groups both optionally substituted by X.

[0091] The thienyl group optionally substituted by Z for G and Y¹ includes, for example, 2-thienyl and 3-thienyl groups both optionally substituted by Z.

[0092] The group -N=CT⁷T⁸ for G, R, R¹, Y and Y¹ indicates an alkylidenamino group, a benzylidenamino group, an arylidenamino group or a cycloalkylidenamino group, including, for example, methylidenamino, ethylidenamino, propylidenamino, isopropylidenamino, 4-methyl-2-pentylidenamino, cyclopentylidenamino and cyclohexylidenamino groups.

[0093] The C₂-C₄ alkylaminocarbonyl group for E includes, for example, methylaminocarbonyl, ethylaminocarbonyl and n-propylaminocarbonyl groups.

[0094] The C₃-C₉ dialkylaminocarbonyl group for E includes, for example, dimethylaminocarbonyl, diethylaminocarbonyl, di-n-propylaminocarbonyl, di-isopropylaminocarbonyl and di-n-butylaminocarbonyl groups.

[0095] The C₁-C₄ alkylaminosulfonyl group for B includes, for example, methylaminosulfonyl, ethylaminosulfonyl, n-propylaminosulfonyl, isopropylaminosulfonyl and n-butylaminosulfonyl groups.

[0096] The C₂-C₈ dialkylaminosulfonyl group for B includes, for example, dimethylaminosulfonyl, diethylaminosulfonyl, di-n-propylaminosulfonyl, di-isopropylaminosulfonyl and di-n-butylaminosulfonyl groups.

[0097] The C₂-C₅ alkylaminothiocarbonyl group for B includes, for example, methylaminothiocarbonyl, ethylaminothiocarbonyl, n-propylaminothiocarbonyl, isopropylaminothiocarbonyl and n-butylaminothiocarbonyl groups.

[0098] The C₃-C₉ dialkylaminothiocarbonyl group for B includes, for example, dimethylaminothiocarbonyl, diethylaminothiocarbonyl, di-n-propylaminothiocarbonyl, di-isopropylaminothiocarbonyl and di-n-butylaminothiocarbonyl groups.

[0099] The C₁-C₄ alkyl group substituted by a benzoyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl

group for B includes, for example, phenacyl, 2-fluorophenacyl, 3-chlorophenacyl, 4-bromophenacyl, 2-methylphenacyl, 3-ethylphenacyl, 4-i-propylphenacyl and 4-t-butylphenacyl groups.

[0100] The phenylsulfonyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group for B includes, for example, 2-fluorophenylsulfonyl, 4-fluorophenylsulfonyl, 2-chlorophenylsulfonyl, 4-chlorophenylsulfonyl, 4-bromophenylsulfonyl, 2,5-dichlorophenylsulfonyl, pentafluorophenylsulfonyl, 4-methylphenylsulfonyl, 2-methylphenylsulfonyl, 4-t-butylphenylsulfonyl, 2,5-dimethylphenylsulfonyl, 2,4-dimethylphenylsulfonyl, 2,4,6-trimethylphenylsulfonyl and 2,4,6-tri-i-propylphenylsulfonyl groups.

[0101] The C₂-C₅ cyanoalkyl group for G and B includes, for example, cyanomethyl, 2-cyanoethyl, 3-cyanopropyl and 1-cyano-1-methylethyl groups.

[0102] The C₃-C₉ alkoxy-carbonylalkyl group for B may be a straight chain or branched one, including, for example, methoxycarbonylmethyl, ethoxycarbonylmethyl, n-propoxycarbonylmethyl, i-propoxycarbonylmethyl, n-butoxycarbonylmethyl, i-butoxycarbonylmethyl, t-butoxycarbonylmethyl, n-hexyloxycarbonylmethyl, n-heptyloxycarbonylmethyl, 1-methoxycarbonylethyl, 1-ethoxycarbonylethyl, 1-n-butoxyethyl, 2-methoxycarbonylethyl, 2-ethoxycarbonylethyl, 1-methoxycarbonylpropyl, 3-ethoxycarbonylpropyl, 4-methoxycarbonylbutyl, 6-ethoxycarbonylhexyl, 1-methoxycarbonyl-1-methylethyl, 1-iso-propoxycarbonyl-1-methylethyl and 1-ethoxycarbonyl-2-methylpropyl groups.

[0103] The alkali metal for B includes, for example, lithium sodium and potassium.

[0104] The alkaline earth metal for B includes, for example, magnesium, calcium, strontium and barium. Preferred are magnesium, calcium and barium.

[0105] The ammonium group of NHT⁴T⁵T⁶ for B includes, for example, ammonium, monomethylammonium, dimethylammonium, trimethylammonium, diethylammonium, triethylammonium, di-isopropylammonium, di-isopropylethylammonium, hexylmethylammonium, cyclopropylmethylammonium, cyclohexylmethylammonium, allylmethylammonium, benzylmethylammonium and 4-methylcyclohexylethylammonium groups. Any two of T⁴, T⁵ and T⁶ may form, along with the nitrogen atom to which they are bonded, a heterocyclic, 5-, 6-, 7- or 8-membered ammonium group optionally having oxygen, nitrogen and/or sulfur atoms.

[0106] The methoxy group substituted by a phenyl group optionally substituted by a halogen atom or a C₁-C₄ alkyl group for G includes, for example, benzyloxy, 2-chlorobenzyloxy, 3-chlorobenzyloxy, 4-chlorobenzyloxy, 3-methylbenzyloxy, 4-t-butylbenzyloxy, 2,6-difluorobenzyloxy and 2-fluoro-4-chlorobenzyloxy groups.

[0107] The heterocyclic, 5-, 6-, 7- or 8-membered ammonium group optionally having oxygen, nitrogen and/or sulfur atoms, which is formed by two of T⁴, T⁵ and T⁶ along with the nitrogen atom to which they are bonded, includes, for example, pyrrolidine, pyrazolidine, imidazolidine, oxazolidine, isoxazolidine, thiazolidine, piperidine, piperazine, morpholine, thiamorpholine, hexamethylenimine and heptamethylenimine groups. The haloalkylsulfenyl group for G, R, W, X, Y and Z may be a straight chain or branched C₁-C₄ haloalkylthio group, including, for example, fluoromethylthio, chlorodifluoromethylthio, bromodifluoromethylthio, trifluoromethylthio, trichloromethylthio, 2,2,2-trifluoroethylthio, 1,1,2,2-tetrafluoroethylthio, fluoroethylthio, pentafluoroethylthio and fluoro-iso-propylthio groups.

[0108] The haloalkylsulfenyl group for G, R, W, X, Y and Z may be a straight chain or branched, C₁-C₄ haloalkylsulfenyl group, including, for example, fluoromethylsulfenyl, chlorodifluoromethylsulfenyl, bromodifluoromethylsulfenyl, trifluoromethylsulfenyl, trichloromethylsulfenyl, 2,2,2-trifluoroethylsulfenyl, 1,1,2,2-tetrafluoroethylsulfenyl, fluoroethylsulfenyl, pentafluoroethylsulfenyl and fluoro-iso-propylsulfenyl groups.

[0109] The haloalkylsulfonyl group for G, R, W, X, Y and Z may be a straight chain or branched, C₁-C₄ haloalkylsulfonyl group, including, for example, fluoromethylsulfonyl, chlorodifluoromethylsulfonyl, bromodifluoromethylsulfonyl, trifluoromethylsulfonyl, trichloromethylsulfonyl, 2,2,2-trifluoroethylsulfonyl, 1,1,2,2-tetrafluoroethylsulfonyl, fluoroethylsulfonyl, pentafluoroethylsulfonyl and fluoro-iso-propylsulfonyl groups.

[0110] The haloalkenyl group for G, R, T¹ and W may be a straight chain or branched C₂-C₄ haloalkenyl group, including, for example, 2-chloroethenyl, 2-bromoethenyl and 2,2-dichloroethenyl groups.

[0111] The alkenyloxy group for G, R, R¹, T¹, W, Y and Y¹ may be a straight chain or branched C₂-C₄ alkenyloxy group, including, for example, allyloxy, 2-propenyloxy, 2-butenyloxy and 2-methyl-2-propenyloxy groups.

[0112] The haloalkenyloxy group for G, R, W and Y may be a straight chain or branched C₂-C₄ haloalkenyloxy group, including, for example, 3-chloro-2-propenyloxy, 3,3-dichloro-2-propenyloxy, 4-chloro-2-butenyloxy, 4,4-dichloro-3-butenyloxy and 4,4-difluoro-3-butenyloxy groups.

[0113] The alkenylsulfenyl group for G, R, W, X, Y and Z may be a straight chain or branched C₂-C₄ alkenylsulfenyl group, including, for example, allylsulfenyl, 2-propenylsulfenyl, 2-butenylsulfenyl and 2-methyl-2-propenylsulfenyl groups.

[0114] The alkenylsulfenyl group for G, R, W, X, Y and Z may be a straight chain or branched C₂-C₄ alkenylsulfenyl group, including, for example, allylsulfenyl, 2-propenylsulfenyl, 2-butenylsulfenyl and 2-methyl-2-propenylsulfenyl groups.

[0115] The alkenylsulfonyl group for G, R, W, X, Y and Z may be a straight chain or branched C₂-C₄ alkenylsulfonyl group, including, for example, allylsulfonyl, 2-propenylsulfonyl, 2-butenylsulfonyl and 2-methyl-2-propenylsulfonyl groups.

[0116] The haloalkenylsulfenyl group for G, R, W and Y may be a straight chain or branched C₂-C₄ haloalkenylsulfenyl

group, including, for example, 3-chloro-2-propenylsulfenyl, 4-chloro-2-butenylsulfenyl, 3,3-dichloro-2-propenylsulfenyl, 4,4-dichloro-3-butenylsulfenyl and 4,4-difluoro-3-butenylsulfenyl groups.

[0117] The haloalkenylsulfenyl group for G, R, W and Y may be a straight chain or branched C₂-C₄ haloalkenylsulfenyl group, including, for example, 3-chloro-2-propenylsulfenyl, 3,3-dichloro-2-propenylsulfenyl, 4-chloro-2-butenylsulfenyl, 4,4-dichloro-3-butenylsulfenyl and 4,4-difluoro-3-butenylsulfenyl groups.

[0118] The haloalkenylsulfonyl group for G, R, W and Y may be a straight chain or branched C₂-C₄ haloalkenylsulfonyl group, including, for example, 3-chloro-2-propenylsulfonyl, 3,3-dichloro-2-propenylsulfonyl, 4-chloro-2-butenylsulfonyl, 4,4-dichloro-3-butenylsulfonyl and 4,4-difluoro-3-butenylsulfonyl groups.

[0119] The C₂-C₄ haloalkynyl group for G, R and W includes, for example, chloroethynyl, bromoethynyl, iodoethynyl, 3-chloro-1-propynyl and 3-bromo-1-butyne groups.

[0120] The C₂-C₄ alkynoxy group for G, R, W and Y includes, for example, 2-propynyloxy, 2-butyloxy and 1-methyl-2-propynyloxy groups.

[0121] The C₂-C₄ haloalkynyloxy group for G, R, W and Y includes, for example, 3-chloro-2-propynyloxy, 3-bromo-2-propynyloxy and 3-iodo-2-propynyloxy groups.

[0122] The C₂-C₆ alkynylsulfenyl group for G, R, W and Y includes, for example, 2-propynylsulfenyl, 2-butyneylsulfenyl and 1-methyl-2-propynylsulfenyl groups.

[0123] The C₂-C₆ alkynylsulfonyl group for G, R, W and Y includes, for example, 2-propynylsulfonyl, 2-butyneylsulfonyl and 1-methyl-2-propynylsulfonyl groups.

[0124] The C₂-C₆ alkynylsulfonyl group for G, R, W and Y includes, for example, 2-propynylsulfonyl, 2-butyneylsulfonyl and 1-methyl-2-propynylsulfonyl groups.

[0125] The C₂-C₆ haloalkynylsulfenyl group for G, R, W and Y includes, for example, 3-chloro-2-propynylsulfenyl, 3-bromo-2-propynylsulfenyl and 3-iodo-2-propynylsulfenyl groups.

[0126] The C₂-C₆ haloalkynylsulfonyl group for G, R, W and Y includes, for example, 3-chloro-2-propynylsulfonyl, 3-bromo-2-propynylsulfonyl and 3-iodo-2-propynylsulfonyl groups.

[0127] The C₂-C₆ haloalkynylsulfonyl group for G, R, W and Y includes, for example, 3-chloro-2-propynylsulfonyl, 3-bromo-2-propynylsulfonyl and 3-iodo-2-propynylsulfonyl groups.

[0128] The C₂-C₄ alkylcarbonyloxy group for G, R, W and Y includes, for example, acetoxyl, propanoyloxy, butanoyloxy and isopropylcarbonyloxy groups.

[0129] The benzoyl group optionally substituted by X for E and G includes, for example, benzoyl, 2-chlorobenzoyl, 3-chlorobenzoyl, 4-chlorobenzoyl, 4-bromobenzoyl, 4-fluorobenzoyl, 3-methylbenzoyl, 4-methylbenzoyl, 4-tert-butylbenzoyl and 3,4-dichlorobenzoyl groups.

[0130] Even at low concentration, the compounds of the present invention effectively prevent various pests, which include, for example, so-called agricultural insect pests that injure agricultural and horticultural crops and trees, so-called livestock insect pests that live on livestock and poultry, so-called sanitary insect pests that have various negative influences on the human living environment including houses, so-called stored products insect pests that injure grains stored in storehouses, and also acarids, nematodes, molluscs and crustaceans that live in the same sites as above and injure those mentioned above.

[0131] Examples of insect pests, acarids, nematodes, molluscs and crustaceans capable of being exterminated by the compounds of the present invention are mentioned below, which, however, are not limitative.

Insect pests of Lepidoptera, such as rice stem borer (Chilo suppressalis Walker), rice leafroller (Cnaphalocrocis medinalis Guenée), green rice caterpillar (Naranga aeneascens Moore), rice skipper (Parnara guttata Bremer et Gvey), diamond back moths (Plutella xylostella Linné), cabbage armyworms (Mamestra brassicae Linné), common white (Pieris rapae crucivora Boisduval), turnip moth (Agrotis segetum Denis et Schiffermüller), common cutworm (Spodoptera litura Fabricius), beet armyworm (Spodoptera exigua Hübner), smaller tea tortrix (Adoxophyes sp.), oriental tea tortrix (Homona magnanima Diakonoff), peach fruit moth (Carposina niponensis Walsingham), oriental fruit moth (Grapholita molesta Busck), summer fruit tortrix (Adoxophyes orana fasciata Walsingham), apple leaf-miners (Phyllonorycter ringoniella Matsumura), corn earworm (Helicoverpa zea Boddie), tobacco bud worms (Heliothis virescens Fabricius), European corn borer (Ostrinia nubilalis Hübner), fall armyworm (Spodoptera frugiperda J.E. Smith), Codling moth moth (Cydia pomonella Linné), fall webworms (Hyphantria cunea Drury), etc.; Insect pests of Hemiptera, such as green rice leafhopper (Nephotettix cincticeps Uhler), brown rice planthoppers (Nilaparvata lugens Stal), green peach aphid (Myzus persicae Sulzer), cotton aphid (Aphis gossypii Glover), greenhouse whitefly (Trialeurodes vaporariorum Westwood), sweetpotato white fly (Bemisia tabaci Gennadius), pear psylla (Psylla pyricola Förster), azalea lace bug (Stephanitis pyrioides Scott), arrowhead scale (Unaspis yanonensis Kuwana), comstock mealybug (Pseudococcus comstocki Kuwana), red wax scale (Ceroplastes rubens Maskell), brown-marmorated stinkbug (Halyomorpha mista Uhler), cabbage bug (Eurydema rugosum Motschulsky), bed bug (Cimex lectularius Linné), etc.; Insect pests of Coleoptera, such as twenty-eight-spotted ladybird (Henosepilachna vigintioctopunctata Fabricius),

cupreous chafers (*Anomala cuprea* Hope), ricewater weevil (*Lissorhoptrus oryzophilus* Kuschel), sweetpotato weevil (*Cylas formicarius* Fabricius), cucurbit leaf beetle (*Aulacophora femoralis* Motschulsky), striped flea beetle (*Phyllotreta striolata* Fabricius), white-spotted longicorn beetle (*Anoplophora malasiaca* Thomson), pine sawyers (*Monochamus alternatus* Hope), corn rootworms (*Diabrotica* spp.), rice weevil (*Sitophilus zeamais* Motschulsky), lesser rice weevil (*Sitophilus oryzae* Linné), granary weevils (*Sitophilus granarius* Linné), red four beetle (*Tribolium castaneum* Herbst), etc.;

Insect pests of *Diptera*, such as legume leafminer (*Liriomyza trifolii* Burgess), seedcorn maggot (*Delia platura* Meigen), Hessian fly (*Mayetiola destructor* Say), melon fly (*Dacus* (*Zengodacus*) *cucurbitae* Coquillett), Mediterranean fruit fly (*Ceratitis capitata* Wiedemann), house flies (*Musca domestica* Linné), stable fly (*Stomoxys calcitrans* Linné), Sheep ked (*Melophagus ovinus*), common cattle grub (*Hypoderm lineatum* deVillers), northern cattle grub (*Hypoderma bovis* Linné), sheep botfly (*Oestrus ovis* Linné), tsetse fly (*Glossina palpalis* Robineau-Desvoidy), common gnat (*Culex pipiens pallens* Coquillett), yellow-fever mosquitoes (*Aedes aegypti* Linné), *Anopheles culicifacies*, etc.

Insect pests of *Hymenoptera*, such as cabbage sawfly (*Athalia rosae ruficornis* Jakovlev), pine sawfly (*Neodiprion sertifer* Geoffroy), chestnut sawfly (*Apethymus kuri* Takeuchi), etc.;

Insect pests of *Thysanoptera*, such as melon thrips (*Thrips palmi* Karny), onion thrips (*Thrips tabaci* Lindeman), western flower thrips (*Frankliniella occidentalis* Pergande), flower thrip (*Frankliniella intonsa* Trybom), yellow tea thrip (*Scirtothrips dorsalis* Hood), etc.;

Insect pests of *Dictyoptera*, such as smokybrown cockroach (*Periplaneta fuliginosa* Serville), Japanese cockroach (*Periplaneta japonica* Karny), German cockroaches (*Blattella germanica* Linné), etc.;

Insect pests of *Orthoptera*, such as oriental migratory locust (*Locusta migratoria* Linné), rice grasshopper (*Oxya yezoensis* Shiraki), desert locust (*Schistocerca gregaria* Forskål), etc.;

Insect pests of *Isoptera*, such as Formosan subterranean termite (*Coptotermes formosanus* Shiraki), (*Reticulitermes* (*Leucotermes*) *speratus* Kolbe), (*Odontotermes formosanus* Shirakif), etc.;

Insect pests of *Siphonaptera*, such as cat fleas (*Ctenocephalides felis* Bouché), human fleas (*Pulex irritans* Linné), oriental rat flea (*Xenopsylla cheopis* Rothschild), etc.;

Insect pests of *Mallophaga*, such as Chicken bodylouse (*Menacanthus stramineus* Nitsch), cattle biting louse (*Bovicola bovis* Linné), etc.;

Insect pests of *Anoplura*, such as short-nosed cattle louse (*Haematopinus eurysternus* Nitzsh), hog louse (*Haematopinus suis* Linné), longnosed cattle louse (*Linognathus vituli* Linné), little cattle louse (*Solenopotes capillatus* Enderlein), etc.;

Pests of TETRANYCHIDAE, such as citrus red mite (*Panonychus citri* McGregor), European red mite (*Panonychus ulmi* Kock), two-spotted spider mite (*Tetranychus urticae* Koch), Kanzawa spider mite (*Tetranychus kanzawai* Kishida), etc.;

Pests of ERIOPHYDAE, such as pink citrus rust mite (*Aculops pelekassi* Keifer), pear rust mite (*Epitrimerus pyri* Nalepa), dry bulb mite (*Aceria tulipae* Keifer), pink tea mite (*Acaphylla theae* Watt), etc.;

Pests of TARSONEMIDAE, such as broad mites (*Polyphagotarsonemus latus* Banks), cyclamen mite, strawberry mite (*Steneotarsonemus pallidus* Banks), etc.;

Pests of ACARIDAE, such as mold mite, copra mite, forage mite (*Tyrophagus putrescentiae* Schrank), bulb mite (*Rhizoglyphus robini* Claparede), etc.;

Pests of VARROIDAE, such as bee brood mite (*Varroa jacobsoni* Oudemans), etc.;

Pests of Ixodidae, such as bull ticks (*Boophilus microplus* Canestrini), (*Haemaphysalis longicornis* Neumann), etc.;

Pests of Sarcophagidae, such as sarcophages mange mite (*Sarcoptes scabiei* Linné), etc.;

Nematodes, such as southern root-knot nematode (*Meloidogyne incognita* Kofoid et White), northern root-knot nematode (*Meloidogyne hapla* Chitwood), Cobb root-lesion nematode (*Pratylenchus penetrans* Cobb), walnut root-lesion nematode (*Pratylenchus vulnus* Allen et Jensen), potato cyst nematode (*Globodera rostochiensis* Wollenweber), pine wood nematode (*Bursaphelenchus xylophilus* Steiner et Buhrer), etc.;

Mollusca, such as apple snail (*Pomacea canaliculata* Lamarck), (*Incilaria pilineata* Benson), (*Acusta despecta sieboldiana* Pfeiffer), (*Euhadra peliomphala* Pfeiffer), pillbug (*Armadillidium vulgare* Latreille), etc.;

Crustaceans, such as pillbug (*Armadillidium vulgare* Latreille), etc.

[0132] The plant diseases to be controlled by the compounds of the present invention are as follows:

Blast (*Pyricularia oryzae*), Helminthosporium leaf spot (*Cochliobolus miyabeanus*) and Sheath blight (*Rhizoctonia solani*) of rice,

Powdery mildew (*Erysiphe graminis* f. sp. *hordei*, f. sp. *tritici*), Leaf stripe (*Pyrenophora graminea*), Net blotch (*Pyrenophora teres*), Fusarium blight (*Gibberella zeae*), yellow rust, black stem rust and brown rust (*Puccinia striiformis*, *P. graminis*, *P. recondita* and *P. hordei*), Snow blight and snow mold (*Typhula* sp., *Micronectriella nivais*),

Loose smut (Ustilago tritici, U. nuda), Eyespot (Pseudocercospora herpotrichoides), Scald and leaf blotch (Rhynchosporium secalis), Speckled blotch (Septoria tritici), and Glume blotch (Leptosphaeria nodorum) of barley and wheat,

Melanose (Diaporthe citri), Scab (Elsinoe fawcetti), and Common green mold and blue mold (Penicillium digitatum, P. italicum) of citrus fruit,

Blossom blight (Sclerotinia mali), Canker (Valsa mali), Powder mildew (Podosphaera leucotricha), Alternaria leaf spot (Alternaria mali) and Scab (Venturia inaequalis) of apple,

Scab (Venturia nashicola), Black spot (Alternaria kikuchiana) and Rust (Gymnosporangium haraeum) of pear, Brown rot (Sclerotinia cinerea), Scab (Cladosporium carpophilum), and Phomopsis rot (Phomopsis sp.) of peach, Downy mildew (Plasmopara viticola), Anthracnose (Elsinoe ampelina), Ripe rot (Glomerella cingulata), Powdery mildew (Uncinula necator) and Rust (Phakopsora ampelopsidis) of grape,

Anthracnose (Gloeosporium kaki), Powdery mildew (Phyllactinia kakicola), Angular leaf spot (Cercospora kaki), and Circular leaf spot (Mycosphaerella nawae) of persimmon,

Downy mildew (Pseudoperonospora cubensis), Anthracnose (Colletotrichum lagenarium), Powdery mildew (Sphaerotheca fuliginea), and Gummy stem blight (Mycosphaerella melonis) of cucurbit,

Late blight (Phytophthora infestans), Early blight (Alternaria solani) and Leaf mold (Cladosporium fulvum) of tomato.

Brown spot (Phomopsis vexans) and Powdery mildew (Erysiphe cichoracearum) of egg plant,

Alternaria leaf spot (Alternaria japonica) and white spot (Cercospora brassicae) of vegetable of the family crucifers.

Rust (Puccinia allii) of welsh onion.

Purple seed stain (Cercospora kikuchii), Sphaceloma scab (Elsinoe glycines) and Pot and stem blight (Diaporthe phaseololum) of soybean,

Anthracnose (Collectotrichum lindemuthianum) of kidney bean.

Leaf spot (Mycosphaerella personatum) and Brown leaf spot (Cercospora arachidicola) of peanut,

Powdery mildew (Erysiphe pisi) of garden pea,

Early blight (Alternaria solani) of potato,

Powdery mildew (Sphaerotheca humuli) of strawberry,

Net blister blight (Exobasidium reticulatum) and White scab (Elsinoe leucospila) of tea,

Brown spot (Alternaria longipes), Powdery mildew (Erysiphe cichoracearum) and Anthracnose (Colletotrichum tabacum) of tobacco,

Cercospora leaf spot (Cercospora beticola) of sugar beat,

Black spot (Diplocarpon rosae) and Powdery mildew (Sphaerotheca pannosa) of rose,

Leaf spot (Septoria chrysanthemiindici) and Rust (Puccinia horiana) of chrysanthemum,

Gray mold (Botrytis cinerea) of various kinds of crops, and,

Sclerotinia rot (Sclerotinia sclerotiorum) of various kinds of crops.


[0133] In addition, the compounds of the present invention are effective in preventing the attachment of aquatic organisms, even at extremely low concentrations. Aquatic organisms to which the invention is directed are, for example, shellfishes and algae, such as mussel, barnacle, oyster, hydrozoan, hydra, Serpula, ascidian, seamount, Bagula, mud pond snail, sea lettuce, green laver, Ectocarpus, etc.

[0134] Specifically, the compounds of the present invention can effectively exterminate various pests and phytopathogenic microbes of, for example, Orthoptera, Hemiptera, Lepidoptera, Coleoptera, Hymenoptera, Diptera, Temitidae, and also mites and louses, even when used at low concentrations. In addition, the compounds of the invention are effective in preventing the attachment of various aquatic organisms living in sea water and fresh water to aquatic constructions, etc. On the other hand, the compounds of the present invention contains useful compounds that have few negative influences on mammals, fishes, shellfishes and useful insects.


[0135] Of the compounds of the invention, those having CN as E can be produced according to the following methods (Scheme 1).

Scheme 1:


(Method A)



(Method B)



(Method C)



[0136] In (Scheme 1), Q, A and B have the same meanings as defined above; L represents a suitable leaving group, such as a chlorine atom, a bromine atom, an iodine atom, an alkoxy group having from 1 to 4 carbon atoms, a phenoxy group, an alkylsulfonyloxy group having from 1 to 4 carbon atoms, a benzenesulfonyloxy group, a toluenesulfonyloxy group, a phenoxy group, a 1-pyrazolyl group or a 1-imidazolyl group; L' represents a halogen atom; and alkyl represents an alkyl group preferably having from 1 to 4 carbon atoms.

[0137] Method A in (Scheme 1) is to react an acetonitrile derivative of formula (3) with an acid chloride, ester or amide of formula (4) or with an acid anhydride of formula (5) to give compounds (1') of the present invention. The compound (1') of the invention is optionally reacted with an alkyl halide, an alkyl sulfonate, a trimethylsilyl halide, a sulfonyl chloride, a sulfamoyl chloride, a thiocarbamoyl chloride, an acid chloride or an ester of formula (8) to be converted into compounds (1) of the invention. Depending on the type of B in the compounds (1) of the invention, the compound (1') is reacted with a dihydropyran, an isocyanate or a thioisocyanate to give the compounds (1). In Method A, if the compound

of formula (4) or (5) is used in an excessive amount, the compounds (1) can be directly obtained without isolating the compounds (1').


[0138] Where Q is bonded to the acrylonitrile moiety via a nitrogen atom, compounds (1') may be produced according to Method B. Method B is to react a heterocyclic compound of formula (6) with a halogenocyanoketone derivative of formula (7) to give compounds (1') of the invention.

[0139] Where A is bonded to the acrylonitrile moiety via a nitrogen atom, compounds (1') may be produced according to Method C. Method C is to react a cyanoacetic acid derivative of formula (9) with a heterocyclic compound of formula (10) to give compounds (1') of the invention. As the case may be, the compound of formula (9) will be prepared by reacting an acetonitrile derivative of formula (3), such as that used in Method A, with a carbonic acid ester in the presence of a base.


[0140] Of the compounds of the invention, those where E is

Scheme 2:


(Method D)



(Method E)



(Method F)



[0141] In (Scheme 2), Q, A, E, B, L, L' and alkyl have the same meanings as above.

[0142] Method D in (Scheme 2) is to react a compound of formula (11) with an acid chloride, ester or amide of formula (4) or with an acid anhydride of formula (5) to give the compounds (1') of the present invention. The compound (1') of the invention is optionally reacted with an alkyl halide, an alkyl sulfonate, a trimethylsilyl halide, a sulfonyl chloride, a sulfamoyl chloride, a thiocarbamoyl chloride, an acid chloride or an ester of formula (8) to be converted into the compounds (1) of the invention. Depending on the type of B in the compounds (1) of the invention, the compound (1') is reacted with a dihydropyran, an isocyanate or a thioisocyanate to give the compounds (1). In Method A, if the compound of formula (4) or (5) is used in an excessive amount, the compounds (1) can be directly obtained without isolating the compounds (1').

[0143] Where Q is bonded to the ethylene moiety via a nitrogen atom, the compounds (1') may be produced according to Method E. Method E is to react a heterocyclic compound of formula (6) with a compound of formula (12) in the presence of a base to give compounds (1') of the invention.

[0144] Where A is bonded to the ethylene moiety via a nitrogen atom, the compounds (1') may be produced according to Method F. Method F is to react a compound of formula (13) with a heterocyclic compound of formula (10) through dealcoholation to give the compounds (1') of the invention. As the case may be, the compound of formula (13) will be prepared by reacting a compound of formula (11), such as that used in Method D, with a carbonic acid ester in the presence of a base.

[0145] If desired, the compounds (1') where E is an alkoxycarbonyl group may be hydrolyzed, decarboxylated and halogenated to give the compounds of the invention where E is a halogen atom. As the case may be, the compounds of the invention where E is a halogen atom may be reacted with a nucleophilic reagent corresponding to E (e.g., triester phosphites, alkyl mercaptans, thiophenols, metal acetylides, metal cyanides, metal asides, nitrites) to give different compounds of the invention. Also as the case may be, the compounds to be obtained through decarboxylation of the compounds (1') where E is an alkoxycarbonyl group may be reacted with an electrophilic reagent under basic conditions to give the compounds of the invention.

[0146] As the case may be, the processes of (Scheme 1) and (Scheme 2) are preferably effected in the presence of a base. The base to be used includes, for example, alkali metal alkoxides such as sodium ethoxide, sodium methoxide and t-butoxy potassium; alkali metal hydroxides such as sodium hydroxide and potassium hydroxide; alkali metal carbonates such as sodium carbonate and potassium carbonate; organic bases such as triethylamine, pyridine and DBU; organic lithium compounds such as butyl lithium; lithium amides such as lithium diisopropylamide and lithium bis(trimethylsilyl)amide; and sodium hydride.


[0147] The reactions of (Scheme 1) and (Scheme 2) may be effected in a solvent that is inert to the reaction. The solvent includes, for example, lower alcohols such as methanol and ethanol; aromatic hydrocarbons such as benzene and toluene; etherd such as diethyl ether, tetrahydrofuran, 1,4-dioxane, 1,2-dimethoxyethane and 1,2-diethoxyethane; halogenated hydrocarbons such as methylene chloride, chloroform and 1,2-dichloroethane; amides such as dimethylformamide and dimethylacetamide; acetonitrile; dimethylsulfoxide; and mixed solvents of these. As the case may be, also employable are mixed solvent comprising said solvents and water. Also as the case may be, a quaternary ammonium salt such as tetra-n-butylammonium bromide may be added to the reaction system as a catalyst to obtain good results. The reaction temperature may be freely settled within a range between -30 °C and 200 °C. Preferably, the reaction temperature falls between 0 °C and 150 °C, or between 0 °C and the boiling point of the solvent if used. The base may be used in an amount of from 0.05 to 10 equivalents, preferably from 0.05 to 3 equivalents, of the reaction substrate.

[0148] The compounds of the present invention may be separated from reaction mixtures according to any ordinary methods. If the purification of the compounds of the invention is needed, they can be separated and purified by any ordinary methods of, for example, recrystallization or column chromatography.

[0149] Of the compounds of the invention, those having an asymmetric carbon atom include optically-active compounds of (+) form and (-) form.

[0150] Methods of producing the compounds (3) to be used in (Scheme 1) are referred to hereinunder. The compounds (3) can be produced according to the following (Scheme 3).

Scheme 3:



1) A benzyl halide, a benzyl alkylsulfonate, a benzyl arylsulfonate, a halomethyl-heterocyclic compound, an alkyl-sulfonyloxymethyl-heterocyclic compound or an arylsulfonyloxymethyl-heterocyclic compound of formula (14) is reacted with a suitable cyanating reagent to give compounds (3). Alternatively, a phenylacetic acid derivative or a heterocyclic acetic acid derivative is converted into the corresponding amide derivative, which is then dehydrated to give compounds (3).

2) A heterocyclic halide (15) is condensed with a cyanoacetate (16) in the presence of a base to give a compound (17), which is then hydrolyzed and decarboxylated to give compounds (3).

3) To obtain compounds (3) where Q is bonded to the ethylene moiety via a nitrogen atom, a heterocyclic derivative (6) where the nitrogen atom of Q is unsubstituted is reacted with a haloacetonitrile derivative in the presence of a base. Alternatively, the compound (6) is reacted with a compound (18) in the presence of a base to give a compound (17), said compound (18) being obtained through halogenation of a cyanoacetate, and thereafter the compound (17) is hydrolyzed and decarboxylated to obtain the compounds (3).

[0151] The compounds (11) to be used in (Scheme 2) can be produced in the same manner as in the production of





















the compounds (3) mentioned above.


[0152] The compounds (7) to be used in (Scheme 1) can be produced by condensing a benzoic acid halide or heterocyclic carboxylic acid halide with a cyanoacetate in the presence of a base followed by halogenating the resulting condensate.

















5 [0153] The above-mentioned halomethyl-heterocyclic compounds, alkylsulfonyloxymethyl-heterocyclic compounds and arylsulfonyloxymethyl-heterocyclic compounds can be derived from heterocyclic methane derivatives or heterocyclic carboxylate derivatives that are produced according to ordinary methods (see Alan R. Katritzky, and Charles W. Rees; Comprehensive Heterocyclic Chemistry, Vol. 2, Vol. 3, Vol. 4, Vol. 5 or Vol. 6). To produce the compounds (14) where Q is an oxazol-4-yl or thiazol-4-yl group, a carboxylic acid amide or thioamide can be reacted with 1,3-dichloro-
10 2-propanone.


















[0154] Examples of the compounds of the present invention are shown in Table 1 to Table 14 below. The abbreviations in these Tables are for the meanings mentioned below:













15 [0155] Me: methyl group, Et: ethyl group, Pr: propyl group, Bu: butyl group, Pen: pentyl group, Hex: hexyl group, Hep: heptyl group, Oct: octyl group, Non: nonyl group, Dec: decyl group, Ph: phenyl group, n: normal, i: iso, sec: secondary, t: tertiary, c: cyclo.


























Table 1







	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
	2,6-F ₂ -Ph	H	H	H	H	H	H
10	2,6-F ₂ -Ph	H	H	H	H	Cl	H
	2,6-F ₂ -Ph	H	H	H	H	Me	H
	2,6-F ₂ -Ph	H	H	H	H	OMe	H
15	2,6-F ₂ -Ph	H	H	H	H	SMe	H
	2,6-F ₂ -Ph	H	H	H	H	OCF ₃	H
20	2,6-F ₂ -Ph	H	H	H	H	CF ₃	H
	2,6-F ₂ -Ph	H	H	H	H	CO ₂ Me	H
	2,6-F ₂ -Ph	H	H	H	H	H	Me
25	2,6-F ₂ -Ph	H	H	H	Me	H	Me
	2,6-F ₂ -Ph	H	H	H	Me	H	CF ₃
	2,6-F ₂ -Ph	H	H	H	Me	H	H
30	2,6-F ₂ -Ph	H	H	H	Me	Me	Me
	2,6-F ₂ -Ph	H	H	H	Me	Me	H
35	2,6-F ₂ -Ph	H	H	H	Me	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Me	Cl	H
	2,6-F ₂ -Ph	Cl	H	H	Me	Cl	Me
40	2,6-F ₂ -Ph	H	H	H	Et	Me	Me
	2,6-F ₂ -Ph	H	H	H	Et	H	H
45	2,6-F ₂ -Ph	H	H	H	nPr	Me	Me
	2,6-F ₂ -Ph	H	H	H	iPr	Me	Me
	2,6-F ₂ -Ph	H	H	H	iPr	Cl	Me
50	2,6-F ₂ -Ph	H	H	H	nBu	Me	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	H	tBu	Me	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Me	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Me	H
15	2,6-F ₂ -Ph	H	H	H	Cl	H	Me
	2,6-F ₂ -Ph	H	H	H	Cl	H	CF ₃
	2,6-F ₂ -Ph	H	H	H	Cl	H	H
20	2,6-F ₂ -Ph	Me	H	H	Cl	H	H
	2,6-F ₂ -Ph	Cl	H	H	Cl	H	H
25	2,6-F ₂ -Ph	NO ₂	H	H	Cl	H	H
	2,6-F ₂ -Ph	CO ₂ Me	H	H	Cl	H	H
	2,6-F ₂ -Ph	CO ₂ Et	H	H	Cl	H	H
30	2,6-F ₂ -Ph	H	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	Me	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	Me	H	Cl	Cl	Me
35	2,6-F ₂ -Ph	H	Cl	H	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	H	H	Cl	Cl	Me
40	2,6-F ₂ -Ph	Cl	Cl	H	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	Cl	B1	Cl	Cl	Me
	2,6-F ₂ -Ph	Ph	H	H	Cl	Cl	Me
45	2,6-F ₂ -Ph	H	Ph	H	Cl	Cl	Me
	2,6-F ₂ -Ph	CF ₃	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	CF ₃	H	Cl	Cl	Me
50	2,6-F ₂ -Ph	cPr	H	H	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	cPr	H	Cl	Cl	Me
	2,6-F ₂ -Ph	OMe	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	OMe	H	Cl	Cl	Me
15	2,6-F ₂ -Ph	NH ₂	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	NH ₂	H	Cl	Cl	Me
	2,6-F ₂ -Ph	NHMe	H	H	Cl	Cl	Me
20	2,6-F ₂ -Ph	H	NHMe	H	Cl	Cl	Me
	2,6-F ₂ -Ph	NMe ₂	H	H	Cl	Cl	Me
25	2,6-F ₂ -Ph	H	NMe ₂	H	Cl	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	NO ₂	H	Cl	Cl	Me
30	2,6-F ₂ -Ph	CN	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	CN	H	Cl	Cl	Me
	2,6-F ₂ -Ph	OH	H	H	Cl	Cl	Me
35	2,6-F ₂ -Ph	H	OH	H	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Me	H	H	Cl	Cl	Me
40	2,6-F ₂ -Ph	H	CO ₂ Me	H	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	H
45	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CF ₃
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CH ₂ OMe
50	2,6-F ₂ -Ph	H	H	H	Cl	Cl	COMe

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	Ph
10	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CH ₂ Ph
	2,6-F ₂ -Ph	H	H	H	Cl	CF ₃	Me
15	2,6-F ₂ -Ph	H	H	H	Br	Me	Me
	2,6-F ₂ -Ph	H	H	H	Me	Br	Me
	2,6-F ₂ -Ph	H	H	H	Me	Br	H
20	2,6-F ₂ -Ph	H	H	H	Br	H	H
	2,6-F ₂ -Ph	H	H	H	OMe	Me	Me
	2,6-F ₂ -Ph	H	H	H	Me	OMe	Me
25	2,6-F ₂ -Ph	H	H	H	OMe	H	H
	2,6-F ₂ -Ph	H	H	H	H	OMe	H
30	2,6-F ₂ -Ph	H	H	H	Cl	OMe	Me
	2,6-F ₂ -Ph	H	H	H	OCF ₃	Me	Me
	2,6-F ₂ -Ph	H	H	H	OCF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	H	OCF ₃	H	H
	2,6-F ₂ -Ph	H	H	H	Me	OCF ₃	Me
	2,6-F ₂ -Ph	H	H	H	Cl	OCF ₃	Me
40	2,6-F ₂ -Ph	H	H	H	SMe	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Me	SMe	Me
45	2,6-F ₂ -Ph	H	H	H	Cl	SMe	Me
	2,6-F ₂ -Ph	H	H	H	SMe	H	H
	2,6-F ₂ -Ph	H	H	H	SOMe	Cl	Me
50	2,6-F ₂ -Ph	H	H	H	Cl	SOMe	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	H	SOMe	H	H
	2,6-F ₂ -Ph	H	H	H	SO ₂ Me	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Cl	SO ₂ Me	Me
15	2,6-F ₂ -Ph	H	H	H	SO ₂ Me	H	H
	2,6-F ₂ -Ph	H	H	H	CF ₃	Me	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	H
20	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Me	H	H	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	Cl	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Br	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CF ₃	H	H	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	NO ₂	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CN	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Me	H	H	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	CO ₂ Et	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CF ₃
40	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CH ₂ OMe
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	COCH ₃
45	2,6-F ₂ -Ph	H	H	H	CF ₃	H	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	H	H
	2,6-F ₂ -Ph	H	H	H	CF ₃	Br	Me
50	2,6-F ₂ -Ph	H	H	H	CF ₃	SMe	Me

Table 1 (continued)

5	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
	2,6-F ₂ -Ph	H	H	H	CF ₃	SOMe	Me
10	2,6-F ₂ -Ph	H	H	H	CF ₃	SO ₂ Me	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	CF ₃	Me
15	2,6-F ₂ -Ph	H	H	H	CF ₃	NO ₂	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	CN	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	NHMe	Me
20	2,6-F ₂ -Ph	H	H	H	CF ₃	NMe ₂	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	Ph	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	CH ₂ Ph	Me
25	2,6-F ₂ -Ph	H	H	H	CF ₃	OPh	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	OH	Me
30	2,6-F ₂ -Ph	H	H	H	CF ₃	CO ₂ Me	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	OMe	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	OCF ₃	Me
35	2,6-F ₂ -Ph	H	H	H	CF ₃	OCF ₂ H	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	OCF ₂ H	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	NO ₂	CF ₃	Me
40	2,6-F ₂ -Ph	H	H	H	NO ₂	Cl	Me
	2,6-F ₂ -Ph	H	H	H	NO ₂	Me	Me
45	2,6-F ₂ -Ph	H	H	H	NO ₂	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	NO ₂	Me
	2,6-F ₂ -Ph	H	H	H	CN	CF ₃	Me
50	2,6-F ₂ -Ph	H	H	H	CN	Cl	Me

55

Table 1 (continued)

5	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
	2,6-F ₂ -Ph	H	H	H	CN	Me	Me
10	2,6-F ₂ -Ph	H	H	H	CN	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	CN	Me
15	2,6-F ₂ -Ph	H	H	H	Br	CN	Me
	2,6-F ₂ -Ph	H	H	H	NHMe	Me	Me
	2,6-F ₂ -Ph	H	H	H	NHMe	Cl	Me
20	2,6-F ₂ -Ph	H	H	H	NHMe	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	NHMe	Me
25	2,6-F ₂ -Ph	H	H	H	NMe ₂	Me	Me
	2,6-F ₂ -Ph	H	H	H	NMe ₂	Cl	Me
	2,6-F ₂ -Ph	H	H	H	NMe ₂	H	H
30	2,6-F ₂ -Ph	H	H	H	Cl	NMe ₂	Me
	2,6-F ₂ -Ph	H	H	H	Ph	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Ph	H	H
35	2,6-F ₂ -Ph	H	H	H	Cl	Ph	Me
	2,6-F ₂ -Ph	H	H	H	CH ₂ Ph	Me	Me
40	2,6-F ₂ -Ph	H	H	H	CH ₂ Ph	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	CH ₂ Ph	Me
	2,6-F ₂ -Ph	H	H	H	OPh	Cl	Me
45	2,6-F ₂ -Ph	H	H	H	OPh	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	OPh	Me
	2,6-F ₂ -Ph	H	H	H	OH	Me	Me
50	2,6-F ₂ -Ph	H	H	H	OH	H	H

55

Table 1 (continued)

5	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
10	2,6-F ₂ -Ph	H	H	H	Cl	OH	Me
	2,6-F ₂ -Ph	H	H	H	CO ₂ Me	Me	Me
	2,6-F ₂ -Ph	H	H	H	CO ₂ Me	Cl	Me
15	2,6-F ₂ -Ph	H	H	H	CO ₂ Me	H	H
	2,6-F ₂ -Ph	H	H	H	cPr	Me	Me
	2,6-F ₂ -Ph	H	H	H	cPr	Cl	Me
20	2,6-F ₂ -Ph	H	H	B1	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	H	B1	Cl	Cl	Me
25	2,6-F ₂ -Ph	H	H	B2	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B3	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B4	Cl	Cl	Me
30	2,6-F ₂ -Ph	Cl	H	B4	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	Me	B4	Cl	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B4	Cl	Cl	Me
35	2,6-F ₂ -Ph	CO ₂ Me	H	B4	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	B4	Cl	Cl	Me
40	2,6-F ₂ -Ph	H	H	B5	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	H	B5	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B6	Cl	Cl	Me
45	2,6-F ₂ -Ph	Cl	H	B6	Cl	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B6	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Me	H	B6	Cl	Cl	Me
50	2,6-F ₂ -Ph	CO ₂ Et	H	B6	Cl	Cl	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	Cl	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B7	Cl	Cl	Me
15	2,6-F ₂ -Ph	CO ₂ Me	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B8	Cl	Cl	Me
20	2,6-F ₂ -Ph	H	H	B9	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B10	Cl	Cl	Me
25	2,6-F ₂ -Ph	H	H	B11	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B12	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B13	Cl	Cl	Me
30	2,6-F ₂ -Ph	H	H	B14	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B15	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B16	Cl	Cl	Me
35	2,6-F ₂ -Ph	H	H	B17	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B18	Cl	Cl	Me
40	2,6-F ₂ -Ph	H	H	B19	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B20	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B21	Cl	Cl	Me
45	2,6-F ₂ -Ph	H	H	B22	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B23	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B24	Cl	Cl	Me
50	2,6-F ₂ -Ph	H	H	B25	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B26	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B27	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B28	Cl	Cl	Me
15	2,6-F ₂ -Ph	H	H	B29	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B30	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B31	Cl	Cl	Me
20	2,6-F ₂ -Ph	H	H	B32	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B33	Cl	Cl	Me
25	2,6-F ₂ -Ph	H	H	B34	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	Na	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	K	Cl	Cl	Me
30	2,6-F ₂ -Ph	H	H	B1	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B2	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B3	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	B4	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Me	H	B4	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	Cl	H	B4	CF ₃	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B4	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Me	H	B4	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	CO ₂ Et	H	B4	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B5	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Cl	H	B5	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	H	H	B6	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5	2,6-F ₂ -Ph	Me	H	B6	CF ₃	Cl	Me
10	2,6-F ₂ -Ph	Cl	H	B6	CF ₃	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B6	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	CO ₂ Me	H	B6	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	B6	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B7	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	Me	H	B7	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Cl	H	B7	CF ₃	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	B7	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	CO ₂ Me	H	B7	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	B7	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	H	B8	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B9	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B10	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	B11	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B12	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B13	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	H	B14	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B15	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	H	H	B16	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B17	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B18	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	H	H	B19	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B20	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B21	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B22	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	H	B23	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B24	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B25	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	H	H	B26	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B27	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	H	H	B28	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B29	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B30	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	H	B31	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B32	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B33	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	B34	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	Na	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	H	K	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B1	Cl	H	H
	2,6-F ₂ -Ph	H	H	B2	Cl	H	H
45	2,6-F ₂ -Ph	H	H	B3	Cl	H	H
	2,6-F ₂ -Ph	H	H	B4	Cl	H	H
	2,6-F ₂ -Ph	Me	H	B4	Cl	H	H
50	2,6-F ₂ -Ph	Cl	H	B4	Cl	H	H
55							

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	NO ₂	H	B4	Cl	H	H
	2,6-F ₂ -Ph	CO ₂ Me	H	B4	Cl	H	H
	2,6-F ₂ -Ph	CO ₂ Et	H	B4	Cl	H	H
15	2,6-F ₂ -Ph	H	H	B5	Cl	H	H
	2,6-F ₂ -Ph	H	H	B6	Cl	H	H
	2,6-F ₂ -Ph	NO ₂	H	B6	Cl	H	H
20	2,6-F ₂ -Ph	H	H	B7	Cl	H	H
	2,6-F ₂ -Ph	Me	H	B7	Cl	H	H
25	2,6-F ₂ -Ph	Cl	H	B7	Cl	H	H
	2,6-F ₂ -Ph	NO ₂	H	B7	Cl	H	H
	2,6-F ₂ -Ph	CO ₂ Me	H	B7	Cl	H	H
30	2,6-F ₂ -Ph	CO ₂ Et	H	B7	Cl	H	H
	2,6-F ₂ -Ph	H	H	B8	Cl	H	H
	2,6-F ₂ -Ph	H	H	B9	Cl	H	H
35	2,6-F ₂ -Ph	H	H	B10	Cl	H	H
	2,6-F ₂ -Ph	H	H	B11	Cl	H	H
40	2,6-F ₂ -Ph	H	H	B12	Cl	H	H
	2,6-F ₂ -Ph	H	H	B13	Cl	H	H
	2,6-F ₂ -Ph	H	H	B14	Cl	H	H
45	2,6-F ₂ -Ph	H	H	B15	Cl	H	H
	2,6-F ₂ -Ph	H	H	B16	Cl	H	H
	2,6-F ₂ -Ph	H	H	B17	Cl	H	H
50	2,6-F ₂ -Ph	H	H	B18	Cl	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B19	Cl	H	H
	2,6-F ₂ -Ph	H	H	B20	Cl	H	H
	2,6-F ₂ -Ph	H	H	B21	Cl	H	H
15	2,6-F ₂ -Ph	H	H	B22	Cl	H	H
	2,6-F ₂ -Ph	H	H	B23	Cl	H	H
20	2,6-F ₂ -Ph	H	H	B24	Cl	H	H
	2,6-F ₂ -Ph	H	H	B25	Cl	H	H
	2,6-F ₂ -Ph	H	H	B26	Cl	H	H
25	2,6-F ₂ -Ph	H	H	B27	Cl	H	H
	2,6-F ₂ -Ph	H	H	B28	Cl	H	H
	2,6-F ₂ -Ph	H	H	B29	Cl	H	H
30	2,6-F ₂ -Ph	H	H	B30	Cl	H	H
	2,6-F ₂ -Ph	H	H	B31	Cl	H	H
	2,6-F ₂ -Ph	H	H	B32	Cl	H	H
35	2,6-F ₂ -Ph	H	H	B33	Cl	H	H
	2,6-F ₂ -Ph	H	H	B34	Cl	H	H
40	2,6-F ₂ -Ph	H	H	Na	Cl	H	H
	2,6-F ₂ -Ph	H	H	K	Cl	H	H
	tBu	H	H	H	H	H	Me
45	tBu	H	H	H	Me	H	Me
	tBu	H	H	H	Me	H	CF ₃
	tBu	H	H	B7	Me	H	H
50	tBu	H	H	H	Me	Me	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	H	Me	Cl	Me
	tBu	Cl	H	H	Me	Cl	Me
	tBu	H	H	H	Et	Me	Me
15	tBu	H	H	B8	Et	H	H
	tBu	H	H	H	Cl	Me	Me
	tBu	H	H	H	Cl	Me	H
20	tBu	H	H	H	Cl	H	Me
	tBu	H	H	H	Cl	H	CF ₃
25	tBu	H	H	H	Cl	H	H
	tBu	Me	H	B7	Cl	H	H
	tBu	Cl	H	B7	Cl	H	H
30	tBu	NO ₂	H	B7	Cl	H	H
	tBu	CO ₂ Me	H	B7	Cl	H	H
	tBu	CO ₂ Et	H	B7	Cl	H	H
35	tBu	H	H	H	Cl	Cl	Me
	tBu	Me	H	H	Cl	Cl	Me
40	tBu	Cl	H	H	Cl	Cl	Me
	tBu	CF ₃	H	H	Cl	Cl	Me
	tBu	cPr	H	H	Cl	Cl	Me
45	tBu	OMe	H	H	Cl	Cl	Me
	tBu	NO ₂	H	H	Cl	Cl	Me
	tBu	CN	H	H	Cl	Cl	Me
50	tBu	CO ₂ Me	H	H	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	CO ₂ Et	H	H	Cl	Cl	Me
	tBu	H	H	H	Cl	Cl	H
	tBu	H	H	H	Cl	Cl	CF ₃
15	tBu	H	H	H	Cl	Cl	CF ₂ H
	tBu	H	H	H	Cl	Cl	CH ₂ OMe
	tBu	H	H	H	Cl	Cl	COMe
20	tBu	H	H	H	Cl	CF ₃	Me
	tBu	H	H	H	Br	Me	Me
25	tBu	H	H	H	Me	Br	Me
	tBu	H	H	H	Me	Br	H
	tBu	H	H	B34	Br	H	H
30	tBu	H	H	H	OMe	Me	Me
	tBu	H	H	H	Me	OMe	Me
	tBu	H	H	H	OMe	H	H
35	tBu	H	H	H	Cl	OMe	Me
	tBu	H	H	H	OCF ₃	Me	Me
40	tBu	H	H	H	OCF ₃	Cl	Me
	tBu	H	H	H	OCF ₃	H	H
	tBu	H	H	H	Me	OCF ₃	Me
45	tBu	H	H	H	Cl	OCF ₃	Me
	tBu	H	H	H	SMe	Cl	Me
	tBu	H	H	H	Me	SMe	Me
50	tBu	H	H	H	Cl	SMe	Me
55							

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B7	SMe	H	H
	tBu	H	H	H	CF ₃	Me	Me
	tBu	H	H	H	CF ₃	Cl	H
15	tBu	H	H	H	CF ₃	Cl	Me
	tBu	Me	H	H	CF ₃	Cl	Me
20	tBu	Cl	H	H	CF ₃	Cl	Me
	tBu	Br	H	H	CF ₃	Cl	Me
	tBu	CF ₃	H	H	CF ₃	Cl	Me
25	tBu	NO ₂	H	H	CF ₃	Cl	Me
	tBu	CN	H	H	CF ₃	Cl	Me
	tBu	CO ₂ Me	H	H	CF ₃	Cl	Me
30	tBu	CO ₂ Et	H	H	CF ₃	Cl	Me
	tBu	H	H	H	CF ₃	Cl	CF ₃
35	tBu	H	H	H	CF ₃	Cl	CF ₂ H
	tBu	H	H	H	CF ₃	Cl	CH ₂ OMe
	tBu	H	H	H	CF ₃	Cl	COCH ₃
40	tBu	H	H	H	CF ₃	H	Me
	tBu	H	H	H	CF ₃	H	H
	tBu	H	H	H	CF ₃	Br	Me
45	tBu	H	H	H	CF ₃	SMe	Me
	tBu	H	H	H	CF ₃	SOMe	Me
50	tBu	H	H	H	CF ₃	SO ₂ Me	Me
	tBu	H	H	H	CF ₃	CF ₃	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	H	CF ₃	NO ₂	Me
	tBu	H	H	H	CF ₃	CN	Me
	tBu	H	H	H	CF ₃	NHMe	Me
15	tBu	H	H	H	CF ₃	NMe ₂	Me
	tBu	H	H	H	CF ₃	OH	Me
20	tBu	H	H	H	CF ₃	CO ₂ Me	Me
	tBu	H	H	H	CF ₃	OMe	Me
	tBu	H	H	H	CF ₃	OCF ₃	Me
25	tBu	H	H	H	CF ₃	OCF ₂ H	Me
	tBu	H	H	H	CF ₃	OCF ₂ H	CF ₂ H
	tBu	H	H	H	NO ₂	Cl	Me
30	tBu	H	H	H	NO ₂	Me	Me
	tBu	H	H	H	NO ₂	H	H
	tBu	H	H	H	Cl	NO ₂	Me
35	tBu	H	H	H	CN	Cl	Me
	tBu	H	H	H	CN	Me	Me
40	tBu	H	H	H	CN	H	H
	tBu	H	H	H	Cl	CN	Me
	tBu	H	H	H	NMe ₂	H	H
45	tBu	H	H	H	Cl	NMe ₂	Me
	tBu	H	H	H	OH	Me	Me
	tBu	H	H	H	OH	H	H
50	tBu	H	H	H	Cl	OH	Me
55							

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	H	CO ₂ Me	Me	Me
	tBu	H	H	H	CO ₂ Me	Cl	Me
15	tBu	H	H	H	CO ₂ Me	H	H
	tBu	H	H	B1	Cl	Cl	Me
	tBu	Cl	H	B1	Cl	Cl	Me
20	tBu	H	H	B2	Cl	Cl	Me
	tBu	H	H	B3	Cl	Cl	Me
	tBu	H	H	B4	Cl	Cl	Me
25	tBu	Me	H	B4	Cl	Cl	Me
	tBu	Cl	H	B4	Cl	Cl	Me
	tBu	NO ₂	H	B4	Cl	Cl	Me
30	tBu	CO ₂ Me	H	B4	Cl	Cl	Me
	tBu	CO ₂ Et	H	B4	Cl	Cl	Me
35	tBu	H	H	B5	Cl	Cl	Me
	tBu	H	H	B6	Cl	Cl	Me
	tBu	Cl	H	B6	Cl	Cl	Me
40	tBu	H	H	B7	Cl	Cl	Me
	tBu	Me	H	B7	Cl	Cl	Me
	tBu	Cl	H	B7	Cl	Cl	Me
45	tBu	NO ₂	H	B7	Cl	Cl	Me
	tBu	CO ₂ Me	H	B7	Cl	Cl	Me
50	tBu	CO ₂ Et	H	B7	Cl	Cl	Me
	tBu	H	H	B8	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B9	Cl	Cl	Me
	tBu	H	H	B10	Cl	Cl	Me
	tBu	H	H	B11	Cl	Cl	Me
15	tBu	H	H	B12	Cl	Cl	Me
	tBu	H	H	B13	Cl	Cl	Me
	tBu	H	H	B14	Cl	Cl	Me
20	tBu	H	H	B15	Cl	Cl	Me
	tBu	H	H	B16	Cl	Cl	Me
25	tBu	H	H	B17	Cl	Cl	Me
	tBu	H	H	B18	Cl	Cl	Me
	tBu	H	H	B19	Cl	Cl	Me
30	tBu	H	H	B20	Cl	Cl	Me
	tBu	H	H	B21	Cl	Cl	Me
	tBu	H	H	B22	Cl	Cl	Me
35	tBu	H	H	B23	Cl	Cl	Me
	tBu	H	H	B24	Cl	Cl	Me
40	tBu	H	H	B25	Cl	Cl	Me
	tBu	H	H	B26	Cl	Cl	Me
	tBu	H	H	B27	Cl	Cl	Me
45	tBu	H	H	B28	Cl	Cl	Me
	tBu	H	H	B29	Cl	Cl	Me
	tBu	H	H	B30	Cl	Cl	Me
50	tBu	H	H	B31	Cl	Cl	Me
55							

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B32	Cl	Cl	Me
	tBu	H	H	B33	Cl	Cl	Me
	tBu	H	H	B34	Cl	Cl	Me
15	tBu	H	H	Na	Cl	Cl	Me
	tBu	H	H	K	Cl	Cl	Me
20	tBu	H	H	B1	CF ₃	Cl	Me
	tBu	H	H	B2	CF ₃	Cl	Me
	tBu	H	H	B3	CF ₃	Cl	Me
25	tBu	H	H	B4	CF ₃	Cl	Me
	tBu	Me	H	B4	CF ₃	Cl	Me
	tBu	Cl	H	B4	CF ₃	Cl	Me
30	tBu	NO ₂	H	B4	CF ₃	Cl	Me
	tBu	CO ₂ Me	H	B4	CF ₃	Cl	Me
	tBu	CO ₂ Et	H	B4	CF ₃	Cl	Me
35	tBu	H	H	B5	CF ₃	Cl	Me
	tBu	H	H	B6	CF ₃	Cl	Me
40	tBu	Cl	H	B6	CF ₃	Cl	Me
	tBu	H	H	B7	CF ₃	Cl	Me
	tBu	Me	H	B7	CF ₃	Cl	Me
45	tBu	Cl	H	B7	CF ₃	Cl	Me
	tBu	NO ₂	H	B7	CF ₃	Cl	Me
	tBu	CO ₂ Me	H	B7	CF ₃	Cl	Me
50	tBu	CO ₂ Et	H	B7	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B8	CF ₃	Cl	Me
	tBu	H	H	B9	CF ₃	Cl	Me
	tBu	H	H	B10	CF ₃	Cl	Me
15	tBu	H	H	B11	CF ₃	Cl	Me
	tBu	H	H	B12	CF ₃	Cl	Me
20	tBu	H	H	B13	CF ₃	Cl	Me
	tBu	H	H	B14	CF ₃	Cl	Me
	tBu	H	H	B15	CF ₃	Cl	Me
25	tBu	H	H	B16	CF ₃	Cl	Me
	tBu	H	H	B17	CF ₃	Cl	Me
	tBu	H	H	B18	CF ₃	Cl	Me
30	tBu	H	H	B19	CF ₃	Cl	Me
	tBu	H	H	B20	CF ₃	Cl	Me
	tBu	H	H	B21	CF ₃	Cl	Me
35	tBu	H	H	B22	CF ₃	Cl	Me
	tBu	H	H	B23	CF ₃	Cl	Me
40	tBu	H	H	B24	CF ₃	Cl	Me
	tBu	H	H	B25	CF ₃	Cl	Me
	tBu	H	H	B26	CF ₃	Cl	Me
45	tBu	H	H	B27	CF ₃	Cl	Me
	tBu	H	H	B28	CF ₃	Cl	Me
	tBu	H	H	B29	CF ₃	Cl	Me
50	tBu	H	H	B30	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B31	CF ₃	Cl	Me
	tBu	H	H	B32	CF ₃	Cl	Me
15	tBu	H	H	B33	CF ₃	Cl	Me
	tBu	H	H	B34	CF ₃	Cl	Me
	tBu	H	H	Na	CF ₃	Cl	Me
20	tBu	H	H	K	CF ₃	Cl	Me
	tBu	H	H	B1	Cl	H	H
	tBu	H	H	B2	Cl	H	H
25	tBu	H	H	B3	Cl	H	H
	tBu	H	H	B4	Cl	H	H
	tBu	H	H	B5	Cl	H	H
30	tBu	H	H	B6	Cl	H	H
	tBu	H	H	B7	Cl	H	H
35	tBu	H	H	B8	Cl	H	H
	tBu	H	H	B9	Cl	H	H
	tBu	H	H	B10	Cl	H	H
40	tBu	H	H	B11	Cl	H	H
	tBu	H	H	B12	Cl	H	H
	tBu	H	H	B13	Cl	H	H
45	tBu	H	H	B14	Cl	H	H
	tBu	H	H	B15	Cl	H	H
50	tBu	H	H	B16	Cl	H	H
	tBu	H	H	B17	Cl	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B18	Cl	H	H
	tBu	H	H	B19	Cl	H	H
	tBu	H	H	B20	Cl	H	H
15	tBu	H	H	B21	Cl	H	H
	tBu	H	H	B22	Cl	H	H
20	tBu	H	H	B23	Cl	H	H
	tBu	H	H	B24	Cl	H	H
	tBu	H	H	B25	Cl	H	H
25	tBu	H	H	B26	Cl	H	H
	tBu	H	H	B27	Cl	H	H
	tBu	H	H	B28	Cl	H	H
30	tBu	H	H	B29	Cl	H	H
	tBu	H	H	B30	Cl	H	H
	tBu	H	H	B31	Cl	H	H
35	tBu	H	H	B32	Cl	H	H
	tBu	H	H	B33	Cl	H	H
40	tBu	H	H	B34	Cl	H	H
	tBu	H	H	Na	Cl	H	H
	tBu	H	H	K	Cl	H	H
45	2-pyridyl	H	H	H	H	H	Me
	2-pyridyl	H	H	H	Me	H	Me
	2-pyridyl	H	H	H	Me	H	CF ₃
50	2-pyridyl	H	H	B7	Me	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	H	Me	Me	Me
	2-pyridyl	H	H	H	Me	Cl	Me
	2-pyridyl	Cl	H	H	Me	Cl	Me
15	2-pyridyl	H	H	H	Et	Me	Me
	2-pyridyl	H	H	H	Et	H	H
	2-pyridyl	H	H	H	Cl	Me	Me
20	2-pyridyl	H	H	H	Cl	Me	H
	2-pyridyl	H	H	H	Cl	H	Me
25	2-pyridyl	H	H	H	Cl	H	CF ₃
	2-pyridyl	H	H	B7	Cl	H	H
	2-pyridyl	Me	H	B7	Cl	H	H
30	2-pyridyl	Cl	H	B7	Cl	H	H
	2-pyridyl	CF ₃	H	B7	Cl	H	H
	2-pyridyl	cPr	H	B7	Cl	H	H
35	2-pyridyl	OMe	H	B7	Cl	H	H
	2-pyridyl	NO ₂	H	B7	Cl	H	H
40	2-pyridyl	CN	H	B7	Cl	H	H
	2-pyridyl	CO ₂ Me	H	B7	Cl	H	H
	2-pyridyl	CO ₂ Et	H	B7	Cl	H	H
45	2-pyridyl	H	H	H	Cl	Cl	Me
	2-pyridyl	Me	H	H	Cl	Cl	Me
	2-pyridyl	Cl	H	H	Cl	Cl	Me
50	2-pyridyl	CF ₃	H	H	Cl	Cl	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	cPr	H	H	Cl	Cl	Me
	2-pyridyl	OMe	H	H	Cl	Cl	Me
	2-pyridyl	NO ₂	H	H	Cl	Cl	Me
15	2-pyridyl	CN	H	H	Cl	Cl	Me
	2-pyridyl	CO ₂ Me	H	H	Cl	Cl	Me
	2-pyridyl	CO ₂ Et	H	H	Cl	Cl	Me
20	2-pyridyl	H	H	H	Cl	Cl	H
	2-pyridyl	H	H	H	Cl	Cl	CF ₃
25	2-pyridyl	H	H	H	Cl	Cl	CF ₂ H
	2-pyridyl	H	H	H	Cl	Cl	CH ₂ OMe
	2-pyridyl	H	H	H	Cl	Cl	COMe
30	2-pyridyl	H	H	H	Cl	CF ₃	Me
	2-pyridyl	H	H	H	Br	Me	Me
	2-pyridyl	H	H	H	Me	Br	Me
35	2-pyridyl	H	H	H	Me	Br	H
	2-pyridyl	H	H	H	Br	H	H
40	2-pyridyl	H	H	H	OMe	Me	Me
	2-pyridyl	H	H	H	Me	OMe	Me
	2-pyridyl	H	H	B7	OMe	H	H
45	2-pyridyl	H	H	H	Cl	OMe	Me
	2-pyridyl	H	H	H	OCF ₃	Me	Me
	2-pyridyl	H	H	H	OCF ₃	Cl	Me
50	2-pyridyl	H	H	B7	OCF ₃	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	H	Me	OCF ₃	Me
	2-pyridyl	H	H	H	Cl	OCF ₃	Me
	2-pyridyl	H	H	H	SMe	Cl	Me
15	2-pyridyl	H	H	H	Me	SMe	Me
	2-pyridyl	H	H	H	Cl	SMe	Me
20	2-pyridyl	H	H	B7	SMe	H	H
	2-pyridyl	H	H	H	CF ₃	Me	Me
	2-pyridyl	H	H	H	CF ₃	Cl	H
25	2-pyridyl	H	H	H	CF ₃	Cl	Me
	2-pyridyl	Me	H	H	CF ₃	Cl	Me
	2-pyridyl	Cl	H	H	CF ₃	Cl	Me
30	2-pyridyl	Br	H	H	CF ₃	Cl	Me
	2-pyridyl	CF ₃	H	H	CF ₃	Cl	Me
35	2-pyridyl	NO ₂	H	H	CF ₃	Cl	Me
	2-pyridyl	CN	H	H	CF ₃	Cl	Me
	2-pyridyl	CO ₂ Me	H	H	CF ₃	Cl	Me
40	2-pyridyl	CO ₂ Et	H	H	CF ₃	Cl	Me
	2-pyridyl	H	H	H	CF ₃	Cl	CF ₃
	2-pyridyl	H	H	H	CF ₃	Cl	CF ₂ H
45	2-pyridyl	H	H	H	CF ₃	Cl	CH ₂ OMe
	2-pyridyl	H	H	H	CF ₃	Cl	COCH ₃
50	2-pyridyl	H	H	H	CF ₃	H	Me
	2-pyridyl	H	H	H	CF ₃	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	H	CF ₃	Br	Me
	2-pyridyl	H	H	H	CF ₃	SMe	Me
	2-pyridyl	H	H	H	CF ₃	SOMe	Me
15	2-pyridyl	H	H	H	CF ₃	SO ₂ Me	Me
	2-pyridyl	H	H	H	CF ₃	CF ₃	Me
	2-pyridyl	H	H	H	CF ₃	NO ₂	Me
20	2-pyridyl	H	H	H	CF ₃	CN	Me
	2-pyridyl	H	H	H	CF ₃	NHMe	Me
25	2-pyridyl	H	H	H	CF ₃	NMe ₂	Me
	2-pyridyl	H	H	H	CF ₃	OH	Me
	2-pyridyl	H	H	H	CF ₃	CO ₂ Me	Me
30	2-pyridyl	H	H	H	CF ₃	OMe	Me
	2-pyridyl	H	H	H	CF ₃	OCF ₃	Me
	2-pyridyl	H	H	H	CF ₃	OCF ₂ H	Me
35	2-pyridyl	H	H	H	CF ₃	OCF ₂ H	CF ₂ H
	2-pyridyl	H	H	H	NO ₂	Cl	Me
40	2-pyridyl	H	H	H	NO ₂	Me	Me
	2-pyridyl	H	H	B7	NO ₂	H	H
	2-pyridyl	H	H	H	Cl	NO ₂	Me
45	2-pyridyl	H	H	H	CN	Cl	Me
	2-pyridyl	H	H	H	CN	Me	Me
	2-pyridyl	H	H	H	CN	H	H
50	2-pyridyl	H	H	H	Cl	CN	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	H	NMe ₂	H	H
	2-pyridyl	H	H	H	Cl	NMe ₂	Me
	2-pyridyl	H	H	H	OH	Me	Me
15	2-pyridyl	H	H	H	OH	H	H
	2-pyridyl	H	H	H	Cl	OH	Me
20	2-pyridyl	H	H	H	CO ₂ Me	Me	Me
	2-pyridyl	H	H	H	CO ₂ Me	Cl	Me
	2-pyridyl	H	H	H	CO ₂ Me	H	H
25	2-pyridyl	H	H	B1	Cl	Cl	Me
	2-pyridyl	H	H	B2	Cl	Cl	Me
	2-pyridyl	H	H	B3	Cl	Cl	Me
30	2-pyridyl	H	H	B4	Cl	Cl	Me
	2-pyridyl	H	H	B5	Cl	Cl	Me
	2-pyridyl	H	H	B6	Cl	Cl	Me
35	2-pyridyl	H	H	B7	Cl	Cl	Me
	2-pyridyl	Cl	H	B7	Cl	Cl	Me
40	2-pyridyl	H	H	B8	Cl	Cl	Me
	2-pyridyl	H	H	B9	Cl	Cl	Me
	2-pyridyl	H	H	B10	Cl	Cl	Me
45	2-pyridyl	H	H	B11	Cl	Cl	Me
	2-pyridyl	H	H	B12	Cl	Cl	Me
	2-pyridyl	H	H	B13	Cl	Cl	Me
50	2-pyridyl	H	H	B14	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	B15	Cl	Cl	Me
	2-pyridyl	H	H	B16	Cl	Cl	Me
	2-pyridyl	H	H	B17	Cl	Cl	Me
15	2-pyridyl	H	H	B18	Cl	Cl	Me
	2-pyridyl	H	H	B19	Cl	Cl	Me
	2-pyridyl	H	H	B20	Cl	Cl	Me
20	2-pyridyl	H	H	B21	Cl	Cl	Me
	2-pyridyl	H	H	B22	Cl	Cl	Me
25	2-pyridyl	H	H	B23	Cl	Cl	Me
	2-pyridyl	H	H	B24	Cl	Cl	Me
	2-pyridyl	H	H	B25	Cl	Cl	Me
30	2-pyridyl	H	H	B26	Cl	Cl	Me
	2-pyridyl	H	H	B27	Cl	Cl	Me
	2-pyridyl	H	H	B28	Cl	Cl	Me
35	2-pyridyl	H	H	B29	Cl	Cl	Me
	2-pyridyl	H	H	B30	Cl	Cl	Me
40	2-pyridyl	H	H	B31	Cl	Cl	Me
	2-pyridyl	H	H	B32	Cl	Cl	Me
	2-pyridyl	H	H	B33	Cl	Cl	Me
45	2-pyridyl	H	H	B34	Cl	Cl	Me
	2-pyridyl	H	H	Na	Cl	Cl	Me
	2-pyridyl	H	H	K	Cl	Cl	Me
50	2-pyridyl	H	H	B1	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	B2	CF ₃	Cl	Me
	2-pyridyl	H	H	B3	CF ₃	Cl	Me
	2-pyridyl	H	H	B4	CF ₃	Cl	Me
15	2-pyridyl	Cl	H	B4	CF ₃	Cl	Me
	2-pyridyl	CO ₂ Me	H	B4	CF ₃	Cl	Me
	2-pyridyl	H	H	B5	CF ₃	Cl	Me
20	2-pyridyl	H	H	B6	CF ₃	Cl	Me
	2-pyridyl	H	H	B7	CF ₃	Cl	Me
25	2-pyridyl	Cl	H	B7	CF ₃	Cl	Me
	2-pyridyl	NO ₂	H	B7	CF ₃	Cl	Me
	2-pyridyl	CO ₂ Me	H	B7	CF ₃	Cl	Me
30	2-pyridyl	H	H	B8	CF ₃	Cl	Me
	2-pyridyl	H	H	B9	CF ₃	Cl	Me
	2-pyridyl	H	H	B10	CF ₃	Cl	Me
35	2-pyridyl	H	H	B11	CF ₃	Cl	Me
	2-pyridyl	H	H	B12	CF ₃	Cl	Me
40	2-pyridyl	H	H	B13	CF ₃	Cl	Me
	2-pyridyl	H	H	B14	CF ₃	Cl	Me
	2-pyridyl	H	H	B15	CF ₃	Cl	Me
45	2-pyridyl	H	H	B16	CF ₃	Cl	Me
	2-pyridyl	H	H	B17	CF ₃	Cl	Me
	2-pyridyl	H	H	B18	CF ₃	Cl	Me
50	2-pyridyl	H	H	B19	CF ₃	Cl	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	B20	CF ₃	Cl	Me
	2-pyridyl	H	H	B21	CF ₃	Cl	Me
	2-pyridyl	H	H	B22	CF ₃	Cl	Me
15	2-pyridyl	H	H	B23	CF ₃	Cl	Me
	2-pyridyl	H	H	B24	CF ₃	Cl	Me
20	2-pyridyl	H	H	B25	CF ₃	Cl	Me
	2-pyridyl	H	H	B26	CF ₃	Cl	Me
	2-pyridyl	H	H	B27	CF ₃	Cl	Me
25	2-pyridyl	H	H	B28	CF ₃	Cl	Me
	2-pyridyl	H	H	B29	CF ₃	Cl	Me
	2-pyridyl	H	H	B30	CF ₃	Cl	Me
30	2-pyridyl	H	H	B31	CF ₃	Cl	Me
	2-pyridyl	H	H	B32	CF ₃	Cl	Me
	2-pyridyl	H	H	B33	CF ₃	Cl	Me
35	2-pyridyl	H	H	B34	CF ₃	Cl	Me
	2-pyridyl	H	H	Na	CF ₃	Cl	Me
40	2-pyridyl	H	H	K	CF ₃	Cl	Me
	2-pyridyl	H	H	B1	Cl	H	H
	2-pyridyl	H	H	B2	Cl	H	H
45	2-pyridyl	H	H	B3	Cl	H	H
	2-pyridyl	H	H	B4	Cl	H	H
	2-pyridyl	Me	H	B4	Cl	H	H
50	2-pyridyl	Cl	H	B4	Cl	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	NO ₂	H	B4	Cl	H	H
	2-pyridyl	CO ₂ Me	H	B4	Cl	H	H
15	2-pyridyl	CO ₂ Et	H	B4	Cl	H	H
	2-pyridyl	H	H	B5	Cl	H	H
	2-pyridyl	H	H	B6	Cl	H	H
20	2-pyridyl	NO ₂	H	B6	Cl	H	H
	2-pyridyl	H	H	B7	Cl	H	H
	2-pyridyl	Me	H	B7	Cl	H	H
25	2-pyridyl	Cl	H	B7	Cl	H	H
	2-pyridyl	NO ₂	H	B7	Cl	H	H
	2-pyridyl	CO ₂ Me	H	B7	Cl	H	H
30	2-pyridyl	CO ₂ Et	H	B7	Cl	H	H
	2-pyridyl	H	H	B8	Cl	H	H
35	2-pyridyl	H	H	B9	Cl	H	H
	2-pyridyl	H	H	B10	Cl	H	H
	2-pyridyl	H	H	B11	Cl	H	H
40	2-pyridyl	H	H	B12	Cl	H	H
	2-pyridyl	H	H	B13	Cl	H	H
	2-pyridyl	H	H	B14	Cl	H	H
45	2-pyridyl	H	H	B15	Cl	H	H
	2-pyridyl	H	H	B16	Cl	H	H
50	2-pyridyl	H	H	B17	Cl	H	H
	2-pyridyl	H	H	B18	Cl	H	H

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	B19	Cl	H	H
	2-pyridyl	H	H	B20	Cl	H	H
	2-pyridyl	H	H	B21	Cl	H	H
15	2-pyridyl	H	H	B22	Cl	H	H
	2-pyridyl	H	H	B23	Cl	H	H
	2-pyridyl	H	H	B24	Cl	H	H
20	2-pyridyl	H	H	B25	Cl	H	H
	2-pyridyl	H	H	B26	Cl	H	H
25	2-pyridyl	H	H	B27	Cl	H	H
	2-pyridyl	H	H	B28	Cl	H	H
	2-pyridyl	H	H	B29	Cl	H	H
30	2-pyridyl	H	H	B30	Cl	H	H
	2-pyridyl	H	H	B31	Cl	H	H
	2-pyridyl	H	H	B32	Cl	H	H
35	2-pyridyl	H	H	B33	Cl	H	H
	2-pyridyl	H	H	B34	Cl	H	H
40	2-pyridyl	H	H	Na	Cl	H	H
	2-pyridyl	H	H	K	Cl	H	H
	3-pyridyl	H	H	H	Cl	Cl	Me
45	3-pyridyl	H	H	H	CF ₃	Cl	Me
	3-pyridyl	H	H	H	Cl	H	H
	3-pyridyl	H	H	B4	Cl	H	H
50	3-pyridyl	H	H	B7	Cl	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	4-pyridyl	H	H	H	Cl	Cl	Me
	4-pyridyl	H	H	H	CF ₃	Cl	Me
	4-pyridyl	H	H	H	Cl	H	H
15	4-pyridyl	H	H	B4	Cl	H	H
	4-pyridyl	H	H	B7	Cl	H	H
20	3-Me-pyridin-2-yl	H	H	H	Cl	Cl	Me
	2-F-Ph	H	H	H	Me	H	Me
25	2-F-Ph	H	H	H	Me	Me	Me
	2-F-Ph	H	H	H	Me	Cl	Me
	2-F-Ph	H	H	H	Cl	H	H
30	2-F-Ph	H	H	H	Cl	H	Me
	2-F-Ph	H	H	H	Cl	H	CF ₃
	2-F-Ph	H	H	H	Cl	Cl	Me
35	2-F-Ph	Cl	H	H	Cl	Cl	Me
	2-F-Ph	H	H	B7	OMe	H	H
40	2-F-Ph	H	H	B7	SMe	H	H
	2-F-Ph	H	H	H	CF ₃	Me	Me
	2-F-Ph	H	H	H	CF ₃	Cl	Me
45	2-F-Ph	Cl	H	H	CF ₃	Cl	Me
	2-F-Ph	H	H	H	CF ₃	H	Me
	2-F-Ph	H	H	B1	Cl	Cl	Me
50	2-F-Ph	Cl	H	B1	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-F-Ph	H	H	B3	Cl	Cl	Me
	2-F-Ph	Cl	H	B4	Cl	Cl	Me
	2-F-Ph	H	H	B6	Cl	Cl	Me
15	2-F-Ph	H	H	B7	Cl	Cl	Me
	2-F-Ph	Cl	H	B7	Cl	Cl	Me
20	2-F-Ph	H	H	B9	Cl	Cl	Me
	2-F-Ph	H	H	B20	Cl	Cl	Me
	2-F-Ph	H	H	B24	Cl	Cl	Me
25	2-F-Ph	H	H	B2	CF ₃	Cl	Me
	2-F-Ph	H	H	B3	CF ₃	Cl	Me
	2-F-Ph	H	H	B4	CF ₃	Cl	Me
30	2-F-Ph	Cl	H	B4	CF ₃	Cl	Me
	2-F-Ph	H	H	B6	CF ₃	Cl	Me
	2-F-Ph	H	H	B7	CF ₃	Cl	Me
35	2-F-Ph	Cl	H	B7	CF ₃	Cl	Me
	2-F-Ph	H	H	B9	CF ₃	Cl	Me
40	2-F-Ph	H	H	B20	CF ₃	Cl	Me
	2-F-Ph	H	H	B24	CF ₃	Cl	Me
	2-F-Ph	H	H	B6	Cl	H	H
45	2-F-Ph	H	H	B7	Cl	H	H
	3-F-Ph	H	H	H	Cl	Cl	Me
	3-F-Ph	Cl	H	H	Cl	Cl	Me
50	3-F-Ph	H	H	H	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	3-F-Ph	Cl	H	H	CF ₃	Cl	Me
	4-F-Ph	H	H	H	Cl	Cl	Me
	4-F-Ph	Cl	H	H	Cl	Cl	Me
15	4-F-Ph	H	H	H	CF ₃	Cl	Me
	4-F-Ph	Cl	H	H	CF ₃	Cl	Me
20	2,3-F ₂ -Ph	H	H	H	Cl	Cl	Me
	2,3-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,4-F ₂ -Ph	H	H	H	Cl	Cl	Me
25	2,4-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,5-F ₂ -Ph	H	H	H	Cl	Cl	Me
	2,5-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
30	Ph	H	H	H	Me	H	Me
	Ph	H	H	H	Me	Me	Me
	Ph	H	H	H	Me	Cl	Me
35	Ph	H	H	B7	Cl	H	H
	Ph	H	H	H	Cl	H	Me
40	Ph	H	H	H	Cl	H	CF ₃
	Ph	H	H	H	Cl	Cl	Me
	Ph	Cl	H	H	Cl	Cl	Me
45	Ph	H	H	B7	OMe	H	H
	Ph	H	H	B7	SMe	H	H
	Ph	H	H	H	CF ₃	Me	Me
50	Ph	H	H	H	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	Ph	Cl	H	H	CF ₃	Cl	Me
	Ph	H	H	B7	CF ₃	H	Me
	Ph	H	H	B1	Cl	Cl	Me
15	Ph	Cl	H	B1	Cl	Cl	Me
	Ph	H	H	B3	Cl	Cl	Me
20	Ph	Cl	H	B4	Cl	Cl	Me
	Ph	H	H	B6	Cl	Cl	Me
	Ph	H	H	B7	Cl	Cl	Me
25	Ph	Cl	H	B7	Cl	Cl	Me
	Ph	H	H	B9	Cl	Cl	Me
	Ph	H	H	B20	Cl	Cl	Me
30	Ph	H	H	B24	Cl	Cl	Me
	Ph	H	H	B2	CF ₃	Cl	Me
	Ph	H	H	B3	CF ₃	Cl	Me
35	Ph	H	H	B4	CF ₃	Cl	Me
	Ph	Cl	H	B4	CF ₃	Cl	Me
40	Ph	H	H	B6	CF ₃	Cl	Me
	Ph	H	H	B7	CF ₃	Cl	Me
	Ph	Cl	H	B7	CF ₃	Cl	Me
45	Ph	H	H	B9	CF ₃	Cl	Me
	Ph	H	H	B20	CF ₃	Cl	Me
	Ph	H	H	B24	CF ₃	Cl	Me
50	Ph	H	H	B6	Cl	H	H

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	Ph	H	H	B7	Cl	H	H
	3,4-F ₂ -Ph	H	H	H	Cl	Cl	Me
	3,4-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
15	3,5-F ₂ -Ph	H	H	H	Cl	Cl	Me
	3,5-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
20	2-Cl-Ph	H	H	H	Me	H	Me
	2-Cl-Ph	H	H	H	Me	Me	Me
	2-Cl-Ph	H	H	H	Me	Cl	Me
25	2-Cl-Ph	H	H	H	Cl	H	H
	2-Cl-Ph	H	H	H	Cl	H	Me
	2-Cl-Ph	H	H	H	Cl	H	CF ₃
30	2-Cl-Ph	H	H	H	Cl	Cl	Me
	2-Cl-Ph	Cl	H	H	Cl	Cl	Me
	2-Cl-Ph	H	H	H	OMe	H	H
35	2-Cl-Ph	H	H	H	SMe	H	H
	2-Cl-Ph	H	H	H	CF ₃	Me	Me
40	2-Cl-Ph	H	H	H	CF ₃	Cl	Me
	2-Cl-Ph	Cl	H	H	CF ₃	Cl	Me
	2-Cl-Ph	H	H	H	CF ₃	H	Me
45	2-Cl-Ph	H	H	B1	Cl	Cl	Me
	2-Cl-Ph	Cl	H	B1	Cl	Cl	Me
	2-Cl-Ph	H	H	B3	Cl	Cl	Me
50	2-Cl-Ph	Cl	H	B4	Cl	Cl	Me

55

Table 1 (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2-Cl-Ph	H	H	B6	Cl	Cl	Me
2-Cl-Ph	H	H	B7	Cl	Cl	Me
2-Cl-Ph	Cl	H	B7	Cl	Cl	Me
2-Cl-Ph	H	H	B9	Cl	Cl	Me
2-Cl-Ph	H	H	B20	Cl	Cl	Me
2-Cl-Ph	H	H	B24	Cl	Cl	Me
2-Cl-Ph	H	H	B2	CF ₃	Cl	Me
2-Cl-Ph	H	H	B3	CF ₃	Cl	Me
2-Cl-Ph	H	H	B4	CF ₃	Cl	Me
2-Cl-Ph	Cl	H	B4	CF ₃	Cl	Me
2-Cl-Ph	H	H	B6	CF ₃	Cl	Me
2-Cl-Ph	H	H	B7	CF ₃	Cl	Me
2-Cl-Ph	Cl	H	B7	CF ₃	Cl	Me
2-Cl-Ph	H	H	B9	CF ₃	Cl	Me
2-Cl-Ph	H	H	B20	CF ₃	Cl	Me
2-Cl-Ph	H	H	B24	CF ₃	Cl	Me
2-Cl-Ph	H	H	B6	Cl	H	H
2-Cl-Ph	H	H	B7	Cl	H	H
3-Cl-Ph	H	H	H	Cl	Cl	Me
3-Cl-Ph	Cl	H	H	Cl	Cl	Me
3-Cl-Ph	H	H	H	CF ₃	Cl	Me
3-Cl-Ph	Cl	H	H	CF ₃	Cl	Me
4-Cl-Ph	H	H	H	Cl	Cl	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	4-Cl-Ph	Cl	H	H	Cl	Cl	Me
	4-Cl-Ph	H	H	H	CF ₃	Cl	Me
15	4-Cl-Ph	Cl	H	H	CF ₃	Cl	Me
	2,3-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	2,3-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
20	2,4-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	2,4-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,5-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
25	2,5-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	H	H	Me	H	Me
	2,6-Cl ₂ -Ph	H	H	H	Me	Me	Me
30	2,6-Cl ₂ -Ph	H	H	H	Me	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B7	Cl	H	H
35	2,6-Cl ₂ -Ph	H	H	H	Cl	H	Me
	2,6-Cl ₂ -Ph	H	H	H	Cl	H	CF ₃
	2,6-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
40	2,6-Cl ₂ -Ph	Cl	H	H	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B7	OMe	H	H
	2,6-Cl ₂ -Ph	H	H	B7	SMe	H	H
45	2,6-Cl ₂ -Ph	H	H	H	CF ₃	Me	Me
	2,6-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
50	2,6-Cl ₂ -Ph	Cl	H	H	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	H	H	CF ₃	H	Me

55

Table 1 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2,6-Cl ₂ -Ph	H	H	B1	Cl	Cl	Me
2,6-Cl ₂ -Ph	Cl	H	B1	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B3	Cl	Cl	Me
2,6-Cl ₂ -Ph	Cl	H	B4	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B6	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B7	Cl	Cl	Me
2,6-Cl ₂ -Ph	Cl	H	B7	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B9	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B20	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B24	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	B2	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B3	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B4	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	Cl	H	B4	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B6	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B7	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	Cl	H	B7	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B9	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B20	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B24	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	B8	Cl	H	H
2,6-Cl ₂ -Ph	H	H	B15	Cl	H	H
3,4-Cl ₂ -Ph	H	H	H	Cl	Cl	Me

55

Table 1 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
3,4-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
3,5-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
3,5-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
2-Me-Ph	H	H	H	Cl	Cl	Me
2-Me-Ph	H	H	H	CF ₃	Cl	Me
2,6-Me ₂ -Ph	H	H	H	Cl	Cl	Me
2,6-Me ₂ -Ph	H	H	H	CF ₃	Cl	Me
2-MeO-Ph	H	H	H	Cl	Cl	Me
2-MeO-Ph	H	H	H	CF ₃	Cl	Me
2-MeO-Ph	Cl	H	H	CF ₃	Cl	Me
2-CF ₃ O-Ph	H	H	H	Cl	Cl	Me
2-CF ₃ O-Ph	H	H	H	CF ₃	Cl	Me
2-SMe-Ph	H	H	H	Cl	Cl	Me
2-SMe-Ph	H	H	H	CF ₃	Cl	Me
2-SOMe-Ph	H	H	H	Cl	Cl	Me
2-SOMe-Ph	H	H	H	CF ₃	Cl	Me
2-SO ₂ Me-Ph	H	H	H	Cl	Cl	Me
2-SO ₂ Me-Ph	H	H	H	CF ₃	Cl	Me
2-CF ₃ -Ph	H	H	H	Cl	Cl	Me
2-CF ₃ -Ph	H	H	H	CF ₃	Cl	Me
2-NO ₂ -Ph	H	H	H	Cl	Cl	Me
2-NO ₂ -Ph	H	H	H	CF ₃	Cl	Me
2-CN-Ph	H	H	H	Cl	Cl	Me

55

Table 1 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2-CN-Ph	H	H	H	CF ₃	Cl	Me
2-NHMe-Ph	H	H	H	Cl	Cl	Me
2-NHMe-Ph	H	H	H	CF ₃	Cl	Me
2-NMe ₂ -Ph	H	H	H	Cl	Cl	Me
2-NMe ₂ -Ph	H	H	H	CF ₃	Cl	Me
4-CH ₂ Ph-Ph	H	H	H	Cl	Cl	Me
4-OPh-Ph	H	H	H	Cl	Cl	Me
2-OH-Ph	H	H	H	Cl	Cl	Me
2-OH-Ph	H	H	H	CF ₃	Cl	Me
2-CO ₂ Me-Ph	H	H	H	Cl	Cl	Me
2-CO ₂ Me-Ph	H	H	H	CF ₃	Cl	Me
2-CO ₂ Et-Ph	H	H	H	Cl	Cl	Me
2-CO ₂ Et-Ph	H	H	H	CF ₃	Cl	Me
H	CO ₂ Et	Ph	H	Cl	Cl	Me
Cl	CO ₂ Et	H	H	Cl	Cl	Me
Me	Ph	H	H	Cl	Cl	Me
Et	Me	H	H	Cl	Cl	Me
nPr	H	H	H	Cl	Cl	Me
iPr	H	H	H	Cl	Cl	Me
iPr	H	H	H	CF ₃	Cl	Me
nBu	H	H	H	Cl	Cl	Me
nBu	H	H	H	CF ₃	Cl	Me
iBu	H	H	H	Cl	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
10	iBu	H	H	H	CF ₃	Cl	Me
	iBu	H	H	B7	Cl	Cl	Me
15	iBu	H	H	B7	CF ₃	Cl	Me
	secBu	H	H	H	Cl	Cl	Me
	secBu	H	H	H	CF ₃	Cl	Me
20	2,2-Me ₂ -propyl	H	H	H	Cl	Cl	Me
	nHex	H	H	H	Cl	Cl	Me
	ethenyl	H	H	H	Cl	Cl	Me
25	1-propenyl	H	H	H	Cl	Cl	Me
	1-propenyl	H	H	H	CF ₃	Cl	Me
	ethynyl	H	H	H	Cl	Cl	Me
30	1-propynyl	H	H	H	Cl	Cl	Me
	1-propynyl	H	H	H	CF ₃	Cl	Me
35	CF ₃	H	H	H	Cl	Cl	Me
	CF ₃	H	H	H	CF ₃	Cl	Me
	C ₂ F ₅	H	H	H	Cl	Cl	Me
40	C ₂ F ₅	H	H	H	CF ₃	Cl	Me
	2,2-Cl ₂ -cPr	H	H	H	Cl	Cl	Me
	2,2-Cl ₂ -cPr	H	H	H	CF ₃	Cl	Me
45	cPr	H	H	H	Cl	Cl	Me
	cPr	H	H	H	CF ₃	Cl	Me
50	1-Me-cPr	H	H	H	Cl	Cl	Me
	1-Me-cPr	H	H	H	CF ₃	Cl	Me

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	cHex	H	H	H	Cl	Cl	Me
	cHex	H	H	H	CF ₃	Cl	Me
	OMe	H	H	H	Cl	Cl	Me
15	OtBu	H	H	H	Cl	Cl	Me
	OtBu	H	H	H	CF ₃	Cl	Me
20	OCF ₃	H	H	H	Cl	Cl	Me
	OCF ₃	H	H	H	CF ₃	Cl	Me
	StBu	H	H	H	Cl	Cl	Me
25	StBu	H	H	H	CF ₃	Cl	Me
	SOtBu	H	H	H	Cl	Cl	Me
	SOtBu	H	H	H	CF ₃	Cl	Me
30	SO ₂ tBu	H	H	H	Cl	Cl	Me
	SO ₂ tBu	H	H	H	CF ₃	Cl	Me
	NO ₂	H	H	H	Cl	Cl	Me
35	NO ₂	H	H	H	CF ₃	Cl	Me
	CN	H	H	H	Cl	Cl	Me
40	CN	H	H	H	CF ₃	Cl	Me
	NH ₂	H	H	H	Cl	Cl	Me
	NH ₂	H	H	H	CF ₃	Cl	Me
45	NHMe	H	H	H	Cl	Cl	Me
	NHMe	H	H	H	CF ₃	Cl	Me
	NMe ₂	H	H	H	Cl	Cl	Me
50	NMe ₂	H	H	H	CF ₃	Cl	Me

55

Table 1 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	CH ₂ Ph	H	H	H	Cl	Cl	Me
	CH ₂ Ph	H	H	H	CF ₃	Cl	Me
15	OPh	H	H	H	Cl	Cl	Me
	OPh	H	H	H	CF ₃	Cl	Me
	OH	H	H	H	Cl	Cl	Me
20	OH	H	H	H	CF ₃	Cl	Me
	naphthyl-1	H	H	H	Cl	Cl	Me
	naphthyl-1	H	H	H	CF ₃	Cl	Me
25	naphthyl-2	H	H	H	Cl	Cl	Me
	naphthyl-2	H	H	H	CF ₃	Cl	Me
	CO ₂ Me	H	H	H	Cl	Cl	Me
30	CO ₂ Me	H	H	H	CF ₃	Cl	Me
	CO ₂ Et	H	H	H	Cl	Cl	Me
35	CO ₂ Et	H	H	H	CF ₃	Cl	Me
	2-thienyl	H	H	H	Cl	Cl	Me
	2-thienyl	H	H	H	CF ₃	Cl	Me
40	CH ₂ OMe	H	H	H	Cl	Cl	Me
	COCH ₃	H	H	H	Cl	Cl	Me
	-N=CMe ₂	H	H	H	Cl	Cl	Me
45	-N=CMe ₂	H	H	H	CF ₃	Cl	Me
	—(CH ₂) ₃ —		H	H	Cl	Cl	Me
	—(CH ₂) ₃ —		H	H	CF ₃	Cl	Me
50	—(CH ₂) ₄ —		H	H	Cl	Cl	Me
55							

Table 1 (continued)

5	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
10	(CH ₂) ₄		H	H	CF ₃	Cl	Me

15

20

25

30

35


40

45

50

55

Table 2






Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	H	Me	H	Me
	2,6-F ₂ -Ph	H	H	H	Me	H	CF ₃
	2,6-F ₂ -Ph	H	H	H	Me	H	H
15	2,6-F ₂ -Ph	H	H	H	Me	Me	Me
	2,6-F ₂ -Ph	H	H	H	Me	Cl	Me
20	2,6-F ₂ -Ph	Cl	H	H	Me	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Et	Me	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Me	Me
25	2,6-F ₂ -Ph	H	H	H	Cl	H	Me
	2,6-F ₂ -Ph	H	H	H	Cl	H	CF ₃
	2,6-F ₂ -Ph	H	H	H	Cl	H	H
30	2,6-F ₂ -Ph	Me	H	H	Cl	H	H
	2,6-F ₂ -Ph	Cl	H	H	Cl	H	H
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	Me
35	2,6-F ₂ -Ph	Me	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	Cl	H	Cl	Cl	Me
40	2,6-F ₂ -Ph	Cl	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	CF ₃	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	OMe	H	H	Cl	Cl	Me
45	2,6-F ₂ -Ph	NH ₂	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	NHMe	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	NMe ₂	H	H	Cl	Cl	Me
50	2,6-F ₂ -Ph	NO ₂	H	H	Cl	Cl	Me
55							

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	CN	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	OH	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Me	H	H	Cl	Cl	Me
15	2,6-F ₂ -Ph	CO ₂ Et	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CF ₃
20	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	CH ₂ OMe
	2,6-F ₂ -Ph	H	H	H	Cl	Cl	COMe
25	2,6-F ₂ -Ph	H	H	H	Cl	CF ₃	Me
	2,6-F ₂ -Ph	H	H	H	Br	Me	Me
	2,6-F ₂ -Ph	H	H	H	Me	Br	Me
30	2,6-F ₂ -Ph	H	H	H	Me	OMe	Me
	2,6-F ₂ -Ph	H	H	H	OMe	H	H
	2,6-F ₂ -Ph	H	H	H	OCF ₃	H	H
35	2,6-F ₂ -Ph	H	H	H	SMe	H	H
	2,6-F ₂ -Ph	H	H	H	CF ₃	Me	Me
40	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Me	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	Cl	H	H	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	Br	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CF ₃	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	NO ₂	H	H	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	CN	H	H	CF ₃	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
10	2,6-F ₂ -Ph	CO ₂ Me	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	CO ₂ Et	H	H	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CF ₃
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	CH ₂ OMe
20	2,6-F ₂ -Ph	H	H	H	CF ₃	Cl	COCH ₃
	2,6-F ₂ -Ph	H	H	H	CF ₃	H	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	Br	Me
25	2,6-F ₂ -Ph	H	H	H	CF ₃	NO ₂	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	CN	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	NHMe	Me
30	2,6-F ₂ -Ph	H	H	H	CF ₃	NMe ₂	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	CO ₂ Me	Me
35	2,6-F ₂ -Ph	H	H	H	CF ₃	OMe	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	OCF ₂ H	CF ₂ H
	2,6-F ₂ -Ph	H	H	H	Cl	NO ₂	Me
40	2,6-F ₂ -Ph	H	H	H	Cl	CN	Me
	2,6-F ₂ -Ph	H	H	H	CO ₂ Me	Me	Me
	2,6-F ₂ -Ph	H	H	B1	Cl	Cl	Me
45	2,6-F ₂ -Ph	H	H	B2	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B3	Cl	Cl	Me
50	2,6-F ₂ -Ph	H	H	B4	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B5	Cl	Cl	Me

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2,6-F ₂ -Ph	H	H	B6	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B7	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B8	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B9	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B10	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B11	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B12	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B13	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B14	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B15	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B16	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B17	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B18	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B19	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B20	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B21	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B22	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B23	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B24	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B25	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B26	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B27	Cl	Cl	Me
2,6-F ₂ -Ph	H	H	B28	Cl	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B29	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B30	Cl	Cl	Me
15	2,6-F ₂ -Ph	H	H	B31	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B32	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	B33	Cl	Cl	Me
20	2,6-F ₂ -Ph	H	H	B34	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	Na	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	K	Cl	Cl	Me
25	2,6-F ₂ -Ph	H	H	B2	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B3	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B4	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	H	B5	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B6	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	B7	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B8	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B9	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	H	B10	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B11	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B12	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	H	H	B13	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B14	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	H	H	B15	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B16	CF ₃	Cl	Me

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,6-F ₂ -Ph	H	H	B17	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B18	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B19	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	H	B20	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B21	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	H	H	B22	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B23	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B24	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	H	H	B25	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B26	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B27	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	H	B28	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B29	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B30	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	H	B31	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B32	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	H	B33	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B34	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	Na	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	H	H	K	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	B7	Cl	H	H
	2,6-F ₂ -Ph	H	H	B9	Cl	H	H
50	2,6-F ₂ -Ph	H	H	B10	Cl	H	H

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
10	2,6-F ₂ -PhPh	H	H	B11	Cl	H	H
	tBu	H	H	H	Me	H	Me
	tBu	H	H	H	Me	H	CF ₃
15	tBu	H	H	H	Me	H	H
	tBu	H	H	H	Me	Me	Me
20	tBu	H	H	H	Me	Cl	Me
	tBu	Cl	H	H	Me	Cl	Me
	tBu	H	H	H	Cl	Me	Me
25	tBu	H	H	H	Cl	H	Me
	tBu	H	H	H	Cl	H	CF ₃
	tBu	H	H	H	Cl	H	H
30	tBu	H	H	H	Cl	Cl	Me
	tBu	Me	H	H	Cl	Cl	Me
	tBu	Cl	H	H	Cl	Cl	Me
35	tBu	NO ₂	H	H	Cl	Cl	Me
	tBu	CO ₂ Me	H	H	Cl	Cl	Me
40	tBu	CO ₂ Et	H	H	Cl	Cl	Me
	tBu	H	H	H	Cl	Cl	CF ₃
	tBu	H	H	H	Cl	Cl	CF ₂ H
45	tBu	H	H	H	Cl	Cl	CH ₂ OMe
	tBu	H	H	H	Cl	Cl	COMe
	tBu	H	H	H	Cl	CF ₃	Me
50	tBu	H	H	H	Br	Me	Me

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
tBu	H	H	H	Me	Br	Me
tBu	H	H	H	OMe	H	H
tBu	H	H	H	CF ₃	Me	Me
tBu	H	H	H	CF ₃	Cl	Me
tBu	Me	H	H	CF ₃	Cl	Me
tBu	Cl	H	H	CF ₃	Cl	Me
tBu	NO ₂	H	H	CF ₃	Cl	Me
tBu	CO ₂ Me	H	H	CF ₃	Cl	Me
tBu	CO ₂ Et	H	H	CF ₃	Cl	Me
tBu	H	H	H	CF ₃	Cl	CF ₃
tBu	H	H	H	CF ₃	Cl	CF ₃ H
tBu	H	H	H	CF ₃	Cl	CH ₂ OMe
tBu	H	H	H	CF ₃	Cl	COCH ₃
tBu	H	H	H	CF ₃	H	Me
tBu	H	H	H	CF ₃	NO ₂	Me
tBu	H	H	H	CF ₃	NHMe	Me
tBu	H	H	H	CF ₃	NMe ₂	Me
tBu	H	H	H	NO ₂	Me	Me
tBu	H	H	H	CN	Cl	Me
tBu	H	H	H	CN	Me	Me
tBu	H	H	H	Cl	CN	Me
tBu	H	H	H	CO ₂ Me	Me	Me
tBu	H	H	H	CO ₂ Me	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B1	Cl	Cl	Me
	tBu	Cl	H	B1	Cl	Cl	Me
15	tBu	H	H	B2	Cl	Cl	Me
	tBu	H	H	B3	Cl	Cl	Me
	tBu	H	H	B4	Cl	Cl	Me
20	tBu	H	H	B5	Cl	Cl	Me
	tBu	H	H	B6	Cl	Cl	Me
	tBu	H	H	B7	Cl	Cl	Me
25	tBu	H	H	B8	Cl	Cl	Me
	tBu	H	H	B9	Cl	Cl	Me
	tBu	H	H	B10	Cl	Cl	Me
30	tBu	H	H	B11	Cl	Cl	Me
	tBu	H	H	B12	Cl	Cl	Me
	tBu	H	H	B13	Cl	Cl	Me
35	tBu	H	H	B14	Cl	Cl	Me
	tBu	H	H	B15	Cl	Cl	Me
40	tBu	H	H	B16	Cl	Cl	Me
	tBu	H	H	B17	Cl	Cl	Me
	tBu	H	H	B18	Cl	Cl	Me
45	tBu	H	H	B19	Cl	Cl	Me
	tBu	H	H	B20	Cl	Cl	Me
	tBu	H	H	B21	Cl	Cl	Me
50	tBu	H	H	B22	Cl	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B23	Cl	Cl	Me
	tBu	H	H	B24	Cl	Cl	Me
	tBu	H	H	B25	Cl	Cl	Me
15	tBu	H	H	B26	Cl	Cl	Me
	tBu	H	H	B27	Cl	Cl	Me
20	tBu	H	H	B28	Cl	Cl	Me
	tBu	H	H	B29	Cl	Cl	Me
	tBu	H	H	B30	Cl	Cl	Me
25	tBu	H	H	B31	Cl	Cl	Me
	tBu	H	H	B32	Cl	Cl	Me
	tBu	H	H	B33	Cl	Cl	Me
30	tBu	H	H	B34	Cl	Cl	Me
	tBu	H	H	Na	Cl	Cl	Me
	tBu	H	H	K	Cl	Cl	Me
35	tBu	H	H	B2	CF ₃	Cl	Me
	tBu	H	H	B3	CF ₃	Cl	Me
40	tBu	H	H	B4	CF ₃	Cl	Me
	tBu	H	H	B5	CF ₃	Cl	Me
	tBu	H	H	B6	CF ₃	Cl	Me
45	tBu	H	H	B7	CF ₃	Cl	Me
	tBu	H	H	B8	CF ₃	Cl	Me
	tBu	H	H	B9	CF ₃	Cl	Me
50	tBu	H	H	B10	CF ₃	Cl	Me

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	tBu	H	H	B11	CF ₃	Cl	Me
	tBu	H	H	B12	CF ₃	Cl	Me
	tBu	H	H	B13	CF ₃	Cl	Me
15	tBu	H	H	B14	CF ₃	Cl	Me
	tBu	H	H	B15	CF ₃	Cl	Me
20	tBu	H	H	B16	CF ₃	Cl	Me
	tBu	H	H	B17	CF ₃	Cl	Me
	tBu	H	H	B18	CF ₃	Cl	Me
25	tBu	H	H	B19	CF ₃	Cl	Me
	tBu	H	H	B20	CF ₃	Cl	Me
	tBu	H	H	B21	CF ₃	Cl	Me
30	tBu	H	H	B22	CF ₃	Cl	Me
	tBu	H	H	B23	CF ₃	Cl	Me
	tBu	H	H	B24	CF ₃	Cl	Me
35	tBu	H	H	B25	CF ₃	Cl	Me
	tBu	H	H	B26	CF ₃	Cl	Me
40	tBu	H	H	B27	CF ₃	Cl	Me
	tBu	H	H	B28	CF ₃	Cl	Me
	tBu	H	H	B29	CF ₃	Cl	Me
45	tBu	H	H	B30	CF ₃	Cl	Me
	tBu	H	H	B31	CF ₃	Cl	Me
	tBu	H	H	B32	CF ₃	Cl	Me
50	tBu	H	H	B33	CF ₃	Cl	Me

55

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
tBu	H	H	B34	CF ₃	Cl	Me
tBu	H	H	Na	CF ₃	Cl	Me
tBu	H	H	K	CF ₃	Cl	Me
tBu	H	H	B7	Cl	H	H
tBu	H	H	B8	Cl	H	H
tBu	H	H	B15	Cl	H	H
tBu	H	H	B17	Cl	H	H
tBu	H	H	B18	Cl	H	H
tBu	H	H	B34	Cl	H	H
2-pyridyl	H	H	H	Me	H	Me
2-pyridyl	H	H	H	Me	H	CF ₃
2-pyridyl	H	H	B7	Me	H	H
2-pyridyl	H	H	H	Me	Me	Me
2-pyridyl	H	H	H	Me	Cl	Me
2-pyridyl	H	H	H	Cl	Me	Me
2-pyridyl	H	H	H	Cl	H	Me
2-pyridyl	H	H	H	Cl	H	CF ₃
2-pyridyl	H	H	H	Cl	H	H
2-pyridyl	Cl	H	H	Cl	H	H
2-pyridyl	CO ₂ Me	H	H	Cl	H	H
2-pyridyl	CO ₂ Et	H	H	Cl	H	H
2-pyridyl	H	H	H	Cl	Cl	Me
2-pyridyl	H	H	H	Cl	CF ₃	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-pyridyl	H	H	H	Br	Me	Me
	2-pyridyl	H	H	H	Me	Br	Me
15	2-pyridyl	H	H	B7	OMe	H	H
	2-pyridyl	H	H	H	CF ₃	Me	Me
	2-pyridyl	H	H	H	CF ₃	Cl	Me
20	2-pyridyl	H	H	H	CF ₃	H	Me
	2-pyridyl	H	H	B7	CF ₃	H	H
	2-pyridyl	H	H	B1	Cl	Cl	Me
25	2-pyridyl	H	H	B3	Cl	Cl	Me
	2-pyridyl	H	H	B7	Cl	Cl	Me
	2-pyridyl	H	H	B3	CF ₃	Cl	Me
30	2-pyridyl	H	H	B7	CF ₃	Cl	Me
	2-pyridyl	H	H	B3	Cl	H	H
35	2-pyridyl	H	H	B4	Cl	H	H
	2-pyridyl	H	H	B5	Cl	H	H
	2-pyridyl	H	H	B6	Cl	H	H
40	2-pyridyl	H	H	B7	Cl	H	H
	2-pyridyl	H	H	B8	Cl	H	H
	2-pyridyl	H	H	B9	Cl	H	H
45	2-pyridyl	H	H	B10	Cl	H	H
	2-pyridyl	H	H	B11	Cl	H	H
50	2-pyridyl	H	H	B15	Cl	H	H
	2-pyridyl	H	H	B16	Cl	H	H

55

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2-pyridyl	H	H	B17	Cl	H	H
2-pyridyl	H	H	B28	Cl	H	H
2-pyridyl	H	H	B30	Cl	H	H
2-pyridyl	H	H	B31	Cl	H	H
2-pyridyl	H	H	B32	Cl	H	H
2-pyridyl	H	H	B34	Cl	H	H
3-pyridyl	H	H	H	Cl	Cl	Me
3-pyridyl	H	H	H	Cl	H	H
4-pyridyl	H	H	H	Cl	Cl	Me
4-pyridyl	H	H	H	Cl	H	H
2-F-Ph	H	H	H	Cl	H	H
2-F-Ph	H	H	H	Cl	Cl	Me
2-F-Ph	H	H	B7	OMe	H	H
2-F-Ph	H	H	B7	SMe	H	H
2-F-Ph	H	H	H	CF ₃	Cl	Me
2-F-Ph	H	H	H	CF ₃	H	Me
2-F-Ph	H	H	B1	Cl	Cl	Me
2-F-Ph	H	H	B3	Cl	Cl	Me
2-F-Ph	H	H	B6	Cl	Cl	Me
2-F-Ph	H	H	B7	Cl	Cl	Me
2-F-Ph	Cl	H	B7	Cl	Cl	Me
2-F-Ph	H	H	B3	CF ₃	Cl	Me
2-F-Ph	H	H	B6	CF ₃	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2-F-Ph	H	H	B7	CF ₃	Cl	Me
	2-F-Ph	Cl	H	B7	CF ₃	Cl	Me
	2-F-Ph	H	H	B7	Cl	H	H
15	3-F-Ph	H	H	H	Cl	Cl	Me
	3-F-Ph	H	H	H	CF ₃	Cl	Me
20	4-F-Ph	H	H	H	Cl	Cl	Me
	4-F-Ph	H	H	H	CF ₃	Cl	Me
	2,3-F ₂ -Ph	H	H	H	Cl	Cl	Me
25	2,4-F ₂ -Ph	H	H	H	Cl	Cl	Me
	2,5-F ₂ -Ph	H	H	H	Cl	Cl	Me
	Ph	H	H	H	Cl	H	H
30	Ph	H	H	H	Cl	Cl	Me
	Ph	H	H	H	OMe	H	H
35	Ph	H	H	H	SMe	H	H
	Ph	H	H	H	CF ₃	Cl	Me
	Ph	H	H	H	CF ₃	H	Me
40	Ph	H	H	B1	Cl	Cl	Me
	Ph	H	H	B3	Cl	Cl	Me
	Ph	H	H	B6	Cl	Cl	Me
45	Ph	H	H	B7	Cl	Cl	Me
	Ph	Cl	H	B7	Cl	Cl	Me
50	Ph	H	H	B3	CF ₃	Cl	Me
	Ph	H	H	B6	CF ₃	Cl	Me

55

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
Ph	H	H	B7	CF ₃	Cl	Me
Ph	Cl	H	B7	CF ₃	Cl	Me
Ph	H	H	B7	Cl	H	H
Ph	H	H	H	Cl	Cl	Me
Ph	H	H	H	Cl	Cl	Me
2-Cl-Ph	H	H	H	Cl	H	H
2-Cl-Ph	H	H	H	Cl	Cl	Me
2-Cl-Ph	H	H	H	OMe	H	H
2-Cl-Ph	H	H	H	SMe	H	H
2-Cl-Ph	H	H	H	CF ₃	Cl	Me
2-Cl-Ph	H	H	H	CF ₃	H	Me
2-Cl-Ph	H	H	B1	Cl	Cl	Me
2-Cl-Ph	H	H	B3	Cl	Cl	Me
2-Cl-Ph	H	H	B6	Cl	Cl	Me
2-Cl-Ph	H	H	B7	Cl	Cl	Me
2-Cl-Ph	Cl	H	B7	Cl	Cl	Me
2-Cl-Ph	H	H	B3	CF ₃	Cl	Me
2-Cl-Ph	H	H	B6	CF ₃	Cl	Me
2-Cl-Ph	H	H	B7	CF ₃	Cl	Me
2-Cl-Ph	Cl	H	B7	CF ₃	Cl	Me
2-Cl-Ph	H	H	B7	Cl	H	H
3-Cl-Ph	H	H	H	Cl	Cl	Me
4-Cl-Ph	H	H	H	Cl	Cl	Me

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	2,3-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	2,4-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	2,5-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
15	2,6-Cl ₂ -Ph	H	H	H	Cl	H	H
	2,6-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
20	2,6-Cl ₂ -Ph	H	H	H	OMe	H	H
	2,6-Cl ₂ -Ph	H	H	H	SMe	H	H
	2,6-Cl ₂ -Ph	H	H	H	CF ₃	Cl	Me
25	2,6-Cl ₂ -Ph	H	H	H	CF ₃	H	Me
	2,6-Cl ₂ -Ph	H	H	B1	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B3	Cl	Cl	Me
30	2,6-Cl ₂ -Ph	H	H	B6	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B7	Cl	Cl	Me
	2,6-Cl ₂ -Ph	Cl	H	B7	Cl	Cl	Me
35	2,6-Cl ₂ -Ph	H	H	B3	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B6	CF ₃	Cl	Me
40	2,6-Cl ₂ -Ph	H	H	B7	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	Cl	H	B7	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	H	B7	Cl	H	H
45	3,4-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	3,5-Cl ₂ -Ph	H	H	H	Cl	Cl	Me
	2-Me-Ph	H	H	H	Cl	Cl	Me
50	2-Me-Ph	H	H	H	CF ₃	Cl	Me

55

Table 2 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
2,6-Me ₂ -Ph	H	H	H	Cl	Cl	Me
2,6-Me ₂ -Ph	H	H	H	CF ₃	Cl	Me
2-MeO-Ph	H	H	H	Cl	Cl	Me
2-MeO-Ph	H	H	H	CF ₃	Cl	Me
2-CF ₃ O-Ph	H	H	H	Cl	Cl	Me
2-SMe-Ph	H	H	H	Cl	Cl	Me
2-SOMe-Ph	H	H	H	Cl	Cl	Me
2-SO ₂ Me-Ph	H	H	H	Cl	Cl	Me
2-CF ₃ -Ph	H	H	H	Cl	Cl	Me
2-NO ₂ -Ph	H	H	H	Cl	Cl	Me
2-CN-Ph	H	H	H	Cl	Cl	Me
2-NHMe-Ph	H	H	H	Cl	Cl	Me
2-NMe ₂ -Ph	H	H	H	Cl	Cl	Me
4-benzyl-Ph	H	H	H	Cl	Cl	Me
4-phenoxy-Ph	H	H	H	Cl	Cl	Me
2-OH-Ph	H	H	H	Cl	Cl	Me
2-CO ₂ Me-Ph	H	H	H	Cl	Cl	Me
2-CO ₂ Et-Ph	H	H	H	Cl	Cl	Me
H	CO ₂ Et	Ph	H	Cl	Cl	Me
Me	Ph	H	H	Cl	Cl	Me
Et	Me	H	H	Cl	Cl	Me
nPr	H	H	H	Cl	Cl	Me
iPr	H	H	H	Cl	Cl	Me

55

Table 2 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	iPr	H	H	H	CF ₃	Cl	Me
	nBu	H	H	H	Cl	Cl	Me
15	nBu	H	H	H	CF ₃	Cl	Me
	iBu	H	H	H	Cl	Cl	Me
	iBu	H	H	H	CF ₃	Cl	Me
20	iBu	H	H	B7	Cl	Cl	Me
	iBu	H	H	B7	CF ₃	Cl	Me
	iBu	H	H	H	Cl	H	H
25	secBu	H	H	H	Cl	Cl	Me
	secBu	H	H	H	CF ₃	Cl	Me
30	2,2-Me ₂ -propyl	H	H	H	Cl	Cl	Me
	nHex	H	H	H	Cl	Cl	Me
	ethenyl	H	H	H	Cl	Cl	Me
35	1-propenyl	H	H	H	Cl	Cl	Me
	1-propenyl	H	H	H	CF ₃	Cl	Me
	ethynyl	H	H	H	Cl	Cl	Me
40	1-propynyl	H	H	H	Cl	Cl	Me
	CF ₃	H	H	H	Cl	Cl	Me
	CHF ₂	H	H	H	Cl	Cl	Me
45	C ₂ F ₅	H	H	H	Cl	Cl	Me
	2,2-Cl ₂ -cPr	H	H	H	Cl	Cl	Me
50	2,2-Cl ₂ -cPr	H	H	H	CF ₃	Cl	Me
	cPr	H	H	H	Cl	Cl	Me

55

Table 2 (continued)


	R ¹	R ²	R ³	B	Y ¹	Y ²	Y ³
5							
10	cPr	H	H	H	CF ₃	Cl	Me
	1-Me-cPr	H	H	H	Cl	Cl	Me
15	1-Me-cPr	H	H	H	CF ₃	Cl	Me
	cHex	H	H	H	Cl	Cl	Me
	cHex	H	H	H	CF ₃	Cl	Me
20	CH ₂ Ph	H	H	H	Cl	Cl	Me
	naphthyl-1	H	H	H	Cl	Cl	Me
25	naphthyl-1	H	H	H	CF ₃	Cl	Me
	naphthyl-2	H	H	H	Cl	Cl	Me
	CO ₂ Me	H	H	H	Cl	Cl	Me
30	CO ₂ Et	H	H	H	Cl	Cl	Me
	2-thienyl	H	H	H	Cl	Cl	Me
35	CH ₂ OMe	H	H	H	Cl	Cl	Me
	CH ₂ OEt	H	H	H	Cl	Cl	Me
	COCH ₃	H	H	H	Cl	Cl	Me
40	COtBu	H	H	H	Cl	Cl	Me


45

50

55

Table 3





	R ¹	R ²	R ³	B	Y ¹	Y ²
5						
	2,6-F ₂ -Ph	H	H	H	Me	Me
10	2,6-F ₂ -Ph	H	H	H	Et	Me
	2,6-F ₂ -Ph	Me	H	H	Et	Me
15	2,6-F ₂ -Ph	Cl	H	H	Et	Me
	2,6-F ₂ -Ph	H	Cl	H	Et	Me
	2,6-F ₂ -Ph	H	H	H	Cl	Cl
20	2,6-F ₂ -Ph	H	H	H	Cl	Me
	2,6-F ₂ -Ph	H	H	H	Cl	CF ₃
	2,6-F ₂ -Ph	H	H	H	Me	Cl
25	2,6-F ₂ -Ph	H	H	H	Br	Me
	2,6-F ₂ -Ph	H	H	H	Me	Br
30	2,6-F ₂ -Ph	H	H	H	Me	CF ₃
	2,6-F ₂ -Ph	H	H	H	OMe	Me
	2,6-F ₂ -Ph	H	H	H	OCF ₃	Me
35	2,6-F ₂ -Ph	H	H	H	SMe	Me
	2,6-F ₂ -Ph	H	H	H	CO ₂ Me	Me
40	2,6-F ₂ -Ph	H	H	H	CO ₂ Et	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	Me
	2,6-F ₂ -Ph	H	H	H	CF ₃	H
45	2,6-F ₂ -Ph	H	H	B3	CF ₃	Me
	2,6-F ₂ -Ph	H	H	B6	CF ₃	Me
50	2,6-F ₂ -Ph	H	H	B7	CF ₃	Me
	2,6-F ₂ -Ph	Cl	H	B7	CF ₃	Me

55

Table 3 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²
5						
10	tBu	H	H	H	Me	Me
	tBu	H	H	H	Et	Me
	tBu	H	H	H	Cl	Cl
15	tBu	H	H	H	Cl	Me
	tBu	H	H	H	Me	Cl
20	tBu	H	H	H	Cl	CF ₃
	tBu	H	H	H	Br	Me
	tBu	H	H	H	Me	Br
25	tBu	H	H	H	Me	CF ₃
	tBu	H	H	H	OMe	Me
	tBu	H	H	H	OCF ₃	Me
30	tBu	H	H	H	SMe	Me
	tBu	H	H	H	CO ₂ Me	Me
	tBu	H	H	H	CO ₂ Et	Me
35	tBu	H	H	H	CF ₃	Me
	tBu	Me	H	H	CF ₃	Me
40	tBu	Cl	H	H	CF ₃	Me
	tBu	Br	H	H	CF ₃	Me
	tBu	CF ₃	H	H	CF ₃	Me
45	tBu	NO ₂	H	H	CF ₃	Me
	tBu	CN	H	H	CF ₃	Me
	tBu	CO ₂ Me	H	H	CF ₃	Me
50	tBu	CO ₂ Et	H	H	CF ₃	Me

55

Table 3 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²
5						
10	tBu	H	H	H	CF ₃	H
	tBu	H	H	H	CF ₃	Br
	tBu	H	H	H	CF ₃	NO ₂
15	tBu	H	H	H	CF ₃	CN
	tBu	H	H	H	CF ₃	NHMe
20	tBu	H	H	H	CF ₃	NMe ₂
	tBu	H	H	H	CF ₃	CO ₂ Me
	tBu	H	H	B2	CF ₃	Me
25	tBu	H	H	B3	CF ₃	Me
	tBu	H	H	B4	CF ₃	Me
	tBu	H	H	B5	CF ₃	Me
30	tBu	H	H	B6	CF ₃	Me
	tBu	H	H	B7	CF ₃	Me
35	tBu	Cl	H	B7	CF ₃	Me
	tBu	H	H	B8	CF ₃	Me
	tBu	H	H	B9	CF ₃	Me
40	tBu	H	H	B10	CF ₃	Me
	tBu	H	H	B11	CF ₃	Me
	tBu	H	H	B12	CF ₃	Me
45	tBu	H	H	B13	CF ₃	Me
	tBu	H	H	B14	CF ₃	Me
50	tBu	H	H	B15	CF ₃	Me
	tBu	H	H	B16	CF ₃	Me

55

Table 3 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²
tBu	H	H	B17	CF ₃	Me
tBu	H	H	B18	CF ₃	Me
tBu	H	H	B19	CF ₃	Me
tBu	H	H	B20	CF ₃	Me
tBu	H	H	B21	CF ₃	Me
tBu	H	H	B22	CF ₃	Me
tBu	H	H	B23	CF ₃	Me
tBu	H	H	B24	CF ₃	Me
tBu	H	H	B25	CF ₃	Me
tBu	H	H	B26	CF ₃	Me
tBu	H	H	B27	CF ₃	Me
tBu	H	H	B28	CF ₃	Me
tBu	H	H	B29	CF ₃	Me
tBu	H	H	B30	CF ₃	Me
tBu	H	H	B31	CF ₃	Me
tBu	H	H	B32	CF ₃	Me
tBu	H	H	B33	CF ₃	Me
tBu	H	H	B34	CF ₃	Me
tBu	H	H	Na	CF ₃	Me
tBu	H	H	K	CF ₃	Me
2-pyridyl	H	H	H	Me	Me
2-pyridyl	H	H	H	Et	Me
2-pyridyl	H	H	H	Cl	Cl

55

Table 3 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²
2-pyridyl	H	H	H	Cl	Me
2-pyridyl	H	H	H	Cl	CF ₃
2-pyridyl	H	H	H	Me	Cl
2-pyridyl	H	H	H	Br	Me
2-pyridyl	H	H	H	Me	Br
2-pyridyl	H	H	H	Me	CF ₃
2-pyridyl	H	H	H	OMe	Me
2-pyridyl	H	H	H	OCF ₃	Me
2-pyridyl	H	H	H	SMe	Me
2-pyridyl	H	H	H	CO ₂ Me	Me
2-pyridyl	H	H	H	CO ₂ Et	Me
2-pyridyl	H	H	H	CF ₃	Me
2-pyridyl	H	H	H	CF ₃	H
2-pyridyl	H	H	B3	CF ₃	Me
2-pyridyl	H	H	B6	CF ₃	Me
2-pyridyl	H	H	B7	CF ₃	Me
3-pyridyl	H	H	H	CF ₃	Me
4-pyridyl	H	H	H	CF ₃	Me
2-F-Ph	H	H	H	Me	Me
2-F-Ph	H	H	H	Et	Me
2-F-Ph	H	H	H	CF ₃	Me
2-F-Ph	H	H	H	CF ₃	Cl
2-F-Ph	H	H	H	CF ₃	H

55

Table 3 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²
2-F-Ph	H	H	B3	CF ₃	Me
2-F-Ph	H	H	B6	CF ₃	Me
2-F-Ph	H	H	B7	CF ₃	Me
3-F-Ph	H	H	H	CF ₃	Me
4-F-Ph	H	H	H	CF ₃	Me
2,3-F ₂ -Ph	H	H	H	CF ₃	Me
2,4-F ₂ -Ph	H	H	H	CF ₃	Me
2,5-F ₂ -Ph	H	H	H	CF ₃	Me
Ph	H	H	H	Me	Me
Ph	H	H	H	Et	Me
Ph	H	H	H	CF ₃	Me
Ph	H	H	H	CF ₃	Cl
Ph	H	H	H	CF ₃	H
Ph	H	H	B3	CF ₃	Me
Ph	H	H	B6	CF ₃	Me
Ph	H	H	B7	CF ₃	Me
3,4-F ₂ -Ph	H	H	H	CF ₃	Me
3,5-F ₂ -Ph	H	H	H	CF ₃	Me
2-Cl-Ph	H	H	H	Me	Me
2-Cl-Ph	H	H	H	Et	Me
2-Cl-Ph	H	H	H	CF ₃	Me
2-Cl-Ph	H	H	H	CF ₃	Cl
2-Cl-Ph	H	H	H	CF ₃	H

55

Table 3 (continued)

	R ¹	R ²	R ³	B	Y ¹	Y ²
5						
10	2-Cl-Ph	H	H	B3	CF ₃	Me
	2-Cl-Ph	H	H	B6	CF ₃	Me
15	2-Cl-Ph	H	H	B7	CF ₃	Me
	3-Cl-Ph	H	H	H	CF ₃	Me
	4-Cl-Ph	H	H	H	CF ₃	Me
20	2,3-Cl ₂ -Ph	H	H	H	CF ₃	Me
	2,4-Cl ₂ -Ph	H	H	H	CF ₃	Me
	2,5-Cl ₂ -Ph	H	H	H	CF ₃	Me
25	2,6-Cl ₂ -Ph	H	H	H	Me	Me
	2,6-Cl ₂ -Ph	H	H	H	Et	Me
	2,6-Cl ₂ -Ph	H	H	H	CF ₃	Me
30	2,6-Cl ₂ -Ph	H	H	H	CF ₃	Cl
	2,6-Cl ₂ -Ph	H	H	H	CF ₃	H
35	2,6-Cl ₂ -Ph	H	H	B3	CF ₃	Me
	2,6-Cl ₂ -Ph	H	H	B6	CF ₃	Me
	2,6-Cl ₂ -Ph	H	H	B7	CF ₃	Me
40	3,4-Cl ₂ -Ph	H	H	H	CF ₃	Me
	3,5-Cl ₂ -Ph	H	H	H	CF ₃	Me
	2-Me-Ph	H	H	H	CF ₃	Me
45	2,6-Me ₂ -Ph	H	H	H	CF ₃	Me
	2-MeO-Ph	H	H	H	CF ₃	Me
50	2-CF ₃ O-Ph	H	H	H	CF ₃	Me
	2-SMe-Ph	H	H	H	CF ₃	Me

55

Table 3 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	R ³	B	Y ¹	Y ²
2-SOMe-Ph	H	H	H	CF ₃	Me
2-SO ₂ Me-Ph	H	H	H	CF ₃	Me
2-CF ₃ -Ph	H	H	H	CF ₃	Me
2-NO ₂ -Ph	H	H	H	CF ₃	Me
2-CN-Ph	H	H	H	CF ₃	Me
2-NHMe-Ph	H	H	H	CF ₃	Me
2-NMe ₂ -Ph	H	H	H	CF ₃	Me
4-benzyl-Ph	H	H	H	Et	Me
4-phenoxy-Ph	H	H	H	CF ₃	Me
2-OH-Ph	H	H	H	CF ₃	Me
2-CO ₂ Me-Ph	H	H	H	CF ₃	Me
2-CO ₂ Et-Ph	H	H	H	CF ₃	Me
H	CO ₂ Et	Ph	H	CF ₃	Me
Me	Ph	H	H	CF ₃	Me
Et	Me	H	H	CF ₃	Me
nPr	H	H	H	CF ₃	Me
iPr	H	H	H	Et	Me
iPr	H	H	H	CF ₃	Me
nBu	H	H	H	Et	Me
nBu	H	H	H	CF ₃	Me
iBu	H	H	H	Et	Me
iBu	H	H	H	CF ₃	Me
iBu	H	H	B7	Et	Me

55

Table 3 (continued)

5

10

15

20

25

30

35

40

45

50


55


R ¹	R ²	R ³	B	Y ¹	Y ²
iBu	H	H	B7	CF ₃	Me
secBu	H	H	H	Et	Me
secBu	H	H	H	CF ₃	Me
2,2-Me ₂ -propyl	H	H	H	CF ₃	Me
nHex	H	H	H	CF ₃	Me
ethenyl	H	H	H	CF ₃	Me
1-propenyl	H	H	H	CF ₃	Me
ethynyl	H	H	H	CF ₃	Me
1-propynyl	H	H	H	CF ₃	Me
CF ₃	H	H	H	CF ₃	Me
CHF ₂	H	H	H	CF ₃	Me
C ₂ F ₅	H	H	H	CF ₃	Me
2,2-Cl ₂ -cPr	H	H	H	Et	Me
2,2-Cl ₂ -cPr	H	H	H	CF ₃	Me
cPr	H	H	H	Et	Me
cPr	H	H	H	CF ₃	Me
1-Me-cPr	H	H	H	Et	Me
1-Me-cPr	H	H	H	CF ₃	Me
CHex	H	H	H	Et	Me
CHex	H	H	H	CF ₃	Me
CH ₂ Ph	H	H	H	CF ₃	Me
naphthyl-1	H	H	H	Et	Me
naphthyl-1	H	H	H	CF ₃	Me


Table 3 (continued)

R ¹	R ²	R ³	B	Y ¹	Y ²
naphthyl-2	H	H	H	CF ₃	Me
CO ₂ Me	H	H	H	CF ₃	Me
CO ₂ Et	H	H	H	CF ₃	Me
2-thienyl	H	H	H	CF ₃	Me
CH ₂ OMe	H	H	H	CF ₃	Me
CH ₂ OEt	H	H	H	CF ₃	Me
COCH ₃	H	H	H	CF ₃	Me
COtBu	H	H	H	CF ₃	Me
COPh	H	H	H	CF ₃	Me

Table 4







	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
	2,6-F ₂ -Ph	H	H	H	CF ₃	Me
10	2,6-F ₂ -Ph	H	H	Me	H	Me
	2,6-F ₂ -Ph	H	H	Me	H	CF ₃
15	2,6-F ₂ -Ph	H	B7	Me	H	H
	2,6-F ₂ -Ph	H	H	Me	Me	Me
	2,6-F ₂ -Ph	H	H	Me	Cl	Me
20	2,6-F ₂ -Ph	H	H	Me	Br	Me
	2,6-F ₂ -Ph	H	H	Et	Me	Me
	2,6-F ₂ -Ph	H	H	Cl	Me	Me
25	2,6-F ₂ -Ph	H	H	Cl	H	Me
	2,6-F ₂ -Ph	H	H	Cl	H	CF ₃
30	2,6-F ₂ -Ph	H	H	Cl	H	H
	2,6-F ₂ -Ph	H	H	Cl	Cl	Me
	2,6-F ₂ -Ph	H	H	Cl	Cl	CF ₃
35	2,6-F ₂ -Ph	H	H	Cl	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	Cl	Cl	CH ₂ OMe
40	2,6-F ₂ -Ph	H	H	Cl	Cl	COMe
	2,6-F ₂ -Ph	H	H	Cl	CF ₃	Me
	2,6-F ₂ -Ph	H	H	Br	Me	Me
45	2,6-F ₂ -Ph	H	H	Me	OMe	Me
	2,6-F ₂ -Ph	H	B7	OMe	H	H
50	2,6-F ₂ -Ph	H	B7	OCF ₃	H	H
	2,6-F ₂ -Ph	H	B7	SMe	H	H

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-F ₂ -Ph	H	H	CF ₃	Me	Me
	2,6-F ₂ -Ph	H	H	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	H	CF ₃	Cl	CF ₃
15	2,6-F ₂ -Ph	H	H	CF ₃	Cl	CF ₂ H
	2,6-F ₂ -Ph	H	H	CF ₃	Cl	CH ₂ OMe
20	2,6-F ₂ -Ph	H	H	CF ₃	H	Me
	2,6-F ₂ -Ph	H	H	CF ₃	Br	Me
	2,6-F ₂ -Ph	H	H	CF ₃	NO ₂	Me
25	2,6-F ₂ -Ph	H	H	CF ₃	CN	Me
	2,6-F ₂ -Ph	H	H	CF ₃	NHMe	Me
	2,6-F ₂ -Ph	H	H	CF ₃	NMe ₂	Me
30	2,6-F ₂ -Ph	H	H	CF ₃	CO ₂ Me	Me
	2,6-F ₂ -Ph	H	H	CF ₃	OMe	Me
	2,6-F ₂ -Ph	H	H	CF ₃	OCF ₂ H	CF ₂ H
35	2,6-F ₂ -Ph	H	H	Cl	NO ₂	Me
	2,6-F ₂ -Ph	H	H	Cl	CN	Me
40	2,6-F ₂ -Ph	H	H	CO ₂ Me	Me	Me
	2,6-F ₂ -Ph	H	B1	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B3	Cl	Cl	Me
45	2,6-F ₂ -Ph	H	B6	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B2	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	H	B3	CF ₃	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-F ₂ -Ph	H	B4	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B5	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	B6	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B8	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	H	B9	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B10	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B11	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	H	B12	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B13	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B14	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	B15	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B16	CF ₃	Cl	Me
35	2,6-F ₂ -Ph	H	B17	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B18	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B19	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	B20	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B21	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B22	CF ₃	Cl	Me
45	2,6-F ₂ -Ph	H	B23	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B24	CF ₃	Cl	Me
50	2,6-F ₂ -Ph	H	B25	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B26	CF ₃	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-F ₂ -Ph	H	B27	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B28	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	B29	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B30	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B31	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	H	B32	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B33	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B34	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	H	Na	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	K	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B7	Cl	H	H
30	2,6-F ₂ -Ph	H	B9	Cl	H	H
	2,6-F ₂ -Ph	H	B10	Cl	H	H
35	2,6-F ₂ -Ph	H	B11	Cl	H	H
	tBu	H	H	H	CF ₃	Me
	tBu	H	H	Me	H	Me
40	tBu	H	H	Me	H	CF ₃
	tBu	H	B7	Me	H	H
	tBu	H	H	Me	Me	Me
45	tBu	H	H	Me	Cl	Me
	tBu	H	H	Me	Br	Me
50	tBu	H	H	Et	Me	Me
	tBu	H	H	Cl	Me	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	H	Cl	H	Me
	tBu	H	H	Cl	H	CF ₃
15	tBu	H	H	Cl	H	H
	tBu	Me	H	Cl	H	H
	tBu	Cl	H	Cl	H	H
20	tBu	H	H	Cl	Cl	Me
	tBu	H	H	Cl	Cl	CF ₃
	tBu	H	H	Cl	Cl	CF ₂ H
25	tBu	H	H	Cl	Cl	CH ₂ OMe
	tBu	H	H	Cl	Cl	COMe
	tBu	H	H	Cl	CF ₃	Me
30	tBu	H	H	Br	Me	Me
	tBu	H	H	Me	OMe	Me
35	tBu	H	B7	OMe	H	H
	tBu	H	B7	OCF ₃	H	H
	tBu	H	B7	SMe	H	H
40	tBu	H	H	CF ₃	Me	Me
	tBu	H	H	CF ₃	Cl	Me
	tBu	Br	H	CF ₃	Cl	Me
45	tBu	CF ₃	H	CF ₃	Cl	Me
	tBu	NO ₂	H	CF ₃	Cl	Me
50	tBu	CN	H	CF ₃	Cl	Me
	tBu	CO ₂ Me	H	CF ₃	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	CO ₂ Et	H	CF ₃	Cl	Me
	tBu	H	H	CF ₃	Cl	CF ₃
	tBu	H	H	CF ₃	Cl	CF ₂ H
15	tBu	H	H	CF ₃	Cl	CH ₂ OMe
	tBu	H	H	CF ₃	H	Me
20	tBu	H	H	CF ₃	Br	Me
	tBu	H	H	CF ₃	NO ₂	Me
	tBu	H	H	CF ₃	CN	Me
25	tBu	H	H	CF ₃	NHMe	Me
	tBu	H	H	CF ₃	NMe ₂	Me
	tBu	H	H	CF ₃	CO ₂ Me	Me
30	tBu	H	H	CF ₃	OMe	Me
	tBu	H	H	CF ₃	OCF ₂ H	CF ₂ H
35	tBu	H	H	Cl	NO ₂	Me
	tBu	H	H	Cl	CN	Me
	tBu	H	H	CO ₂ Me	Me	Me
40	tBu	H	B1	Cl	Cl	Me
	tBu	H	B2	Cl	Cl	Me
	tBu	H	B3	Cl	Cl	Me
45	tBu	H	B4	Cl	Cl	Me
	tBu	H	B5	Cl	Cl	Me
	tBu	H	B6	Cl	Cl	Me
50	tBu	H	B7	Cl	Cl	Me
55						

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B8	Cl	Cl	Me
	tBu	H	B9	Cl	Cl	Me
15	tBu	H	B10	Cl	Cl	Me
	tBu	H	B11	Cl	Cl	Me
	tBu	H	B12	Cl	Cl	Me
20	tBu	H	B13	Cl	Cl	Me
	tBu	H	B14	Cl	Cl	Me
	tBu	H	B15	Cl	Cl	Me
25	tBu	H	B16	Cl	Cl	Me
	tBu	H	B17	Cl	Cl	Me
30	tBu	H	B18	Cl	Cl	Me
	tBu	H	B19	Cl	Cl	Me
	tBu	H	B20	Cl	Cl	Me
35	tBu	H	B21	Cl	Cl	Me
	tBu	H	B22	Cl	Cl	Me
	tBu	H	B23	Cl	Cl	Me
40	tBu	H	B24	Cl	Cl	Me
	tBu	H	B25	Cl	Cl	Me
	tBu	H	B26	Cl	Cl	Me
45	tBu	H	B27	Cl	Cl	Me
	tBu	H	B28	Cl	Cl	Me
50	tBu	H	B29	Cl	Cl	Me
	tBu	H	B30	Cl	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B31	Cl	Cl	Me
	tBu	H	B32	Cl	Cl	Me
	tBu	H	B33	Cl	Cl	Me
15	tBu	H	B34	Cl	Cl	Me
	tBu	H	Na	Cl	Cl	Me
20	tBu	H	K	Cl	Cl	Me
	tBu	H	B2	CF ₃	Cl	Me
	tBu	H	B3	CF ₃	Cl	Me
25	tBu	H	B4	CF ₃	Cl	Me
	tBu	H	B5	CF ₃	Cl	Me
	tBu	H	B6	CF ₃	Cl	Me
30	tBu	H	B7	CF ₃	Cl	Me
	tBu	H	B8	CF ₃	Cl	Me
	tBu	H	B9	CF ₃	Cl	Me
35	tBu	H	B10	CF ₃	Cl	Me
	tBu	H	B11	CF ₃	Cl	Me
40	tBu	H	B12	CF ₃	Cl	Me
	tBu	H	B13	CF ₃	Cl	Me
	tBu	H	B14	CF ₃	Cl	Me
45	tBu	H	B15	CF ₃	Cl	Me
	tBu	H	B16	CF ₃	Cl	Me
	tBu	H	B17	CF ₃	Cl	Me
50	tBu	H	B18	CF ₃	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B19	CF ₃	Cl	Me
	tBu	H	B20	CF ₃	Cl	Me
15	tBu	H	B21	CF ₃	Cl	Me
	tBu	H	B22	CF ₃	Cl	Me
	tBu	H	B23	CF ₃	Cl	Me
20	tBu	H	B24	CF ₃	Cl	Me
	tBu	H	B25	CF ₃	Cl	Me
	tBu	H	B26	CF ₃	Cl	Me
25	tBu	H	B27	CF ₃	Cl	Me
	tBu	H	B28	CF ₃	Cl	Me
	tBu	H	B29	CF ₃	Cl	Me
30	tBu	H	B30	CF ₃	Cl	Me
	tBu	H	B31	CF ₃	Cl	Me
35	tBu	H	B32	CF ₃	Cl	Me
	tBu	H	B33	CF ₃	Cl	Me
	tBu	H	B34	CF ₃	Cl	Me
40	tBu	H	Na	CF ₃	Cl	Me
	tBu	H	K	CF ₃	Cl	Me
	tBu	H	B7	Cl	H	H
45	tBu	H	B8	Cl	H	H
	tBu	H	B15	Cl	H	H
50	tBu	H	B34	Cl	H	H
	2-pyridyl	H	H	H	CF ₃	Me

55

Table 4 (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	B	Y ¹	Y ²	Y ³
2-pyridyl	H	H	Me	H	Me
2-pyridyl	H	H	Me	H	CF ₃
2-pyridyl	H	B7	Me	H	H
2-pyridyl	H	H	Me	Me	Me
2-pyridyl	H	H	Me	Cl	Me
2-pyridyl	H	H	Me	Br	Me
2-pyridyl	H	H	Et	Me	Me
2-pyridyl	H	H	Cl	Me	Me
2-pyridyl	H	H	Cl	H	Me
2-pyridyl	H	H	Cl	H	CF ₃
2-pyridyl	H	H	Cl	H	H
2-pyridyl	Me	H	Cl	H	H
2-pyridyl	Cl	H	Cl	H	H
2-pyridyl	H	H	Cl	Cl	Me
2-pyridyl	H	H	Cl	Cl	CF ₃
2-pyridyl	H	H	Cl	Cl	CF ₃ H
2-pyridyl	H	H	Cl	Cl	CH ₂ OMe
2-pyridyl	H	H	Cl	Cl	COMe
2-pyridyl	H	H	Cl	CF ₃	Me
2-pyridyl	H	H	Br	Me	Me
2-pyridyl	H	H	Me	OMe	Me
2-pyridyl	H	H	Br	H	H
2-pyridyl	H	H	OMe	H	H

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-pyridyl	H	B7	OCF ₃	H	H
	2-pyridyl	H	B7	SMe	H	H
15	2-pyridyl	H	B7	NH ₂	H	H
	2-pyridyl	H	B7	NHMe	H	H
	2-pyridyl	H	B7	NMe ₂	H	H
20	2-pyridyl	H	B7	NO ₂	H	H
	2-pyridyl	H	B7	CN	H	H
	2-pyridyl	H	B7	CO ₂ Me	H	H
25	2-pyridyl	H	B7	CO ₂ Et	H	H
	2-pyridyl	H	H	CF ₃	Me	Me
	2-pyridyl	H	H	CF ₃	Cl	Me
30	2-pyridyl	H	H	CF ₃	H	Me
	2-pyridyl	H	H	CF ₃	Br	Me
35	2-pyridyl	H	H	CF ₃	CO ₂ Me	Me
	2-pyridyl	H	H	Cl	NO ₂	Me
	2-pyridyl	H	H	Cl	CN	Me
40	2-pyridyl	H	H	CO ₂ Me	Me	Me
	2-pyridyl	H	B3	Cl	Cl	Me
	2-pyridyl	H	B6	Cl	Cl	Me
45	2-pyridyl	H	B7	Cl	Cl	Me
	2-pyridyl	H	B3	CF ₃	Cl	Me
50	2-pyridyl	H	B6	CF ₃	Cl	Me
	2-pyridyl	H	B7	CF ₃	Cl	Me

55

Table 4 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²	Y ³
2-pyridyl	H	B2	Cl	H	H
2-pyridyl	H	B3	Cl	H	H
2-pyridyl	H	B4	Cl	H	H
2-pyridyl	H	B5	Cl	H	H
2-pyridyl	H	B6	Cl	H	H
2-pyridyl	H	B7	Cl	H	H
2-pyridyl	H	B8	Cl	H	H
2-pyridyl	H	B9	Cl	H	H
2-pyridyl	H	B10	Cl	H	H
2-pyridyl	H	B11	Cl	H	H
2-pyridyl	H	B12	Cl	H	H
2-pyridyl	H	B13	Cl	H	H
2-pyridyl	H	B14	Cl	H	H
2-pyridyl	H	B15	Cl	H	H
2-pyridyl	H	B16	Cl	H	H
2-pyridyl	H	B17	Cl	H	H
2-pyridyl	H	B18	Cl	H	H
2-pyridyl	H	B19	Cl	H	H
2-pyridyl	H	B20	Cl	H	H
2-pyridyl	H	B21	Cl	H	H
2-pyridyl	H	B22	Cl	H	H
2-pyridyl	H	B23	Cl	H	H
2-pyridyl	H	B24	Cl	H	H

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-pyridyl	H	B25	Cl	H	H
	2-pyridyl	H	B26	Cl	H	H
	2-pyridyl	H	B27	Cl	H	H
15	2-pyridyl	H	B28	Cl	H	H
	2-pyridyl	H	B29	Cl	H	H
20	2-pyridyl	H	B30	Cl	H	H
	2-pyridyl	H	B31	Cl	H	H
	2-pyridyl	H	B32	Cl	H	H
25	2-pyridyl	H	B33	Cl	H	H
	2-pyridyl	H	B34	Cl	H	H
	2-pyridyl	H	Na	Cl	H	H
30	2-pyridyl	H	K	Cl	H	H
	3-pyridyl	H	H	Cl	Cl	Me
35	3-pyridyl	H	H	CF ₃	Cl	Me
	3-pyridyl	H	H	Cl	H	H
	4-pyridyl	H	H	Cl	Cl	Me
40	4-pyridyl	H	H	CF ₃	Cl	Me
	4-pyridyl	H	H	Cl	H	H
	2-F-Ph	H	H	Me	Me	Me
45	2-F-Ph	H	H	Me	Cl	Me
	2-F-Ph	H	H	Cl	Me	Me
	2-F-Ph	H	H	Cl	H	H
50	2-F-Ph	H	H	Cl	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-F-Ph	H	B7	OMe	H	H
	2-F-Ph	H	B7	SMe	H	H
15	2-F-Ph	H	B7	CF ₃	Cl	Me
	2-F-Ph	H	B7	CF ₃	H	Me
	2-F-Ph	H	B1	Cl	Cl	Me
20	2-F-Ph	H	B3	Cl	Cl	Me
	2-F-Ph	H	B6	Cl	Cl	Me
	2-F-Ph	H	B7	Cl	Cl	Me
25	2-F-Ph	H	B3	CF ₃	Cl	Me
	2-F-Ph	H	B6	CF ₃	Cl	Me
	2-F-Ph	H	B7	CF ₃	Cl	Me
30	2-F-Ph	H	B7	Cl	H	H
	3-F-Ph	H	H	Cl	Cl	Me
35	4-F-Ph	H	H	Cl	Cl	Me
	2,3-F ₂ -Ph	H	H	Cl	Cl	Me
	2,4-F ₂ -Ph	H	H	Cl	Cl	Me
40	2,5-F ₂ -Ph	H	H	Cl	Cl	Me
	Ph	H	H	Me	Me	Me
	Ph	H	H	Me	Cl	Me
45	Ph	H	H	Cl	Me	Me
	Ph	H	H	Cl	H	H
	Ph	H	H	Cl	Cl	Me
50	Ph	H	B7	OMe	H	H
55						

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	Ph	H	B7	SMe	H	H
	Ph	H	H	CF ₃	Cl	Me
	Ph	H	H	CF ₃	H	Me
15	Ph	H	B1	Cl	Cl	Me
	Ph	H	B3	Cl	Cl	Me
20	Ph	H	B6	Cl	Cl	Me
	Ph	H	B7	Cl	Cl	Me
	Ph	H	B3	CF ₃	Cl	Me
25	Ph	H	B6	CF ₃	Cl	Me
	Ph	H	B7	CF ₃	Cl	Me
	Ph	Me	B7	CF ₃	Cl	Me
30	Ph	H	B7	Cl	H	H
	3,4-F ₂ -Ph	H	H	Cl	Cl	Me
35	3,5-F ₂ -Ph	H	H	Cl	Cl	Me
	2-Cl-Ph	H	H	Me	Me	Me
	2-Cl-Ph	H	H	Me	Cl	Me
40	2-Cl-Ph	H	H	Cl	Me	Me
	2-Cl-Ph	H	H	Cl	H	H
	2-Cl-Ph	H	H	Cl	Cl	Me
45	2-Cl-Ph	H	H	OMe	H	H
	2-Cl-Ph	H	H	SMe	H	H
50	2-Cl-Ph	H	H	CF ₃	Cl	Me
	2-Cl-Ph	H	H	CF ₃	H	Me

55

Table 4 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²	Y ³
2-Cl-Ph	H	B1	Cl	Cl	Me
2-Cl-Ph	H	B3	Cl	Cl	Me
2-Cl-Ph	H	B6	Cl	Cl	Me
2-Cl-Ph	H	B7	Cl	Cl	Me
2-Cl-Ph	H	B3	CF ₃	Cl	Me
2-Cl-Ph	H	B6	CF ₃	Cl	Me
2-Cl-Ph	H	B7	CF ₃	Cl	Me
2-Cl-Ph	H	B7	Cl	H	H
3-Cl-Ph	H	H	Cl	Cl	Me
4-Cl-Ph	H	H	Cl	Cl	Me
2,3-Cl ₂ -Ph	H	H	Cl	Cl	Me
2,4-Cl ₂ -Ph	H	H	Cl	Cl	Me
2,5-Cl ₂ -Ph	H	H	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	H	Me	Me	Me
2,6-Cl ₂ -Ph	H	H	Me	Cl	Me
2,6-Cl ₂ -Ph	H	H	Cl	Me	Me
2,6-Cl ₂ -Ph	H	H	Cl	H	H
2,6-Cl ₂ -Ph	H	H	Cl	Cl	Me
2,6-Cl ₂ -Ph	H	B7	OMe	H	H
2,6-Cl ₂ -Ph	H	B7	SMe	H	H
2,6-Cl ₂ -Ph	H	H	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	H	H	CF ₃	H	Me
2,6-Cl ₂ -Ph	H	B1	Cl	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-Cl ₂ -Ph	H	B3	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B6	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B7	Cl	Cl	Me
15	2,6-Cl ₂ -Ph	Cl	B7	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B3	CF ₃	Cl	Me
20	2,6-Cl ₂ -Ph	H	B6	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	B7	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	Cl	B7	CF ₃	Cl	Me
25	2,6-Cl ₂ -Ph	H	B7	Cl	H	H
	3,4-Cl ₂ -Ph	H	H	Cl	Cl	Me
	3,5-Cl ₂ -Ph	H	H	Cl	Cl	Me
30	2-Me-Ph	H	H	Cl	Cl	Me
	2-Me-Ph	H	H	CF ₃	Cl	Me
35	2,6-Me ₂ -Ph	H	H	Cl	Cl	Me
	2,6-Me ₂ -Ph	H	H	CF ₃	Cl	Me
	2-MeO-Ph	H	H	Cl	Cl	Me
40	2-MeO-Ph	H	H	CF ₃	Cl	Me
	2-CF ₃ O-Ph	H	H	Cl	Cl	Me
	2-CF ₃ O-Ph	H	H	CF ₃	Cl	Me
45	2-SMe-Ph	H	H	Cl	Cl	Me
	2-SMe-Ph	H	H	CF ₃	Cl	Me
50	2-SOMe-Ph	H	H	Cl	Cl	Me
	2-SOMe-Ph	H	H	CF ₃	Cl	Me

55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-SO ₂ Me-Ph	H	H	Cl	Cl	Me
	2-SO ₂ Me-Ph	H	H	CF ₃	Cl	Me
	2-CF ₃ -Ph	H	H	Cl	Cl	Me
15	2-CF ₃ -Ph	H	H	CF ₃	Cl	Me
	2-NO ₂ -Ph	H	H	Cl	Cl	Me
	2-NO ₂ -Ph	H	H	CF ₃	Cl	Me
20	2-CN-Ph	H	H	Cl	Cl	Me
	2-CN-Ph	H	H	CF ₃	Cl	Me
25	2-NHMe-Ph	H	H	Cl	Cl	Me
	2-NMe ₂ -Ph	H	H	Cl	Cl	Me
	4-benzyl-Ph	H	H	Cl	Cl	Me
30	4-phenoxy-Ph	H	H	Cl	Cl	Me
	2-OH-Ph	H	H	Cl	Cl	Me
	2-CO ₂ Me-Ph	H	H	Cl	Cl	Me
35	2-CO ₂ Me-Ph	H	H	CF ₃	Cl	Me
	2-CO ₂ Et-Ph	H	H	Cl	Cl	Me
40	2-CO ₂ Et-Ph	H	H	CF ₃	Cl	Me
	H	H	H	Cl	Cl	Me
	Me	H	H	Cl	Cl	Me
45	Et	H	H	Cl	Cl	Me
	nPr	H	H	Cl	Cl	Me
	iPr	H	H	Cl	Cl	Me
50	iPr	H	H	CF ₃	Cl	Me

55

Table 4 (continued)


	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	nBu	H	H	Cl	Cl	Me
	nBu	H	H	CF ₃	Cl	Me
	iBu	H	H	Cl	Cl	Me
15	iBu	H	H	CF ₃	Cl	Me
	iBu	H	B7	Cl	Cl	Me
20	iBu	H	B7	CF ₃	Cl	Me
	iBu	H	H	Cl	H	H
	secBu	H	H	Cl	Cl	Me
25	secBu	H	H	CF ₃	Cl	Me
	2,2-Me ₂ -propyl	H	H	Cl	Cl	Me
	nHex	H	H	Cl	Cl	Me
30	ethenyl	H	H	Cl	Cl	Me
	1-propenyl	H	H	Cl	Cl	Me
	1-propenyl	H	H	CF ₃	Cl	Me
35	ethynyl	H	H	Cl	Cl	Me
	1-propynyl	H	H	Cl	Cl	Me
40	CF ₃	H	H	Cl	Cl	Me
	CF ₃	H	H	CF ₃	Cl	Me
	CHF ₂	H	H	Cl	Cl	Me
45	C ₂ F ₅	H	H	Cl	Cl	Me
	2,2-Cl ₂ -cPr	H	H	Cl	Cl	Me
50	2,2-Cl ₂ -cPr	H	H	CF ₃	Cl	Me
	cPr	H	H	Cl	Cl	Me


55

Table 4 (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	cPr	H	H	CF ₃	Cl	Me
	1-Me-cPr	H	H	Cl	Cl	Me
15	1-Me-cPr	H	H	CF ₃	Cl	Me
	cHex	H	H	Cl	Cl	Me
	cHex	H	H	CF ₃	Cl	Me
20	CH ₂ Ph	H	H	Cl	Cl	Me
	naphthyl-1	H	H	Cl	Cl	Me
25	naphthyl-1	H	H	CF ₃	Cl	Me
	naphthyl-2	H	H	Cl	Cl	Me
	CO ₂ Me	H	H	Cl	Cl	Me
30	CO ₂ Et	H	H	Cl	Cl	Me
	2-thienyl	H	H	Cl	Cl	Me
35	2-thienyl	H	H	CF ₃	Cl	Me
	CH ₂ OMe	H	H	Cl	Cl	Me
	CH ₂ OEt	H	H	Cl	Cl	Me
40	COCH ₃	H	H	Cl	Cl	Me
	COtBu	H	H	Cl	Cl	Me
45	COPh	H	H	Cl	Cl	Me
50						
55						

Table 5







5	R ¹	R ²	B	Y ¹	Y ²
	2,6-F ₂ -Ph	H	H	Me	H
10	2,6-F ₂ -Ph	H	H	Me	Me
	2,6-F ₂ -Ph	H	H	Et	Me
15	2,6-F ₂ -Ph	Me	H	Et	Me
	2,6-F ₂ -Ph	H	H	Cl	Cl
	2,6-F ₂ -Ph	H	H	Cl	Me
20	2,6-F ₂ -Ph	H	H	Cl	CF ₃
	2,6-F ₂ -Ph	H	H	Me	Cl
	2,6-F ₂ -Ph	H	H	Br	Me
25	2,6-F ₂ -Ph	H	H	Me	CF ₃
	2,6-F ₂ -Ph	H	H	OMe	Me
30	2,6-F ₂ -Ph	H	H	OCF ₃	Me
	2,6-F ₂ -Ph	H	H	SMe	Me
	2,6-F ₂ -Ph	H	H	CO ₂ Me	Me
35	2,6-F ₂ -Ph	H	H	CO ₂ Et	Me
	2,6-F ₂ -Ph	H	H	CF ₃	Me
40	2,6-F ₂ -Ph	H	H	CF ₃	H
	2,6-F ₂ -Ph	H	H	CF ₃	Br
	2,6-F ₂ -Ph	H	H	CF ₃	NO ₂
45	2,6-F ₂ -Ph	H	H	CF ₃	CN
	2,6-F ₂ -Ph	H	H	CF ₃	NHMe
	2,6-F ₂ -Ph	H	H	CF ₃	NMe ₂
50	2,6-F ₂ -Ph	H	H	CF ₃	CO ₂ Me

55

Table 5 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	2,6-F ₂ -Ph	H	B3	CF ₃	Me
	2,6-F ₂ -Ph	H	B6	CF ₃	Me
15	2,6-F ₂ -Ph	H	B7	CF ₃	Me
	tBu	H	H	Me	Me
	tBu	H	H	Et	Me
20	tBu	H	H	Cl	Cl
	tBu	H	H	Cl	Me
	tBu	H	H	Me	Cl
25	tBu	H	H	Cl	CF ₃
	tBu	H	H	Br	Me
	tBu	H	H	Me	Br
30	tBu	H	H	Me	CF ₃
	tBu	H	H	OMe	Me
35	tBu	H	H	OCF ₃	Me
	tBu	H	H	SMe	Me
	tBu	H	H	CO ₂ Me	Me
40	tBu	H	H	CO ₂ Et	Me
	tBu	H	H	CF ₃	Me
	tBu	H	H	CF ₃	H
45	tBu	H	H	CF ₃	Br
	tBu	H	H	CF ₃	NO ₂
50	tBu	H	B2	CF ₃	Me
	tBu	H	B3	CF ₃	Me

55

Table 5 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	tBu	H	B4	CF ₃	Me
	tBu	H	B5	CF ₃	Me
	tBu	H	B6	CF ₃	Me
15	tBu	H	B7	CF ₃	Me
	tBu	H	B8	CF ₃	Me
20	tBu	H	B9	CF ₃	Me
	tBu	H	B10	CF ₃	Me
	tBu	H	B11	CF ₃	Me
25	tBu	H	B14	CF ₃	Me
	tBu	H	B20	CF ₃	Me
	tBu	H	B23	CF ₃	Me
30	tBu	H	B24	CF ₃	Me
	tBu	H	B25	CF ₃	Me
	tBu	H	B26	CF ₃	Me
35	tBu	H	B28	CF ₃	Me
	tBu	H	B30	CF ₃	Me
40	tBu	H	B31	CF ₃	Me
	tBu	H	B32	CF ₃	Me
	tBu	H	B33	CF ₃	Me
45	tBu	H	B34	CF ₃	Me
	tBu	H	Na	CF ₃	Me
	tBu	H	K	CF ₃	Me
50	2-pyridyl	H	H	Me	Me

55

Table 5 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	2-pyridyl	H	H	Et	Me
	2-pyridyl	H	H	Cl	Cl
	2-pyridyl	H	H	Cl	Me
15	2-pyridyl	H	H	Me	Cl
	2-pyridyl	H	H	Br	Me
20	2-pyridyl	H	H	Me	CF ₃
	2-pyridyl	H	H	CO ₂ Me	Me
	2-pyridyl	H	H	CO ₂ Et	Me
25	2-pyridyl	H	H	CF ₃	Me
	2-pyridyl	H	H	CF ₃	Br
	2-pyridyl	H	H	CF ₃	NO ₂
30	2-pyridyl	H	H	CF ₃	CN
	2-pyridyl	H	H	CF ₃	NMe ₂
35	2-pyridyl	H	B3	CF ₃	Me
	2-pyridyl	H	B6	CF ₃	Me
	2-pyridyl	H	B7	CF ₃	Me
40	3-pyridyl	H	H	Et	Me
	3-pyridyl	H	H	CF ₃	Me
	4-pyridyl	H	H	Et	Me
45	4-pyridyl	H	H	CF ₃	Me
	2-F-Ph	H	H	Me	Me
50	2-F-Ph	H	H	Et	Me
	2-F-Ph	H	H	CF ₃	Me

55

Table 5 (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	B	Y ¹	Y ²
2-F-Ph	H	H	CF ₃	Cl
2-F-Ph	H	H	CF ₃	H
2-F-Ph	H	B3	CF ₃	Me
2-F-Ph	H	B6	CF ₃	Me
2-F-Ph	H	B7	CF ₃	Me
3-F-Ph	H	H	Et	Me
3-F-Ph	H	H	CF ₃	Me
4-F-Ph	H	H	Et	Me
2, 3-F ₂ -Ph	H	H	Et	Me
2, 4-F ₂ -Ph	H	H	Et	Me
2, 5-F ₂ -Ph	H	H	Et	Me
Ph	H	H	Me	Me
Ph	H	H	Et	Me
Ph	H	H	CF ₃	Me
Ph	H	H	CF ₃	Cl
Ph	H	H	CF ₃	H
Ph	H	B3	CF ₃	Me
Ph	H	B6	CF ₃	Me
Ph	H	B7	CF ₃	Me
3, 4-F ₂ -Ph	H	H	Et	Me
3, 5-F ₂ -Ph	H	H	Et	Me
2-Cl-Ph	H	H	Me	Me
2-Cl-Ph	H	H	Et	Me

Table 5 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	2-Cl-Ph	H	H	CF ₃	Me
	2-Cl-Ph	H	H	CF ₃	Cl
15	2-Cl-Ph	H	H	CF ₃	H
	2-Cl-Ph	H	B3	CF ₃	Me
	2-Cl-Ph	H	B6	CF ₃	Me
20	2-Cl-Ph	H	B7	CF ₃	Me
	3-Cl-Ph	H	H	CF ₃	Me
	4-Cl-Ph	H	H	CF ₃	Me
25	2,3-Cl ₂ -Ph	H	H	CF ₃	Me
	2,4-Cl ₂ -Ph	H	H	CF ₃	Me
	2,5-Cl ₂ -Ph	H	H	CF ₃	Me
30	2,6-Cl ₂ -Ph	H	H	Me	Me
	2,6-Cl ₂ -Ph	H	H	Et	Me
35	2,6-Cl ₂ -Ph	H	H	CF ₃	Me
	2,6-Cl ₂ -Ph	H	H	CF ₃	Cl
	2,6-Cl ₂ -Ph	H	H	CF ₃	H
40	2,6-Cl ₂ -Ph	H	B3	CF ₃	Me
	2,6-Cl ₂ -Ph	H	B6	CF ₃	Me
	2,6-Cl ₂ -Ph	H	B7	CF ₃	Me
45	3,4-Cl ₂ -Ph	H	H	CF ₃	Me
	3,5-Cl ₂ -Ph	H	H	CF ₃	Me
50	2-Me-Ph	H	H	Et	Me
	2-Me-Ph	H	H	CF ₃	Me

55

Table 5 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²
2,6-Me ₂ -Ph	H	H	Et	Me
2,6-Me ₂ -Ph	H	H	CF ₃	Me
2-MeO-Ph	H	H	Et	Me
2-MeO-Ph	H	H	CF ₃	Me
2-CF ₃ O-Ph	H	H	Et	Me
2-CF ₃ O-Ph	H	H	CF ₃	Me
2-SMe-Ph	H	H	Et	Me
2-SMe-Ph	H	H	CF ₃	Me
2-SOMe-Ph	H	H	Et	Me
2-SOMe-Ph	H	H	CF ₃	Me
2-SO ₂ Me-Ph	H	H	Et	Me
2-SO ₂ Me-Ph	H	H	CF ₃	Me
2-CF ₃ -Ph	H	H	Et	Me
2-CF ₃ -Ph	H	H	CF ₃	Me
2-NO ₂ -Ph	H	H	Et	Me
2-NO ₂ -Ph	H	H	CF ₃	Me
2-CN-Ph	H	H	Et	Me
2-NHMe-Ph	H	H	CF ₃	Me
2-NMe ₂ -Ph	H	H	Et	Me
2-NMe ₂ -Ph	H	H	CF ₃	Me
4-benzyl-Ph	H	H	CF ₃	Me
4-phenoxy-Ph	H	H	CF ₃	Me
2-OH-Ph	H	H	CF ₃	Me

55

Table 5 (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	B	Y ¹	Y ²
2-CO ₂ Me-Ph	H	H	Et	Me
2-CO ₂ Me-Ph	H	H	CF ₃	Me
2-CO ₂ Et-Ph	H	H	Et	Me
2-CO ₂ Et-Ph	H	H	CF ₃	Me
H	H	H	CF ₃	Me
Me	H	H	CF ₃	Me
Et	H	H	CF ₃	Me
nPr	H	H	CF ₃	Me
iPr	H	H	Et	Me
iPr	H	H	CF ₃	Me
nBu	H	H	Et	Me
nBu	H	H	CF ₃	Me
iBu	H	H	Et	Me
iBu	H	H	CF ₃	Me
iBu	H	B7	Et	Me
iBu	H	B7	CF ₃	Me
secBu	H	H	Et	Me
secBu	H	H	CF ₃	Me
2,2-Me ₂ -propyl	H	H	CF ₃	Me
nHex	H	H	CF ₃	Me
ethenyl	H	H	CF ₃	Me
1-propenyl	H	H	Et	Me
1-propenyl	H	H	CF ₃	Me

Table 5 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²
ethynyl	H	H	CF ₃	Me
1-propynyl	H	H	CF ₃	Me
CF ₃	H	H	Et	Me
CF ₃	H	H	CF ₃	Me
CHF ₂	H	H	Et	Me
C ₂ F ₅	H	H	Et	Me
2,2-Cl ₂ -cPr	H	H	Et	Me
2,2-Cl ₂ -cPr	H	H	CF ₃	Me
cPr	H	H	Et	Me
cPr	H	H	CF ₃	Me
1-Me-cPr	H	H	Et	Me
1-Me-cPr	H	H	CF ₃	Me
cHex	H	H	Et	Me
cHex	H	H	CF ₃	Me
CH ₂ Ph	H	H	CF ₃	Me
1-naphthyl	H	H	Et	Me
1-naphthyl	H	H	CF ₃	Me
2-naphthyl	H	H	CF ₃	Me
CO ₂ Me	H	H	CF ₃	Me
CO ₂ Et	H	H	CF ₃	Me
2-thienyl	H	H	CF ₃	Me

55

10



5	R ¹	R ²	B	Y ¹	Y ²	Y ³
	2,6-F ₂ -Ph	H	B7	H	CF ₃	Me
10	2,6-F ₂ -Ph	H	B7	Me	H	Me
	2,6-F ₂ -Ph	H	B7	Me	H	CF ₃
15	2,6-F ₂ -Ph	H	B7	Me	H	H
	2,6-F ₂ -Ph	H	B7	Me	Me	Me
	2,6-F ₂ -Ph	H	B7	Me	Cl	Me
20	2,6-F ₂ -Ph	H	B7	Me	Br	Me
	2,6-F ₂ -Ph	H	B7	Et	Me	Me
	2,6-F ₂ -Ph	H	B7	Cl	Me	Me
25	2,6-F ₂ -Ph	H	B7	Cl	H	Me
	2,6-F ₂ -Ph	H	B7	Cl	H	CF ₃
30	2,6-F ₂ -Ph	H	B7	Cl	H	H
	2,6-F ₂ -Ph	H	B7	Cl	Cl	CF ₃
	2,6-F ₂ -Ph	H	B7	Cl	Cl	CF ₂ H
35	2,6-F ₂ -Ph	H	B7	Cl	Cl	CH ₂ OMe
	2,6-F ₂ -Ph	H	B7	Cl	Cl	COMe
40	2,6-F ₂ -Ph	H	B7	Cl	CF ₃	Me
	2,6-F ₂ -Ph	H	B7	Br	Me	Me
	2,6-F ₂ -Ph	H	B7	Me	OMe	Me
45	2,6-F ₂ -Ph	H	B7	OMe	H	H
	2,6-F ₂ -Ph	H	B7	OCF ₃	H	H
	2,6-F ₂ -Ph	H	B7	SMe	H	H
50	2,6-F ₂ -Ph	H	B7	CF ₃	Me	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-F ₂ -Ph	H	B7	CF ₃	Cl	CF ₃
	2,6-F ₂ -Ph	H	B7	CF ₃	Cl	CF ₂ H
15	2,6-F ₂ -Ph	H	B7	CF ₃	Cl	CH ₂ OMe
	2,6-F ₂ -Ph	H	B7	CF ₃	H	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	Br	Me
20	2,6-F ₂ -Ph	H	B7	CF ₃	NO ₂	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	CN	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	NHMe	Me
25	2,6-F ₂ -Ph	H	B7	CF ₃	NMe ₂	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	CO ₂ Me	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	OMe	Me
30	2,6-F ₂ -Ph	H	B7	CF ₃	OCF ₂ H	CF ₂ H
	2,6-F ₂ -Ph	H	B7	Cl	NO ₂	Me
35	2,6-F ₂ -Ph	H	B7	Cl	CN	Me
	2,6-F ₂ -Ph	H	B7	CO ₂ Me	Me	Me
	2,6-F ₂ -Ph	H	B1	Cl	Cl	Me
40	2,6-F ₂ -Ph	Me	B1	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B3	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B4	Cl	Cl	Me
45	2,6-F ₂ -Ph	H	B5	Cl	Cl	Me
	2,6-F ₂ -Ph	H	B6	Cl	Cl	Me
50	2,6-F ₂ -Ph	H	B7	Cl	Cl	Me
	2,6-F ₂ -Ph	Me	B7	Cl	Cl	Me

55

Table 6. (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²	Y ³
2,6-F ₂ -Ph	H	B2	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B3	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B4	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B5	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B6	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B7	CF ₃	Cl	Me
2,6-F ₂ -Ph	Me	B7	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B8	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B9	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B10	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B11	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B12	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B13	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B14	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B15	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B16	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B17	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B18	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B19	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B20	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B21	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B22	CF ₃	Cl	Me
2,6-F ₂ -Ph	H	B23	CF ₃	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2,6-F ₂ -Ph	H	B24	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B25	CF ₃	Cl	Me
15	2,6-F ₂ -Ph	H	B26	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B27	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B28	CF ₃	Cl	Me
20	2,6-F ₂ -Ph	H	B29	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B30	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B31	CF ₃	Cl	Me
25	2,6-F ₂ -Ph	H	B32	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B33	CF ₃	Cl	Me
	2,6-F ₂ -Ph	H	B34	CF ₃	Cl	Me
30	2,6-F ₂ -Ph	H	B7	Cl	H	H
	2,6-F ₂ -Ph	H	B9	Cl	H	H
35	2,6-F ₂ -Ph	H	B10	Cl	H	H
	2,6-F ₂ -Ph	H	B11	Cl	H	H
	2,6-F ₂ -Ph	H	B45	CF ₃	Cl	Me
40	2,6-F ₂ -Ph	H	B46	CF ₃	Cl	Me
	tBu	H	B7	H	CF ₃	Me
	tBu	H	B7	Me	H	Me
45	tBu	H	B7	Me	H	CF ₃
	tBu	H	B7	Me	H	H
	tBu	H	B7	Me	Me	Me
50	tBu	H	B7	Me	Cl	Me
55						

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B7	Me	Br	Me
	tBu	H	B7	Et	Me	Me
	tBu	H	B7	Cl	Me	Me
15	tBu	H	B7	Cl	H	Me
	tBu	H	B7	Cl	H	CF ₃
20	tBu	H	B7	Cl	H	H
	tBu	H	B7	Cl	Cl	CF ₃
	tBu	H	B7	Cl	Cl	CF ₂ H
25	tBu	H	B7	Cl	Cl	CH ₂ OMe
	tBu	H	B7	Cl	Cl	COMe
	tBu	H	B7	Cl	CF ₃	Me
30	tBu	H	B7	Br	Me	Me
	tBu	H	B7	Me	OMe	Me
35	tBu	H	B7	OMe	H	H
	tBu	H	B7	OCF ₃	H	H
	tBu	H	B7	SMe	H	H
40	tBu	H	B7	CF ₃	Me	Me
	tBu	Br	B7	CF ₃	Cl	Me
	tBu	Me	B7	CF ₃	Cl	Me
45	tBu	CF ₃	B7	CF ₃	Cl	Me
	tBu	NO ₂	B7	CF ₃	Cl	Me
	tBu	CN	B7	CF ₃	Cl	Me
50	tBu	CO ₂ Me	B7	CF ₃	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	CO ₂ Et	B7	CF ₃	Cl	Me
	tBu	H	B7	CF ₃	Cl	CF ₃
15	tBu	H	B7	CF ₃	Cl	CF ₂ H
	tBu	H	B7	CF ₃	Cl	CH ₂ OMe
	tBu	H	B7	CF ₃	H	Me
20	tBu	H	B7	CF ₃	Br	Me
	tBu	H	B7	CF ₃	NO ₂	Me
	tBu	H	B7	CF ₃	CN	Me
25	tBu	H	B7	CF ₃	NHMe	Me
	tBu	H	B7	CF ₃	NMe ₂	Me
	tBu	H	B7	CF ₃	CO ₂ Me	Me
30	tBu	H	B7	CF ₃	OMe	Me
	tBu	H	B7	CF ₃	OCF ₂ H	CF ₂ H
35	tBu	H	B7	Cl	NO ₂	Me
	tBu	H	B7	Cl	CN	Me
	tBu	H	B7	CO ₂ Me	Me	Me
40	tBu	H	B1	Cl	Cl	Me
	tBu	H	B2	Cl	Cl	Me
	tBu	H	B3	Cl	Cl	Me
45	tBu	H	B4	Cl	Cl	Me
	tBu	H	B5	Cl	Cl	Me
	tBu	H	B6	Cl	Cl	Me
50	tBu	H	B7	Cl	Cl	Me
55						

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	Me	B7	Cl	Cl	Me
	tBu	H	B8	Cl	Cl	Me
	tBu	H	B9	Cl	Cl	Me
15	tBu	H	B10	Cl	Cl	Me
	tBu	H	B11	Cl	Cl	Me
	tBu	H	B12	Cl	Cl	Me
20	tBu	H	B13	Cl	Cl	Me
	tBu	H	B14	Cl	Cl	Me
	tBu	H	B15	Cl	Cl	Me
25	tBu	H	B16	Cl	Cl	Me
	tBu	H	B17	Cl	Cl	Me
30	tBu	H	B18	Cl	Cl	Me
	tBu	H	B19	Cl	Cl	Me
	tBu	H	B20	Cl	Cl	Me
35	tBu	H	B21	Cl	Cl	Me
	tBu	H	B22	Cl	Cl	Me
	tBu	H	B23	Cl	Cl	Me
40	tBu	H	B24	Cl	Cl	Me
	tBu	H	B25	Cl	Cl	Me
45	tBu	H	B26	Cl	Cl	Me
	tBu	H	B27	Cl	Cl	Me
	tBu	H	B28	Cl	Cl	Me
50	tBu	H	B29	Cl	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B30	Cl	Cl	Me
	tBu	H	B31	Cl	Cl	Me
15	tBu	H	B32	Cl	Cl	Me
	tBu	H	B33	Cl	Cl	Me
	tBu	H	B34	Cl	Cl	Me
20	tBu	H	B45	Cl	Cl	Me
	tBu	H	B46	Cl	Cl	Me
	tBu	H	B2	CF ₃	Cl	Me
25	tBu	H	B3	CF ₃	Cl	Me
	tBu	H	B4	CF ₃	Cl	Me
	tBu	H	B5	CF ₃	Cl	Me
30	tBu	H	B6	CF ₃	Cl	Me
	tBu	H	B7	CF ₃	Cl	Me
35	tBu	H	B8	CF ₃	Cl	Me
	tBu	H	B9	CF ₃	Cl	Me
	tBu	H	B10	CF ₃	Cl	Me
40	tBu	H	B11	CF ₃	Cl	Me
	tBu	H	B12	CF ₃	Cl	Me
	tBu	H	B13	CF ₃	Cl	Me
45	tBu	H	B14	CF ₃	Cl	Me
	tBu	H	B15	CF ₃	Cl	Me
50	tBu	H	B16	CF ₃	Cl	Me
	tBu	H	B17	CF ₃	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	tBu	H	B18	CF ₃	Cl	Me
	tBu	H	B19	CF ₃	Cl	Me
	tBu	H	B20	CF ₃	Cl	Me
15	tBu	H	B21	CF ₃	Cl	Me
	tBu	H	B22	CF ₃	Cl	Me
20	tBu	H	B23	CF ₃	Cl	Me
	tBu	H	B24	CF ₃	Cl	Me
	tBu	H	B25	CF ₃	Cl	Me
25	tBu	H	B26	CF ₃	Cl	Me
	tBu	H	B27	CF ₃	Cl	Me
	tBu	H	B28	CF ₃	Cl	Me
30	tBu	H	B29	CF ₃	Cl	Me
	tBu	H	B30	CF ₃	Cl	Me
35	tBu	H	B31	CF ₃	Cl	Me
	tBu	H	B32	CF ₃	Cl	Me
	tBu	H	B33	CF ₃	Cl	Me
40	tBu	H	B34	CF ₃	Cl	Me
	tBu	H	B35	CF ₃	Cl	Me
	tBu	H	B43	CF ₃	Cl	Me
45	tBu	H	B7	Cl	H	H
	tBu	H	B9	Cl	H	H
50	tBu	H	B10	Cl	H	H
	tBu	H	B11	Cl	H	H

55

Table 6. (continued)

5

10

15

20

25

30

35

40

45

50

55

R ¹	R ²	B	Y ¹	Y ²	Y ³
2-pyridyl	H	B7	H	CF ₃	Me
2-pyridyl	H	B7	Me	H	Me
2-pyridyl	H	B7	Me	H	CF ₃
2-pyridyl	H	B7	Me	H	H
2-pyridyl	H	B7	Me	Me	Me
2-pyridyl	H	B7	Me	Cl	Me
2-pyridyl	H	B7	Cl	H	Me
2-pyridyl	H	B7	Cl	H	CF ₃
2-pyridyl	H	B7	OMe	H	H
2-pyridyl	H	B7	OCF ₃	H	H
2-pyridyl	H	B7	SMe	H	H
2-pyridyl	H	B7	NO ₂	H	H
2-pyridyl	H	B7	CO ₂ Me	H	H
2-pyridyl	H	B7	CO ₂ Et	H	H
2-pyridyl	H	B7	CF ₃	Me	Me
2-pyridyl	H	B7	CF ₃	H	Me
2-pyridyl	H	B7	CF ₃	Br	Me
2-pyridyl	H	B3	Cl	Cl	Me
2-pyridyl	H	B7	Cl	Cl	Me
2-pyridyl	H	B3	CF ₃	Cl	Me
2-pyridyl	H	B7	CF ₃	Cl	Me
2-pyridyl	H	B3	Cl	H	H
2-pyridyl	H	B4	Cl	H	H

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-pyridyl	H	B5	Cl	H	H
	2-pyridyl	H	B6	Cl	H	H
	2-pyridyl	H	B7	Cl	H	H
15	2-pyridyl	H	B8	Cl	H	H
	2-pyridyl	H	B9	Cl	H	H
20	2-pyridyl	H	B10	Cl	H	H
	2-pyridyl	H	B11	Cl	H	H
	2-pyridyl	H	B20	Cl	H	H
25	2-pyridyl	H	B24	Cl	H	H
	2-pyridyl	H	B25	Cl	H	H
	2-pyridyl	H	B26	Cl	H	H
30	2-pyridyl	H	B28	Cl	H	H
	2-pyridyl	H	B30	Cl	H	H
	2-pyridyl	H	B31	Cl	H	H
35	2-pyridyl	H	B32	Cl	H	H
	2-pyridyl	H	B33	Cl	H	H
40	2-pyridyl	H	B43	Cl	H	H
	2-pyridyl	H	B46	Cl	H	H
	3-pyridyl	H	B7	Cl	Cl	Me
45	3-pyridyl	H	B7	Cl	H	H
	4-pyridyl	H	B7	Cl	Cl	Me
	4-pyridyl	H	B7	Cl	H	H
50	2-F-Ph	H	B7	Me	Me	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-F-Ph	H	B7	Me	Cl	Me
	2-F-Ph	H	B7	Cl	Me	Me
	2-F-Ph	H	B7	Cl	H	H
15	2-F-Ph	H	B7	OMe	H	H
	2-F-Ph	H	B7	SMe	H	H
20	2-F-Ph	H	B7	CF ₃	H	Me
	2-F-Ph	H	B1	Cl	Cl	Me
	2-F-Ph	H	B3	Cl	Cl	Me
25	2-F-Ph	H	B6	Cl	Cl	Me
	2-F-Ph	H	B7	Cl	Cl	Me
	2-F-Ph	H	B3	CF ₃	Cl	Me
30	2-F-Ph	H	B6	CF ₃	Cl	Me
	2-F-Ph	H	B7	CF ₃	Cl	Me
	2-F-Ph	H	B7	Cl	H	H
35	3-F-Ph	H	B7	Cl	Cl	Me
	4-F-Ph	H	B7	Cl	Cl	Me
40	2,3-F ₂ -Ph	H	B7	CF ₃	Cl	Me
	2,4-F ₂ -Ph	H	B7	Cl	Cl	Me
	2,5-F ₂ -Ph	H	B7	Cl	Cl	Me
45	Ph	H	B7	Me	Me	Me
	Ph	H	B7	Me	Cl	Me
	Ph	H	B7	Cl	Me	Me
50	Ph	H	B7	Cl	H	H
55						

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	Ph	H	B7	OMe	H	H
	Ph	H	B7	SMe	H	H
	Ph	H	B7	CF ₃	H	Me
15	Ph	H	B1	Cl	Cl	Me
	Ph	H	B3	Cl	Cl	Me
20	Ph	H	B6	Cl	Cl	Me
	Ph	H	B7	Cl	Cl	Me
	Ph	H	B3	CF ₃	Cl	Me
25	Ph	H	B6	CF ₃	Cl	Me
	Ph	H	B7	CF ₃	Cl	Me
	Ph	Me	B7	CF ₃	Cl	Me
30	Ph	H	B7	Cl	H	H
	3,4-F ₂ -Ph	H	B7	Cl	Cl	Me
35	3,5-F ₂ -Ph	H	B7	Cl	Cl	Me
	2-Cl-Ph	H	B7	Me	Me	Me
	2-Cl-Ph	H	B7	Me	Cl	Me
40	2-Cl-Ph	H	B7	Cl	Me	Me
	2-Cl-Ph	H	B7	Cl	H	H
	2-Cl-Ph	H	B7	OMe	H	H
45	2-Cl-Ph	H	B7	SMe	H	H
	2-Cl-Ph	H	B7	CF ₃	H	Me
	2-Cl-Ph	H	B6	Cl	Cl	Me
50	2-Cl-Ph	H	B7	Cl	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	2-Cl-Ph	H	B3	CF ₃	Cl	Me
	2-Cl-Ph	H	B6	CF ₃	Cl	Me
15	2-Cl-Ph	H	B7	CF ₃	Cl	Me
	2-Cl-Ph	H	B7	Cl	H	H
	3-Cl-Ph	H	B7	Cl	Cl	Me
20	4-Cl-Ph	H	B7	Cl	Cl	Me
	2,3-Cl ₂ -Ph	H	B7	Cl	Cl	Me
	2,4-Cl ₂ -Ph	H	B7	Cl	Cl	Me
25	2,5-Cl ₂ -Ph	H	B7	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B7	Me	Me	Me
	2,6-Cl ₂ -Ph	H	B7	Me	Cl	Me
30	2,6-Cl ₂ -Ph	H	B7	Cl	Me	Me
	2,6-Cl ₂ -Ph	H	B7	Cl	H	H
35	2,6-Cl ₂ -Ph	H	B7	OMe	H	H
	2,6-Cl ₂ -Ph	H	B7	SMe	H	H
	2,6-Cl ₂ -Ph	H	B7	CF ₃	H	Me
40	2,6-Cl ₂ -Ph	H	B1	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B3	Cl	Cl	Me
	2,6-Cl ₂ -Ph	H	B6	Cl	Cl	Me
45	2,6-Cl ₂ -Ph	H	B7	Cl	Cl	Me
	2,6-Cl ₂ -Ph	Me	B7	Cl	Cl	Me
50	2,6-Cl ₂ -Ph	H	B3	CF ₃	Cl	Me
	2,6-Cl ₂ -Ph	H	B6	CF ₃	Cl	Me

55

Table 6. (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²	Y ³
2,6-Cl ₂ -Ph	H	B7	CF ₃	Cl	Me
2,6-Cl ₂ -Ph	Me	B7	CF ₃	Cl	Me
3,4-Cl ₂ -Ph	H	B7	Cl	Cl	Me
3,5-Cl ₂ -Ph	H	B7	Cl	Cl	Me
2-Me-Ph	H	B7	Cl	Cl	Me
2-Me-Ph	H	B7	CF ₃	Cl	Me
2,6-Me ₂ -Ph	H	B7	Cl	Cl	Me
2,6-Me ₂ -Ph	H	B7	CF ₃	Cl	Me
2-MeO-Ph	H	B7	Cl	Cl	Me
2-MeO-Ph	H	B7	CF ₃	Cl	Me
2-CF ₃ O-Ph	H	B7	Cl	Cl	Me
2-CF ₃ O-Ph	H	B7	CF ₃	Cl	Me
2-SMe-Ph	H	B7	Cl	Cl	Me
2-SOMe-Ph	H	B7	Cl	Cl	Me
2-SO ₂ Me-Ph	H	B7	Cl	Cl	Me
2-CF ₃ -Ph	H	B7	Cl	Cl	Me
2-NO ₂ -Ph	H	B7	Cl	Cl	Me
2-NO ₂ -Ph	H	B9	Cl	Cl	Me
2-CN-Ph	H	B7	Cl	Cl	Me
2-NHMe-Ph	H	B7	Cl	Cl	Me
2-NMe ₂ -Ph	H	B7	Cl	Cl	Me
4-benzyl-Ph	H	B7	Cl	Cl	Me
4-phenoxy-Ph	H	B7	Cl	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	4-tBu-Ph	H	B1	Cl	H	Me
	2-OH-Ph	H	B7	Cl	Cl	Me
15	2-CO ₂ Me-Ph	H	B7	Cl	Cl	Me
	2-CO ₂ Et-Ph	H	B7	Cl	Cl	Me
	H	H	B7	Cl	Cl	Me
20	Me	H	B7	Cl	Cl	Me
	Et	H	B7	Cl	Cl	Me
	nPr	H	B7	Cl	Cl	Me
25	iPr	H	B7	Cl	Cl	Me
	iPr	H	B7	CF ₃	Cl	Me
	nBu	H	B7	Cl	Cl	Me
30	nBu	H	B7	CF ₃	Cl	Me
	iBu	H	B7	Cl	Cl	Me
35	iBu	H	B7	CF ₃	Cl	Me
	iBu	Me	B7	Cl	Cl	Me
	iBu	Me	B7	CF ₃	Cl	Me
40	iBu	H	B7	Cl	H	H
	secBu	H	B7	Cl	Cl	Me
	secBu	H	B7	CF ₃	Cl	Me
45	pentyl-2	H	B1	Cl	Cl	Me
	2,2-Me ₂ -propyl	H	B7	Cl	Cl	Me
50	nHex	H	B7	Cl	Cl	Me
	ethenyl	H	B7	Cl	Cl	Me

55

Table 6. (continued)

	R ¹	R ²	B	Y ¹	Y ²	Y ³
5						
10	1-propenyl	H	B7	Cl	Cl	Me
	1-propenyl	H	B7	CF ₃	Cl	Me
	ethynyl	H	B7	Cl	Cl	Me
15	1-propynyl	H	B7	Cl	Cl	Me
	CF ₃	H	B7	Cl	Cl	Me
20	CHF ₂	H	B7	Cl	Cl	Me
	C ₂ F ₅	H	B7	Cl	Cl	Me
	2,2-Cl ₂ -cPr	H	B7	Cl	Cl	Me
25	2,2-Cl ₂ -cPr	H	B7	CF ₃	Cl	Me
	cPr	H	B7	Cl	Cl	Me
	cPr	H	B7	CF ₃	Cl	Me
30	1-Me-cPr	H	B7	Cl	Cl	Me
	1-Me-cPr	H	B7	CF ₃	Cl	Me
35	cHex	H	B7	Cl	Cl	Me
	cHex	H	B7	CF ₃	Cl	Me
	CH ₂ Ph	H	B7	Cl	Cl	Me
40	naphthyl-1	H	B7	Cl	Cl	Me
	naphthyl-1	H	B7	CF ₃	Cl	Me
	naphthyl-2	H	B9	Cl	H	H
45	naphthyl-2	H	B7	Cl	Cl	Me
	CO ₂ Me	H	B7	Cl	Cl	Me
	CO ₂ Et	H	B7	Cl	Cl	Me
50	2-thienyl	H	B7	Cl	Cl	Me

55

Table 6. (continued)

R ¹	R ²	B	Y ¹	Y ²	Y ³
2-thienyl	H	B7	CF ₃	Cl	Me
CH ₂ OMe	H	B7	Cl	Cl	Me
CH ₂ OEt	H	B7	Cl	Cl	Me
COCH ₃	H	B7	Cl	Cl	Me
COtBu	H	B7	Cl	Cl	Me
COPh	H	B7	Cl	Cl	Me

10



50

55

5	R ¹	R ²	B	Y ¹	Y ²
	Ph	H	B7	Me	H
10	Ph	H	B7	Me	Me
	Ph	H	B7	Et	Me
15	Ph	Me	B7	Et	Me
	Ph	H	B7	Me	Cl
	Ph	H	B7	Cl	Me
20	Ph	H	B7	Br	Me
	Ph	H	B7	Me	Br
	Ph	H	B7	Me	CF ₃
25	Ph	H	B7	CF ₃	H
	Ph	H	B7	CF ₃	Br
30	Ph	H	B7	CF ₃	NO ₂
	Ph	H	B7	CF ₃	CN
	Ph	H	B4	CF ₃	Me
35	Ph	H	B7	CF ₃	Me
	Ph	H	B9	CF ₃	Me
40	tBu	H	B7	Me	Me
	tBu	H	B7	Et	Me
	tBu	H	B7	Cl	Cl
45	tBu	H	B7	Cl	Me
	tBu	H	B7	Me	Cl
	tBu	H	B7	Cl	CF ₃
50	tBu	H	B7	Br	Me

55

Table 7 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	R ²	B	Y ¹	Y ²
tBu	H	B7	Me	Br
tBu	H	B7	Me	CF ₃
tBu	H	B7	CF ₃	Me
tBu	H	B7	CF ₃	H
tBu	H	B7	CF ₃	Br
tBu	H	B7	CF ₃	NO ₂
tBu	H	B7	CF ₃	CN
tBu	H	B4	CF ₃	Me
tBu	H	B5	CF ₃	Me
tBu	H	B6	CF ₃	Me
tBu	H	B7	CF ₃	Me
tBu	H	B9	CF ₃	Me
tBu	H	B20	CF ₃	Me
tBu	H	B24	CF ₃	Me
tBu	H	B25	CF ₃	Me
tBu	H	B26	CF ₃	Me
2-pyridyl	H	B7	Me	Me
2-pyridyl	H	B7	Et	Me
2-pyridyl	H	B7	Cl	Cl
2-pyridyl	H	B7	Cl	Me
2-pyridyl	H	B7	Cl	CF ₃
2-pyridyl	H	B7	Me	Cl
2-pyridyl	H	B7	Br	Me

55

Table 7 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	2-thienyl	H	B7	Me	CF ₃
	2-pyridyl	H	B7	CF ₃	H
	2-pyridyl	H	B7	CF ₃	Br
15	2-pyridyl	H	B7	CF ₃	Me
	3-pyridyl	H	B7	Et	Me
20	4-pyridyl	H	B7	CF ₃	Me
	2-F-Ph	H	B7	Me	Me
	2-F-Ph	H	B7	Et	Me
25	2-F-Ph	H	B7	CF ₃	Cl
	2-F-Ph	H	B7	CF ₃	H
	2-F-Ph	H	B4	CF ₃	Me
30	2-F-Ph	H	B7	CF ₃	Me
	2-F-Ph	H	B9	CF ₃	Me
35	3-F-Ph	H	B7	Et	Me
	4-F-Ph	H	B7	Et	Me
	2,3-F ₂ -Ph	H	B7	Et	Me
40	2,4-F ₂ -Ph	H	B7	Et	Me
	2,5-F ₂ -Ph	H	B7	Et	Me
	2,6-F ₂ -Ph	H	B7	Me	Me
45	2,6-F ₂ -Ph	H	B7	Et	Me
	2,6-F ₂ -Ph	H	B7	CF ₃	Cl
50	2,6-F ₂ -Ph	H	B7	CF ₃	H
	2,6-F ₂ -Ph	H	B4	CF ₃	Me

55

Table 7 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	2,6-F ₂ -Ph	H	B7	CF ₃	Me
	2,6-F ₂ -Ph	H	B9	CF ₃	Me
15	3,4-F ₂ -Ph	H	B7	Et	Me
	3,5-F ₂ -Ph	H	B7	Et	Me
	2-Cl-Ph	H	B7	Me	Me
20	2-Cl-Ph	H	B7	Et	Me
	2-Cl-Ph	H	B7	CF ₃	Cl
	2-Cl-Ph	H	B7	CF ₃	H
25	2-Cl-Ph	H	B4	CF ₃	Me
	2-Cl-Ph	H	B7	CF ₃	Me
	2-Cl-Ph	H	B9	CF ₃	Me
30	3-Cl-Ph	H	B7	CF ₃	Me
	4-Cl-Ph	H	B7	CF ₃	Me
35	2,3-Cl ₂ -Ph	H	B7	CF ₃	Me
	2,4-Cl ₂ -Ph	H	B7	CF ₃	Me
	2,5-Cl ₂ -Ph	H	B7	CF ₃	Me
40	2,6-Cl ₂ -Ph	H	B7	Me	Me
	2,6-Cl ₂ -Ph	H	B7	Et	Me
	2,6-Cl ₂ -Ph	H	B7	CF ₃	Cl
45	2,6-Cl ₂ -Ph	H	B7	CF ₃	H
	2,6-Cl ₂ -Ph	H	B4	CF ₃	Me
50	2,6-Cl ₂ -Ph	H	B7	CF ₃	Me
	2,6-Cl ₂ -Ph	H	B9	CF ₃	Me

55

Table 7 (continued)

	R ¹	R ²	B	Y ¹	Y ²
5					
10	3,4-Cl ₂ -Ph	H	B7	CF ₃	Me
	3,5-Cl ₂ -Ph	H	B7	CF ₃	Me
15	2-Me-Ph	H	B7	Et	Me
	2-Me-Ph	H	B7	CF ₃	Me
	2,6-Me ₂ -Ph	H	B7	Et	Me
20	2,6-Me ₂ -Ph	H	B7	CF ₃	Me
	2-MeO-Ph	H	B7	Et	Me
	2-MeO-Ph	H	B7	CF ₃	Me
25	2-CF ₃ O-Ph	H	B7	CF ₃	Me
	2-SMe-Ph	H	B7	CF ₃	Me
	2-SOMe-Ph	H	B7	CF ₃	Me
30	2-SO ₂ Me-Ph	H	B7	CF ₃	Me
	2-CF ₃ -Ph	H	B7	CF ₃	Me
35	2-NO ₂ -Ph	H	B7	CF ₃	Me
	2-CN-Ph	H	B7	CF ₃	Me
	2-NMe ₂ -Ph	H	B7	CF ₃	Me
40	4-benzyl-Ph	H	B7	CF ₃	Me
	4-phenoxy-Ph	H	B7	CF ₃	Me
	2-OH-Ph	H	B7	CF ₃	Me
45	2-CO ₂ Me-Ph	H	B7	Et	Me
	2-CO ₂ Me-Ph	H	B7	CF ₃	Me
	2-CO ₂ Et-Ph	H	B7	Et	Me
50	2-CO ₂ Et-Ph	H	B7	CF ₃	Me

55

Table 7 (continued)

5

10

15

20

25

30

35

40

45

50


R ¹	R ²	B	Y ¹	Y ²
H	H	B7	CF ₃	Me
Me	H	B7	CF ₃	Me
Et	H	B7	CF ₃	Me
nPr	H	B7	CF ₃	Me
iPr	H	B7	Et	Me
iPr	H	B7	CF ₃	Me
nBu	H	B7	Et	Me
nBu	H	B7	CF ₃	Me
iBu	H	B7	Et	Me
iBu	H	B7	CF ₃	Me
secBu	H	B7	Et	Me
secBu	H	B7	CF ₃	Me
2,2-Me ₂ -propyl	H	B7	CF ₃	Me
nHex	H	B7	CF ₃	Me
ethenyl	H	B7	CF ₃	Me
1-propenyl	H	B7	Et	Me
1-propenyl	H	B7	CF ₃	Me
ethynyl	H	B7	CF ₃	Me
1-propynyl	H	B7	CF ₃	Me
CF ₃	H	B7	Et	Me
CHF ₂	H	B7	CF ₃	Me
C ₂ F ₅	H	B7	CF ₃	Me
2,2-Cl ₂ -cPr	H	B7	Et	Me


55

Table 7 (continued)

R ¹	R ²	B	Y ¹	Y ²
2,2-Cl ₂ -cPr	H	B7	CF ₃	Me
cPr	H	B7	Et	Me
cPr	H	B7	CF ₃	Me
1-Me-cPr	H	B7	Et	Me
1-Me-cPr	H	B7	CF ₃	Me
cHex	H	B7	Et	Me
cHex	H	B7	CF ₃	Me
CH ₂ Ph	H	B7	CF ₃	Me
naphthyl-1	H	B7	Et	Me
naphthyl-1	H	B7	CF ₃	Me
naphthyl-2	H	B7	CF ₃	Me
CO ₂ Me	H	B7	CF ₃	Me
CO ₂ Et	H	B7	CF ₃	Me
2-thienyl	H	B7	CF ₃	Me

Table 8





	R ¹	R ²	B	W
5	2-F-Ph	H	H	2-F
10	2,6-F ₂ -Ph	H	CO(2,4-Me ₂ -Ph)	2-F
	tBu	H	H	2-F
	tBu	H	B7	2-F
15	tBuCH ₂	H	B6	2-F
	EtMe ₂ C	H	B30	2-F
20	cHex	H	B31	2-Cl
	1-Me-cHex	H	B32	2-Br
	Ph	H	B33	2-F
25	2-F-Ph	H	B34	2-F
	2-Cl	H	H	2-Me
30	2-Cl-Ph	H	CO ₂ iPr	2-nBu
	2,6-F ₂ -Ph	H	CO(2-MeO-Ph)	2-OMe
	2,6-Cl ₂ -Ph	H	H	2-nBeO
35	1-naphthyl	Cl	CO(4-MeO-Ph)	2-CF ₃
	2-naphthyl	Me	CO(2-Me-Ph)	2-OCHF ₂
	tBu	H	Na	2-CF ₃
40	tBu	H	Ca	2-OCH ₂ CH ₂ CHFCHF ₂
	2-pyridyl	H	H	2-OCF ₂ CHF ₂
45	3-pyridyl	H	H	2-SMe
	4-pyridyl	H	B7	2-SOMe
	Me ₂ C=N-	H	B10	2-SO ₂ Me
50	iPr	H	B13	2-SCBrF ₂

55

Table 8 (continued)

	R ¹	R ²	B	W
10	tBu	H	B19	2-SCF ₃
	tBuCH ₂	H	B22	2-SOCBrF ₂
15	EtMe ₂ C	H	B23	2-SO ₂ CH ₂ F
	cHex	H	B7	2-SCF ₃
	Ph	H	B25	2-SCBrF ₂
20	2-F-Ph	H	B26	2-SO ₂ CHF ₂
	2-F-Ph	H	B27	2-SCBrF ₂
	2-CF ₃ -Ph	H	B28	2-CH=CCl ₂
25	2,6-F ₂ -Ph	H	CO(2,6-Me ₂ -Ph)	2-OCH ₂ CH=CH ₂
	1-naphthyl	H	CO(2,6-(MeO) ₂ -Ph)	2-OCH ₂ CH=CCl ₂
	PhCH ₂	H	CO(2-Me-6-NO ₂ -Ph)	2-OCH ₂ CH=CHCl
30	2-thienyl	H	CO(3,4,5-(MeO) ₃ -Ph)	2-SCH ₂ CH=CHMe
	4-Cl-2-thienyl	H	SO ₂ (4-Me-Ph)	2-SOCH ₂ CH=CH ₂
35	3-MeO-2-pyridyl	H	CO(2,6-Cl ₂ -Ph)	2-SO ₂ CHMeCH=CH ₂
	2-Cl-3-pyridyl	H	CO(2,5-Me ₂ -Ph)	2-SCH ₂ CMe=CF ₂
	2,6-Cl ₂ -4-pyridyl	H	CO(2,6-F ₂ -Ph)	2-SOCH ₂ CF=CF ₂
40	EtMeC=N-	H	B1	2-SO ₂ CH ₂ CH=CF ₂
	Et	H	B2	2-CCH
	tBu	H	B4	2-CCI
45	tBuCH ₂	H	H	2-OCH ₂ CCH
	EtMe ₂ C	H	H	2-OCH ₂ CCC1
	cHex	H	H	2-SCH ₂ CCMe
50	Ph	H	H	2-SOCH ₂ CCH

55

Table 8 (continued)

	R ¹	R ²	B	W
10	2-MeO-Ph	H	B5	2-SO ₂ CH ₂ CCMe
	2-F-Ph	H	B6	2-SCH ₂ CCBr
	2,6-F ₂ -Ph	H	B7	2-SOCHMeCCCl
15	2,6-Me ₂ -Ph	H	B8	2-SO ₂ CH ₂ CCl
	1-naphthyl	H	Ba	2-NO ₂
20	PhCH ₂	H	K	2-CN
	2-naphthyl	H	H	2-CO ₂ Me
	5-Br-3-thienyl	H	B3	2-COMe
25	3-MeO-2-pyridyl	H	B14	2-O(CO)Me
	2-Cl-3-pyridyl	H	B15	2-NHMe
	2,6-Cl ₂ -4-pyridyl	H	B16	2-NMe ₂
30	(CH ₂) ₄ C=N-	H	B17	3-F
	tBu	H	H	3-Cl
	tBuCH ₂	H	H	3-nBu
35	EtMe ₂ C	H	H	3-OEt
	2-Me-cHex	H	H	3-CH ₂ CH ₂ CH ₂ CHF ₂
40	Ph	H	B22	3-OCH ₂ CH ₂ CHFCHF ₂
	Ph	H	B27	3-S-nBu
	2-CF ₃ -Ph	H	B28	3-SO _n Pr
45	2,6-F ₂ -Ph	H	B30	3-SO ₂ iPr
	2,6-Me ₂ -Ph	H	B31	3-SCF ₃
	1-naphthyl	H	CO(3,4-(MeO) ₂ -Ph)	3-SCH ₂ CH ₂ CHFCHF ₂
50	PhCH ₂	H	CO(2,4-Cl ₂ -Ph)	3-SO ₂ CF ₂ CHF ₂

55

Table 8 (continued)

	R ¹	R ²	B	W
10	2-thienyl	H	CO(3-CF ₃ -Ph)	3-SCH ₂ CMe=CH ₂
	3-Me-2-pyridyl	H	CO(2-Me ₂ N-Ph)	3-SOCH ₂ CH=CH ₂
	3-NO ₂ -2-pyridyl	H	COiPr	3-SO ₂ CHMeCH=CH ₂
15	3,6-Cl ₂ -2-pyridyl	H	CO ₂ iPr	3-SCH ₂ CMe=CF ₂
	2-MeS-3-pyridyl	H	CO ₂ tBu	3-SOCH ₂ CF=CCl ₂
20	(CH ₂) ₅ C=N-	H	CONHMe	3-SO ₂ CH ₂ CH=CH ₂ Cl
	sBu	H	CONHEt	3-OCH ₂ CCH
	tBuCH ₂	H	B19	3-SCH ₂ CCMe
25	EtMe ₂ C	H	B18	3-SOCH ₂ CCH
	2-Me-cHex	H	SO ₂ (2-Me-Ph)	3-SO ₂ CH ₂ CCMe
	Ph	H	H	3-NO ₂
30	2-CF ₃ O-Ph	H	H	3-CN
	2-MeS-Ph	H	H	3-CO ₂ Et
35	2,6-F ₂ -Ph	H	Na	3-COnPr
	2,6-Cl ₂ -Ph	H	K	3-O(CO)nPr
	1-naphthyl	H	Mg	3-NHBu
40	3-F-2-pyridyl	H	Ca	3-NEt ₂
	6-Me-2-pyridyl	H	Ba	4-F
	4-CF ₃ -3-pyridyl	H	COCeMe ₂	4-Cl
45	3-NO ₂ -3-pyridyl	H	CO(3-MeO-Ph)	4-Br
	2,4-Me ₂ -3-pyridyl	H	CO-2-naphtyl	4-I
50	iBuMeC=N-	H	CO(4-EtO-3-MeO-Ph)	4-Me
	tBu	H	CO(3-Cl-4-MeO-Ph)	4-tBu

Table 8 (continued)

	R ¹	R ²	B	W
5				
10	tBu	H	CO(3-F-4-nBuO-Ph)	4-OMe
	tBu	H	CH ₂ CO ₂ Me	4-CF ₃
	Ph	H	CH(Me)CO ₂ Et	4-OCHF ₃
15	Ph	H	CMe ₂ CO ₂ nPr	4-SMe
	2-pyridyl	H	CH ₂ CN	4-SOMe
20	sBu	H	CH ₂ CH ₂ CH ₂ CN	4-SO ₂ nBu
	tBuCH ₂	H	CH ₂ CO ₂ iPr	4-SCF ₃
	EtMe ₂ C	H	H	4-SOCBrF ₂
25	2-Me-cHex	H	H	4-SO ₂ CH ₂ F
	Ph	H	H	4-OCH ₂ CH=CH ₂
	2-CF ₃ -Ph	H	H	4-OCH ₂ CH=CCl ₂
30	2-NO ₂ -Ph	H	B3	4-OCH ₂ CCH
	2,6-F ₂ -Ph	H	B4	4-OCH ₂ CCC1
	2-Cl-6-F-Ph	H	B5	4-SCH ₂ CCMe
35	1-naphthyl	H	B6	4-SO ₂ CH ₂ CCMe
	2-pyridyl	H	B7	4-NO ₂
40	3-pyridyl	H	B8	4-CN
	PhCH ₂	H	B12	4-CO ₂ nBu
	2-thienyl	H	B21	4-COiBu
45	3-thienyl	H	B28	4-O(CO)nPr
	iBuMeC=N-	H	CO(2-MeO-Ph)	4-NHnBu
50	tBu	H	H	2,3-Cl ₂
	tBu	H	H	2,4-Cl ₂

55

Table 8 (continued)

	R ¹	R ²	B	W
5				
10	tBu	H	H	3,4-Cl ₂
	Ph	H	H	3,5-Cl ₂
	Ph	H	H	2,5-Cl ₂
15	2-pyridyl	H	B7	2,6-Cl ₂
	sBu	H	B8	2,6-Cl ₂
20	tBuCH ₂	H	B12	2,6-Cl ₂
	EtMe ₂ C	H	B23	2,3-F ₂
	2-Me-cHex	H	B26	2,3-F ₂
25	Ph	H	B28	2,3-F ₂
	2-Me-Ph	H	CONHiPr	2,4-F ₂
	2-MeO-Ph	H	Ca	2,4-F ₂
30	2,6-F ₂ -Ph	H	Ba	2,5-F ₂
	2,6-Cl ₂ -Ph	H	H	2,6-F ₂
35	1-naphthyl	H	H	2,6-F ₂
	2-pyridyl	H	H	2,6-F ₂
	PhCH ₂	H	CO(2,3-Me ₂ -Ph)	2,6-F ₂
40	3-pyridyl	H	CO(3,4-Me ₂ -Ph)	2,6-F ₂
	4-pyridyl	H	CH ₂ CO ₂ Et	2,6-F ₂
	2-thienyl	H	CHMeCO ₂ Me	2,6-F ₂
45	iBuMeC=N-	H	CH ₂ CN	2,6-F ₂
	tBu	H	H	2,6-F ₂
50	tBu	H	B7	2,6-F ₂
	tBu	H	B8	2,6-F ₂

55

Table 8 (continued)

	R ¹	R ²	B	W
5				
10	tBu	H	B28	2,6-F ₂
	tBu	Me	B31	2,6-F ₂
	tBu	H	B34	2,6-F ₂
15	tBu	H	CO(2-MeO-Ph)	2,6-F ₂
	tBu	H	CO(2-Cl-Ph)	2,6-F ₂
20	tBu	H	CO(2,6-Me ₂ -Ph)	2,6-F ₂
	tBuCH ₂	H	CO(2,6-(MeO) ₂ -Ph)	2,6-F ₂
	EtMe ₂ C	H	CO(3,4,5-(MeO) ₃ -Ph)	2,6-F ₂
25	cHex	H	B28	2,6-F ₂
	cHex	H	B30	2,6-F ₂
	cHex	H	B34	2,6-F ₂
30	1-Me-cHex	H	SO ₂ (4-Cl-Ph)	2,6-F ₂
	Ph	H	H	2,6-F ₂
	Ph	H	B5	2,6-F ₂
35	Ph	H	B6	2,6-F ₂
	2-F-Ph	H	B14	2,6-F ₂
40	3-F-Ph	H	B19	2,6-F ₂
	4-F-Ph	H	B23	2,6-F ₂
	2-Cl-Ph	H	B24	2,6-F ₂
45	2,6-F ₂ -Ph	H	H	2,6-F ₂
	2,6-F ₂ -Ph	H	Ca	2,6-F ₂
	2,6-F ₂ -Ph	Me	B7	2,6-F ₂
50	2,6-F ₂ -Ph	H	B9	2,6-F ₂

55

Table 8 (continued)

	R ¹	R ²	B	W
10	1-naphthyl	H	B10	2,6-F ₂
	2-naphthyl	H	B16	2,6-F ₂
	2-thienyl	H	B22	2,6-F ₂
15	3-thienyl	H	B24	2,6-F ₂
	2-pyridyl	Cl	H	3,4-F ₂
	3-pyridyl	H	B7	3,5-F ₂
20	4-pyridyl	H	B18	2,5-(CF ₃) ₂
	nPr ₂ C=N-	H	B31	2,6-(CF ₃) ₂
25	tBu	Et	H	3,5-(CF ₃) ₂
	tBu	Br	H	5-Br-2-Cl
	tBu	H	SO ₂ (4-Me-Ph)	3-Br-4-Me
30	tBu	H	CO _n Hex	2-Cl-4-F
	tBu	H	CO(2-Cl-6-F-Ph)	2-Cl-6-F
	tBuCH ₂	H	CO(3,5-Cl ₂ -4-MeO-Ph)	2-Cl-6-F
35	EtMe ₂ C	H	CO(3-Br-4-Me-Ph)	2-Cl-6-F
	cHex	H	H	2-Cl-6-F
40	cHex	H	B6	2-Cl-6-F
	Ph	H	B7	2-Cl-6-F
	Ph	H	B8	2-Cl-6-F
45	2-F-Ph	H	B34	2-Cl-6-F
	3-F-Ph	H	CO ₂ tBu	2-Cl-6-F
	2-Cl-Ph	H	CHMeCO ₂ Me	2-Cl-6-F
50	2,6-F ₂ -Ph	H	B31	3-Cl-4-F

55

Table 8 (continued)

	R ¹	R ²	B	W
5				
10	2,6-F ₂ -Ph	H	K	4-Cl-3-F
	tBu	H	Ba	2-F-6-I
15	2,6-F ₂ -Ph	H	CO(4-nBuO-Ph)	2-F-6-I
	2,6-F ₂ -Ph	H	CO(4-Et ₂ N-Ph)	2-F-6-I
	2,6-F ₂ -Ph	Br	CO(3-Me ₂ N-Ph)	2-Cl-5-SMe
20	1-naphthyl	H	CO(4-Et-Ph)	2-Cl-5-SCBrF ₂
	2-naphthyl	H	CO(3-F-4-Me-Ph)	2-Cl-5-SCF ₃
	2-thienyl	H	CO(3-MeO-4-Me-Ph)	2-Cl-5-SOMe
25	3-thienyl	H	CO(2,3,6-F ₃ -Ph)	2-Cl-5-SO ₂ Me
	2-pyridyl	H	CO(2-MeO-5-NO ₂ -Ph)	2-Cl-4-NO ₂
30	3-pyridyl	H	CO(3,5-Me ₂ -Ph)	2,4-(OMe) ₂
	4-pyridyl	H	H	2,6-(OMe) ₂
	nPr ₂ C=N-	H	H	2,6-(OMe) ₂
35	tBu	H	H	2,3-Me ₂
	tBu	H	B1	2,4-Me ₂
	tBu	H	B2	2,5-Me ₂
40	tBuCH ₂	H	B3	2,6-Me ₂
	EtMe ₂ C	H	B4	2,6-Me ₂
	cHex	H	B5	2,6-Me ₂
45	cHex	H	B6	3,4-Me ₂
	1-Me-cHex	H	B7	3,5-Me ₂
50	Ph	H	B8	2-F-4-Me
	Ph	H	B9	2-F-4-Me

55


Table 8 (continued)


	R ¹	R ²	B	W
10	Ph	H	B10	2-F-4-Me
	2-F-Ph	H	B11	3-F-4-Me
	2-F-Ph	H	B12	3-I-4-Me
15	3-F-Ph	H	B13	2-OMe-4-SMe
	4-F-Ph	H	B14	3-OMe-4-NO ₂
20	2-Cl-Ph	H	CH ₂ CN	2-Me-4-NO ₂
	2,6-F ₂ -Ph	H	CMe ₂ CO ₂ Et	2-Me-6-NO ₂
	2,6-F ₂ -Ph	H	CONHMe	2,3,6-F ₃
25	tBu	H	SO ₂ (4-Cl-Ph)	2,3,6-F ₃
	cHex	H	CO(2-MeO-Ph)	2,3,6-F ₃
	1-naphthyl	H	CO(2-Me-Ph)	2,3,6-F ₃
30	2-F-Ph	H	CO(2-Cl-Ph)	2,3,6-F ₃
	2-pyridyl	H	CO(2,6-(MeO) ₂ -Ph)	2,4,5-F ₃
	3-pyridyl	H	CO(3,4-Me ₂ -Ph)	2,4,5-F ₃
35	4-pyridyl	H	CO(3-MeO-4-EtO-Ph)	2,4,5-F ₃
	nPr ₂ C=N-	H	B15	2,3,5-I ₃
40	tBu	H	B16	2,3,5-I ₃
	tBu	H	B17	2,3,4-(OMe) ₃
	tBu	H	B18	2,4,5-(OMe) ₃
45	tBu	H	B19	3,4,5-(OMe) ₃
	tBu	H	B20	2,4,6-Me ₃
	tBuCH ₂	H	B21	2,3,4,5-F ₄
50	EtMe ₂ C	H	B24	2,3,4,5-F ₄

Table 8 (continued)

	R ¹	R ²	B	W
5				
10	cHex	H	B25	2,3,4,5-F ₄
	cHex	H	B27	2,3,5,6-F ₄
	cHex	H	B28	2,3,5,6-F ₄
15	1-Me-cHex	H	B29	2,3,5,6-F ₄
	Ph	H	B30	2,3,5,6-F ₄
20	Ph	H	B31	2,3,4,5,6-F ₅
	Ph	H	B32	2,3,4,5,6-F ₅
	2-F-Ph	H	B33	2,3,4,5,6-F ₅
25	3-F-Ph	H	B34	2,3,5,6-F ₄ -4-Me
	4-F-Ph	H	H	2,3,5,6-F ₄ -4-Me
	2-Cl-Ph	H	H	2,3,5,6-F ₄ -4-Me
30	2,6-F ₂ -Ph	H	B27	2,3,5,6-F ₄ -4-Me
	2,6-F ₂ -Ph	H	Ca	2,3,5,6-F ₄ -4-Me
35				
40				
45				
50				
55				

Table 9





	R ¹	B	Y ¹
5	Me	H	H
10	Et	B1	Me
	iPr	B2	Et
15	nBu	B3	nPr
	sBu	B4	iBu
	tBu	H	nHex
20	tBu	B7	Me
	tBu	B8	MeO
	tBu	B8	MeS
25	tBu	B7	CF ₃
	tBu	B5	CF ₃
	tBu	B7	CClF ₂
30	tBu	B8	CF ₃ CF ₂
	tBu	4-Cl-PhCO ₂	CF ₃ CF ₂ CF ₂
35	tPen	B6	MeO
	nHex	B7	EtO
	nHep	B8	iPrO
40	nOct	B9	sBuO
	nNon	B10	MeS
	nDec	B11	EtS
45	PhCH ₂	B12	nPrS
	Ph(Me)CH	B13	tBuS
50	PhMe ₂ C	B14	Ph

55

Table 9 (continued)

	R ¹	B	Y ¹
5			
10	PhMe ₂ C	B7	Me
	PhMe ₂ C	B8	Me
	PhMe ₂ C	B33	Me
15	PhMe ₂ C	B34	Me
	PhMe ₂ C	B41	Me
20	PhMe ₂ C	B7	CF ₃
	PhMe ₂ C	B8	CF ₃
	PhMe ₂ C	B34	CF ₃
25	4-Cl-PhMe ₂ C	B15	Me ₂ N
	3-Br-PhEtMeC	B16	Et ₂ N
	4-Me-Ph(CH ₂) ₃	B17	H
30	CH ₂ =CMe	B18	Me
	CF ₃ CF ₂ CF ₂	B19	Et
35	cPr	B20	nPr
	cPen	B21	iBu
	cPen	B22	nHex
40	cPen	B23	CF ₃
	cHex	B24	CClF ₂
	cHex	B7	CF ₃
45	cHex	B8	CF ₃
	cHex	B33	CF ₃
	cHex	B34	CF ₃
50	cHex	B7	Me

55

Table 9 (continued)

	R'	B	Y'
5			
10	cHex	B8	Me
	cHex	B34	Me
15	1-Me-cHex	B7	Me
	1-Me-cHex	B8	CF ₃
	1-Me-cHex	B7	CF ₃
20	1-Me-cHex	iBuOC(O)	CF ₃
	1-Me-cHex	B28	EtO
	1-Me-cHex	B29	iPrO
25	EtO	B30	sBuO
	iPrO	B31	MeS
	CF ₃ O	B32	EtS
30	tBuOC(O)	B33	nPrS
	Ph	B34	tBuS
35	2-F-Ph	B35	Ph
	2-F-Ph	B36	Me ₂ N
	2-Cl-Ph	B37	Et ₂ N
40	2-Cl-Ph	B38	Cl
	2-Br-Ph	B39	Br
	2-I-Ph	B40	I
45	2-CF ₃ -Ph	B41	H
	2-MeO-Ph	B42	CF ₃
50	3,4-Cl ₂ -Ph	CClF ₂ C(O)	MeO
	2,4-Me ₂ -Ph	PhSC(O)	MeS

55

Table 9 (continued)

	R'	B	Y'
5			
10	2,6-F ₂ -Ph	B7	Me
	2,6-F ₂ -Ph	B7	CF ₃
15	2,6-F ₂ -Ph	B8	Me
	2,6-F ₂ -Ph	B8	CF ₃
	2,6-F ₂ -Ph	EtSC(O)	H
20	2,6-F ₂ -Ph	tBuC(S)	Me
	2,6-F ₂ -Ph	cPenOC(O)	Et
	2-pyridyl	cHexOC(O)	nPr
25	2-pyridyl	B7	Me
	2-pyridyl	B8	Me
	2-pyridyl	B7	CF ₃
30	2-pyridyl	B8	CF ₃
	2-pyridyl	iBuOC(O)	CF ₃
35	2-pyridyl	B33	CF ₃
	2-pyridyl	B34	CF ₃
	2-pyridyl	B34	Me
40	2-pyridyl	2-pyridyl-C(O)	CClF ₂
	2-pyridyl	2-pyridyl-C(O)	CF ₃ CF ₂
	2-thienyl	3-pyridyl-C(O)	CF ₃ CF ₂ CF ₂
45	1-naphthyl	4-pyridyl-C(O)	MeO
	2-naphthyl	H	EtO
	tBu	CClF ₂ C(O)	H
50	tBu	PhSC(O)	Me

55

Table 9 (continued)

R'	B	Y'
tBu	EtSC(O)	Et
tBu	tBuC(S)	nPr
cPr	cPenOC(O)	iBu
cPen	cHexOC(O)	nHex
cHex	B7	CF ₃
1-Et-cPr	B8	CClF ₂
1-Me-cPen	iBuOC(O)	CF ₃ CF ₂
1-Me-cPen	2-pyridyl-C(O)	CF ₃ CF ₂ CF ₂
2,6-F ₂ -Ph	2-pyridyl-C(O)	MeO
2,6-F ₂ -Ph	2-pyridyl-C(O)	MeO
2,6-F ₂ -Ph	4-pyridyl-C(O)	Me
2,6-F ₂ -Ph	2-pyridyl-C(O)	CF ₃

10



5	R ¹	B	A	R ¹	B	A
	Et	H	A1	tBu	B15	A8
10	iPr	B7	A2	tBu	B34	A8
	iBu	B7	A1	tBu	H	A9
15	sBu	B7	A2	tBu	B7	A9
	tBu	B7	A1	tBu	B8	A9
	tBu	B8	A1	tBu	B15	A9
20	tBu	B15	A1	tBu	B34	A9
	tBu	B34	A1	tBu	CO ₂ -iBu	A9
	tBu	B7	A2	tBu	H	A10
25	tBu	B8	A2	tBu	B7	A10
	tBu	B15	A2	tBu	B8	A10
30	tBu	B34	A2	tBu	B15	A10
	tBu	CO ₂ -iBu	A2	tBu	B34	A10
	tBu	B7	A3	tBu	CO ₂ -iBu	A10
35	tBu	B7	A4	tBu	H	A11
	tBu	B7	A5	tBu	B7	A11
	tBu	B7	A6	tBu	B8	A11
40	tBu	H	A7	tBu	B15	A11
	tBu	B7	A7	tBu	H	A12
45	tBu	B8	A7	tBu	B7	A12
	tBu	B15	A7	tBu	B8	A12
	tBu	B34	A7	tBu	B15	A12
50	tBu	H	A8	tBu	B34	A12

55

Table 10 (continued)

	R ¹	B	A	R ¹	B	A
5						
10	tBu	B7	A8	tBu	CO ₂ -iBu	A12
	tBu	B8	A8	tBu	H	A13
15	tBu	B7	A13	tBu	B17	A27
	tBu	B8	A13	tBu	B18	A28
	tBu	B15	A13	tBu	B19	A29
20	tBu	B34	A13	tBu	B7	A30
	tBu	CO ₂ -iBu	A13	tBu	B8	A30
	tBu	H	A14	tBu	B15	A30
25	tBu	B7	A14	tBu	B20	A31
	tBu	B16	A14	tBu	H	A32
30	tBu	B17	A14	tBu	B7	A32
	tBu	B7	A15	tBu	B8	A32
	tBu	B8	A16	tBu	B15	A32
35	tBu	B9	A17	tBu	B34	A32
	tBu	B10	A18	tBu	CO ₂ -iBu	A32
	tBu	B11	A19	tBu	B21	A33
40	tBu	B12	A20	tBu	B22	A34
	tBu	B13	A21	tBu	B23	A35
	tBu	B7	A22	tBu	B24	A36
45	tBu	B8	A22	tBuCH ₂	B3	A1
	tBu	B7	A23	tBuCH ₂	B7	A2
50	tBu	B8	A23	tBuCH ₂	B8	A2
	tBu	B15	A23	Et (Me) ₂ C	B15	A2

55

Table 10 (continued)

	R ¹	B	A	R ¹	B	A
10	tBu	B34	A23	Et(Me) ₂ C	B16	A2
	tBu	B14	A24	Et(Me) ₂ C	B34	A2
	tBu	B15	A25	Et(Me) ₂ C	H	A2
15	tBu	B16	A26	Et(Me) ₂ C	B7	A2
	nHex	B7	A1	Ph	B7	A10
20	nHep	B7	A2	Ph	B7	A13
	nOct	B7	A1	Ph	B7	A32
	nNon	B7	A2	2-F-Ph	B7	A1
25	nDec	B7	A7	2-F-Ph	B7	A2
	cPr	B7	A8	2-F-Ph	B7	A7
	1-Me-cPr	B7	A1	2-F-Ph	B7	A8
30	1-Me-cPr	B7	A2	2-F-Ph	B7	A9
	1-Me-cPr	B8	A2	2-F-Ph	B7	A10
	1-Me-cPr	B34	A2	2-F-Ph	B7	A13
35	1-Me-cPr	H	A2	2-F-Ph	B8	A32
	cPen	B7	A2	2-Cl-Ph	B7	A1
40	cHex	B7	A1	2-Cl-Ph	B7	A2
	cHex	B7	A2	2-Cl-Ph	B7	A7
	cHex	B8	A2	2-Cl-Ph	B7	A8
45	cHex	B15	A2	2-Cl-Ph	B7	A9
	cHex	B34	A2	2-Cl-Ph	B7	A10
	cHex	B35	A2	2-Cl-Ph	B7	A13
50	cHex	B36	A1	2-Cl-Ph	B8	A30

Table 10 (continued)

	R ¹	B	A	R ¹	B	A
5						
10	cHex	B37	A2	2-Cl-Ph	B34	A32
	Ph	H	A2	2-Br-Ph	B7	A1
	Ph	B7	A2	2-I-Ph	B7	A2
15	Ph	B7	A7	2-Me-Ph	B7	A7
	Ph	B7	A8	2-Me-Ph	B7	A8
20	Ph	B7	A9	2-Me-Ph	B7	A9
	2-Me-Ph	B7	A1	2,6-Cl ₂ -Ph	B7	A1
	2-Me-Ph	B7	A2	2,6-Cl ₂ -Ph	B7	A2
25	2-MeO-Ph	B2	A7	2,6-Cl ₂ -Ph	B7	A7
	2-CF ₃ -Ph	B3	A8	2,6-F ₂ -Ph	B7	A1
	2-NO ₂ -Ph	B4	A9	2,6-F ₂ -Ph	B7	A2
30	2-CN-Ph	B5	A10	2,6-F ₂ -Ph	B7	A7
	2-CBrF ₂ O-Ph	B6	A11	2,6-F ₂ -Ph	B7	A8
35	2-CF ₃ O-Ph	B7	A12	2,6-F ₂ -Ph	B7	A9
	2-MeS-Ph	B8	A13	2,6-F ₂ -Ph	B7	A10
	2-nBuS-Ph	B9	A14	2,6-F ₂ -Ph	B7	A13
40	2-MeSO-Ph	B10	A15	2,6-F ₂ -Ph	B7	A21
	2-MeSO ₂ -Ph	B11	A16	2,6-F ₂ -Ph	B7	A32
	2-CH ₂ =CHCH ₂ S-Ph	B12	A17	2,6-F ₂ -Ph	B3	A2
45	2-CH ₂ =CHCH ₂ SO-Ph	B13	A18	2,6-F ₂ -Ph	B4	A2
	2-CH ₂ =CHCH ₂ SO ₂ -Ph	B14	A19	2,6-F ₂ -Ph	B5	A2
	2-CF ₃ S-Ph	B15	A20	2,6-F ₂ -Ph	B8	A2
50	2-CHF ₂ S-Ph	B16	A21	2,6-F ₂ -Ph	B15	A2

55

Table 10 (continued)

	R'	B	A	R'	B	A
5						
10	2-CBrF ₂ SO-Ph	B17	A22	2,6-F ₂ -Ph	B19	A2
	2-CF ₃ SO ₂ -Ph	B18	A23	2,6-F ₂ -Ph	B32	A2
15	2-CHO-Ph	B19	A24	2,6-F ₂ -Ph	B33	A2
	2-OH-Ph	B20	A25	2,6-F ₂ -Ph	B34	A2
	2-Me ₂ N-Ph	B21	A26	2,6-F ₂ -Ph	B35	A2
20	3-Ph-Ph	B22	A27	2,6-F ₂ -Ph	B37	A2
	4-PhO-Ph	B23	A28	2,6-F ₂ -Ph	B40	A2
	2-MeOC(O)-Ph	B24	A29	2,6-F ₂ -Ph	B43	A2
25	Cl	B7	A1	ClCC	B3	A23
	PhCH ₂	B7	A1	2,2-Cl ₂ -cPr	B4	A23
	PhCH ₂	B7	A2	2,2-F ₂ -cBu	B5	A23
30	PhCH ₂	B8	A2	MeO	B6	A24
	PhCH ₂	B34	A2	nHexO	B7	A25
35	(4-Cl-Ph)CH ₂	B7	A30	CH ₂ =CHCH ₂ O	B8	A26
	(4-Me-Ph)CH ₂	B7	A31	CHCCH ₂ O	B9	A27
	(3,4-Cl ₂ -Ph)CH ₂	B7	A32	CF ₃ O	B10	A28
40	(2,4-Me ₂ -Ph)CH ₂	B7	A33	ClCH=CHCH ₂ O	B11	A29
	PhMeCH	B7	A34	MeS	B12	A30
	Ph(Me) ₂ C	B3	A1	MeSO	B13	A30
45	Ph(Me) ₂ C	B7	A1	MeSO ₂	B14	A30
	Ph(Me) ₂ C	B3	A2	Me ₂ C=CHCH ₂ S	B15	A31
	Ph(Me) ₂ C	B7	A2	Me ₂ C=CHCH ₂ SO	B16	A32
50	Ph(Me) ₂ C	B8	A2	Me ₂ C=CHCH ₂ SO ₂	B17	A32

55

Table 10 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	B	A	R ¹	B	A
Ph(Me) ₂ C	B33	A2	CHCCH ₂ S	B18	A32
Ph(Me) ₂ C	B34	A2	CHCCH ₂ SO	B19	A1
Ph(Me) ₂ C	B35	A2	CHCCH ₂ SO ₂	B20	A2
Ph(Me) ₂ C	B7	A13	CF ₃ S	B21	A2
Ph(Me) ₂ C	B8	A13	CF ₃ SO	B22	A13
Ph(Me) ₂ C	B34	A13	CF ₃ SO ₂	B23	A13
CF ₃	B15	A35	ClCH=CHCH ₂ S	B24	A1
CF ₃ CH ₂	B6	A36	ClCH=CHCH ₂ SO	B25	A1
CH ₂ =CMe	B6	A1	ClCH=CHCH ₂ SO ₂	B26	A2
Cl ₂ C=CH	B29	A2	ClCCCH ₂ S	B27	A2
BrCCCH ₂ SO	B28	A1	2-pyridyl	H	A7
ClCCH ₂ SO ₂	B29	A2	2-pyridyl	B7	A7
1-naphthyl	B30	A2	2-pyridyl	B8	A7
2-naphthyl	B31	A13	2-pyridyl	B15	A7
MeC(O)	B32	A13	2-pyridyl	B34	A7
MeC(O)O	B33	A1	2-pyridyl	H	A8
CF ₃ C(O)O	B34	A1	2-pyridyl	B7	A8
2-thienyl	B35	A2	2-pyridyl	B8	A8
3-thienyl	B36	A2	2-pyridyl	B15	A8
Me ₂ C=N	B37	A1	2-pyridyl	B34	A8
EtMeC=N	B38	A1	2-pyridyl	H	A9
PhCH=N	B39	A2	2-pyridyl	B7	A9
PhMeC=N	B40	A2	2-pyridyl	B8	A9

55

Table 10 (continued)

5

10

15

20

25

30

35

40

45

50


55

R ¹	B	A	R ¹	B	A
2-pyridyl	B7	A1	2-pyridyl	B15	A9
2-pyridyl	B8	A1	2-pyridyl	B34	A9
2-pyridyl	B15	A1	2-pyridyl	CO ₂ -iBu	A9
2-pyridyl	B34	A1	2-pyridyl	H	A10
2-pyridyl	B7	A2	2-pyridyl	B7	A10
2-pyridyl	B8	A2	2-pyridyl	B8	A10
2-pyridyl	B15	A2	2-pyridyl	B15	A10
2-pyridyl	B34	A2	2-pyridyl	B34	A10
2-pyridyl	CO ₂ -iBu	A2	2-pyridyl	CO ₂ -iBu	A10
2-pyridyl	B7	A3	2-pyridyl	H	A11
2-pyridyl	B7	A4	2-pyridyl	B7	A11
2-pyridyl	B7	A5	2-pyridyl	B8	A11
2-pyridyl	B7	A6	2-pyridyl	B15	A11
2-pyridyl	H	A12	2-pyridyl	B8	A23
2-pyridyl	B7	A12	2-pyridyl	B15	A23
2-pyridyl	B8	A12	2-pyridyl	B34	A23
2-pyridyl	B15	A12	2-pyridyl	B14	A24
2-pyridyl	B34	A12	2-pyridyl	B15	A25
2-pyridyl	CO ₂ -iBu	A12	2-pyridyl	B16	A26
2-pyridyl	H	A13	2-pyridyl	B17	A27
2-pyridyl	B7	A13	2-pyridyl	B18	A28
2-pyridyl	B8	A13	2-pyridyl	B19	A29
2-pyridyl	B15	A13	2-pyridyl	B7	A30

Table 10 (continued)

	R ¹	B	A	R ¹	B	A
5						
10	2-pyridyl	B34	A13	2-pyridyl	B8	A30
	2-pyridyl	CO ₂ -iBu	A13	2-pyridyl	B15	A30
15	2-pyridyl	H	A14	2-pyridyl	B20	A31
	2-pyridyl	B7	A14	2-pyridyl	H	A32
	2-pyridyl	B16	A14	2-pyridyl	B7	A32
20	2-pyridyl	B17	A14	2-pyridyl	B8	A32
	2-pyridyl	B7	A15	3-pyridyl	B7	A1
	2-pyridyl	B8	A16	3-pyridyl	B34	A2
25	2-pyridyl	B9	A17	3-pyridyl	CO ₂ -iBu	A2
	2-pyridyl	B10	A18	3-pyridyl	B7	A13
30	2-pyridyl	B11	A19	3-pyridyl	B8	A13
	2-pyridyl	B12	A20	4-pyridyl	B7	A1
	2-pyridyl	B13	A21	4-pyridyl	B8	A1
35	2-pyridyl	B7	A22	4-pyridyl	B15	A2
	2-pyridyl	B8	A22	4-pyridyl	B34	A2
40						
45						
50						
55						

Table 11



	G	B	Y ¹	Y ²	Y ³
5					
	2-Cl	H	Me	Me	Me
10	3-Cl	B1	Me	Cl	Me
	4-Cl	B2	Cl	Me	Me
	4-Br	B3	Cl	Cl	Me
15	4-I	B4	CF ₃	Cl	Me
	4-F	B5	CF ₃	H	Me
20	4-Me	B6	H	CF ₃	Me
	4-Et	B7	H	Cl	Me
	4-iPr	B8	Cl	H	Me
25	4-nBu	B9	H	H	Me
	4-iBu	B10	OMe	Cl	Me
	4-sBu	B11	SMe	Cl	Me
30	4-sBu	H	Me	Me	Me
	4-sBu	B16	Me	Me	Me
	4-sBu	B17	Me	Me	Me
35	4-sBu	B7	Me	Cl	Me
	4-sBu	B8	Me	Cl	Me
40	4-sBu	B16	Me	Cl	Me
	4-sBu	B17	Me	Cl	Me
	4-sBu	B34	Me	Cl	Me
45	4-sBu	B3	CF ₃	Cl	Me
	4-sBu	B7	CF ₃	Cl	Me
50	4-sBu	B8	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-sBu	B34	CF ₃	Cl	Me
	4-sBu	B7	Cl	Cl	Me
	4-sBu	B17	Cl	Cl	Me
15	4-tBu	B12	SCF ₃	Cl	Me
	4-tBu	H	Me	Me	Me
20	4-tBu	B3	Me	Cl	Me
	4-tBu	B7	Cl	Me	Me
	4-tBu	B8	Cl	Cl	Me
25	4-tBu	B15	Cl	Cl	Me
	4-tBu	B16	Cl	Cl	Me
	4-tBu	B28	Cl	Cl	Me
30	4-tBu	B30	Cl	Cl	Me
	4-tBu	B34	Cl	Cl	Me
35	4-tBu	CO-nC ₈ H ₁₇	Cl	Cl	Me
	4-tBu	CO-nC ₁₅ H ₃₁	Cl	Cl	Me
	4-tBu	CO ₂ -nHex	Cl	Cl	Me
40	4-tBu	CO ₂ -nC ₁₀ H ₂₁	Cl	Cl	Me
	4-tBu	H	CN	Cl	Me
	4-tBu	H	CF ₃	Cl	Me
45	4-tBu	B3	CF ₃	Cl	Me
	4-tBu	B7	CF ₃	Cl	Me
	4-tBu	B8	CF ₃	Cl	Me
50	4-tBu	B15	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-tBu	B16	CF ₃	Cl	Me
	4-tBu	B28	CF ₃	Cl	Me
	4-tBu	B30	CF ₃	Cl	Me
15	4-tBu	B16	Cl	Cl	Me
	4-tBu	B16	CF ₃	Cl	Me
20	4-tBu	B17	CF ₃	Cl	Me
	4-tBu	B17	Cl	Cl	Me
	4-tBu	CO ₂ -nC ₁₀ H ₂₁	CF ₃	Cl	Me
25	4-tBu	CH ₂ OEt	CF ₃	Cl	Me
	4-tBu	B7	Me	Cl	Me
	4-tBu	B7	Me	Me	Me
30	4-tBu	B7	CN	Cl	Me
	4-tBu	B16	CN	Cl	Me
35	4-tBu	B3	CN	Cl	Me
	4-tBu	2-(4-tBu-Ph)-3,3-Me ₂ -cPrC(O)	CF ₃	Cl	Me
	4-tBu	B45	CF ₃	Cl	Me
40	4-tBuCH ₂	B3	CF ₃	Cl	Me
	4-tBuCH ₂	B7	Me	Me	Me
	4-tBuCH ₂	B16	Me	Cl	Me
45	4-tBuCH ₂	B7	CF ₃	Cl	Me
	4-tBuCH ₂	B8	CF ₃	Cl	Me
	4-tBuCH ₂	B7	Cl	Cl	Me
50	4-Et (Me) ₂ C	H	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-Et (Me) ₂ C	B3	CF ₃	Cl	Me
	4-Et (Me) ₂ C	B7	CF ₃	Cl	Me
	4-Et (Me) ₂ C	B8	CF ₃	Cl	Me
15	4-Et (Me) ₂ C	B34	CF ₃	Cl	Me
	4-Et (Me) ₂ C	B42	CF ₃	Cl	Me
20	4-Et (Me) ₂ C	B16	Me	Me	Me
	4-Et (Me) ₂ C	B17	Me	Me	Me
	4-Et (Me) ₂ C	H	Cl	Me	Me
25	4-Et (Me) ₂ C	B7	Cl	Cl	Me
	4-Et (Me) ₂ C	B8	Cl	Cl	Me
	4-Et (Me) ₂ C	B7	CF ₃	Me	Me
30	4-Et (Me) ₂ C	B7	CN	Cl	Me
	4-Et (Me) ₂ C	B4	H	Cl	Me
	4-Et (Me) ₂ C	B5	Cl	H	Me
35	4-Et (Me) ₂ C	B6	H	H	Me
	4-Et (Me) ₂ C	B3	Cl	Cl	Me
40	4-Et (Me) ₂ C	B16	Cl	Cl	Me
	4-Et (Me) ₂ C	B17	Cl	Cl	Me
	4-Et (Me) ₂ C	B24	Cl	Cl	Me
45	4-nHex	B34	CF ₃	Cl	Me
	4-nHep	B42	CF ₃	Cl	Me
	4-nOct	B43	Me	Me	Me
50	4-nNon	B43	Me	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-nDec	H	Cl	Me	Me
	4-(Me) ₂ (CN)C	B7	Cl	Cl	Me
	4-PhCH ₂	B7	CF ₃	Cl	Me
15	4-Ph(Me) ₂ C	B7	CF ₃	Me	Me
	4-(4-F-Ph)(Me) ₂ C	B7	CN	Cl	Me
20	4-MeCH=CH	B4	H	Cl	Me
	4-MeCC	B5	Cl	H	Me
	3-CF ₃	B6	H	H	Me
25	4-CF ₃	B7	OMe	Cl	Me
	4-CF ₃	B8	SMe	Cl	Me
	4-CF ₃	B9	SCF ₃	Cl	Me
30	4-CF ₃	B16	Me	Me	Me
	4-CF ₃	B17	Me	Me	Me
	4-CF ₃	B16	Me	Cl	Me
35	4-CF ₃	B17	Cl	Me	Me
	4-CF ₃	B7	Cl	Cl	Me
40	4-CF ₃	B7	CF ₃	Cl	Me
	4-CF ₃	B7	CN	Cl	Me
	4-CF ₃	B3	Cl	Cl	Me
45	4-CF ₃ CH ₂	B7	Me	Cl	Me
	4-Cl ₂ C=CHCH ₂	B8	Cl	Me	Me
	4-BrCC	B7	Cl	Cl	Me
50	4-(2,2-F ₂)cBuCH ₂	B7	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-(1-Me)cPr	B16	CN	Cl	Me
	4-cHex	B7	Cl	Cl	Me
	4-(1-Me)cHex	B8	CF ₃	Cl	Me
15	4-MeO	B7	Cl	H	Me
	4-iPrO	B7	Cl	Cl	Me
20	4-iPrO	B7	CF ₃	Cl	Me
	4-iPrO	B15	CF ₃	Cl	Me
	4-iPrO	B7	Me	Me	Me
25	4-iPrO	B16	Me	Me	Me
	4-iPrO	B17	Me	Me	Me
	4-iPrO	B23	SCF ₃	Cl	Me
30	4-tBuO	B7	Cl	Cl	Me
	4-tBuO	B8	Cl	Cl	Me
	4-tBuO	B7	CF ₃	Cl	Me
35	4-nHexO	B8	CF ₃	Cl	Me
	4-nOctO	B34	CF ₃	Cl	Me
40	4-nDecO	H	CF ₃	Cl	Me
	4-CH ₂ =CHCH ₂ O	B7	CF ₃	Cl	Me
	4-CHCCH ₂ O	B8	CF ₃	Cl	Me
45	4-CHF ₂ O	B34	CF ₃	Cl	Me
	4-CHF ₂ O	B7	Me	Me	Me
	4-CHF ₂ O	B35	Me	Cl	Me
50	4-CHF ₂ O	B36	Cl	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CHF ₂ O	B7	Cl	Cl	Me
	4-CBrF ₂ O	B8	Cl	Cl	Me
	4-CBrF ₂ O	B34	Cl	Cl	Me
15	4-CBrF ₂ O	B40	Me	Me	Me
	4-CBrF ₂ O	B41	Me	Cl	Me
20	4-CBrF ₂ O	B42	Cl	Me	Me
	4-CBrF ₂ O	B43	Cl	Cl	Me
	4-CBrF ₂ O	B44	CF ₃	Cl	Me
25	4-CBrF ₂ O	COCO ₂ Me	CF ₃	H	Me
	4-CBrF ₂ O	H	H	CF ₃	Me
	4-CBrF ₂ O	B1	H	Cl	Me
30	4-CF ₃ O	B2	Cl	H	Me
	4-CF ₃ O	B3	H	H	Me
35	4-CF ₃ O	B4	OMe	Cl	Me
	4-CF ₃ O	B5	SMe	Cl	Me
	4-CF ₃ O	B6	SCF ₃	Cl	Me
40	4-CF ₃ O	B7	Me	Me	Me
	4-CF ₃ CH ₂ O	B8	Me	Me	Me
	4-CF ₂ =CHCH ₂ CH ₂ O	B9	Me	Cl	Me
45	4-CCl ₂ =CHCH ₂ O	B10	Cl	Me	Me
	4-ClCCCH ₂ O	B11	Cl	Cl	Me
50	4-MeS	B12	CF ₃	Cl	Me
	4-sBuS	H	CF ₃	H	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-EtSO	B3	H	CF ₃	Me
	4-MeSO ₂	H	CF ₃	Cl	Me
	4-MeSO ₂	B3	CF ₃	Cl	Me
15	4-MeSO ₂	B32	CF ₃	Cl	Me
	4-MeSO ₂	B33	CF ₃	Cl	Me
20	4-EtSO ₂	H	CF ₃	Cl	Me
	4-EtSO ₂	B3	Cl	Cl	Me
	4-iPrSO ₂	B32	Cl	Cl	Me
25	4-iPrSO ₂	B33	Cl	Cl	Me
	4-tBuSO ₂	B7	Cl	Cl	Me
	4-tBuSO ₂	B33	CF ₃	Cl	Me
30	4-MeCH=CHCH ₂ S	B15	H	H	Me
	4-CH ₂ =CHCH ₂ SO	B16	OMe	Cl	Me
	4-CH ₂ =CHCH ₂ SO ₂	B28	SMe	Cl	Me
35	4-CHCCH ₂ S	B30	SCF ₃	Cl	Me
	4-CHCCH ₂ SO	B34	Me	Me	Me
40	4-CHCCH ₂ SO ₂	CO-nC ₈ H ₁₇	Me	Me	Me
	4-CHF ₂ S	H	CF ₃	Cl	Me
	4-CHF ₂ S	B7	CF ₃	Cl	Me
45	4-CHF ₂ S	B8	CF ₃	Cl	Me
	4-CHF ₂ S	B15	CF ₃	Cl	Me
	4-CHF ₂ S	B29	CF ₃	Cl	Me
50	4-CHF ₂ S	H	Cl	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CHF ₂ S	B7	Cl	Cl	Me
	4-CHF ₂ S	B15	Cl	Cl	Me
	4-CBrF ₂ S	B7	Cl	Cl	Me
15	4-CBrF ₂ S	B15	Cl	Cl	Me
	4-CBrF ₂ S	B30	Cl	Cl	Me
	4-CBrF ₂ S	B43	Cl	Cl	Me
20	4-CBrF ₂ S	CO-nC ₁₅ H ₃₁	Me	Cl	Me
	4-CBrF ₂ S	CO ₂ -nHex	CF ₃	Cl	Me
25	4-CBrF ₂ S	H	CF ₃	Cl	Me
	4-CBrF ₂ S	B7	CF ₃	Cl	Me
	4-CBrF ₂ S	B8	CF ₃	Cl	Me
30	4-CBrF ₂ S	B15	CF ₃	Cl	Me
	4-CBrF ₂ S	B28	CF ₃	Cl	Me
	4-CBrF ₂ S	B34	CF ₃	Cl	Me
35	4-CBrF ₂ S	B7	Me	Cl	Me
	4-CF ₃ S	CO ₂ -nC ₁₀ H ₂₁	Cl	Cl	Me
40	4-CF ₃ S	H	Cl	Cl	Me
	4-CF ₃ S	B3	Cl	Cl	Me
	4-CF ₃ S	B7	Cl	Cl	Me
45	4-CF ₃ S	B8	Cl	Cl	Me
	4-CF ₃ S	B15	Cl	Cl	Me
	4-CF ₃ S	H	CF ₃	Cl	Me
50	4-CF ₃ S	B7	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CF ₃ S	B8	CF ₃	Cl	Me
	4-CF ₃ S	B15	CF ₃	Cl	Me
	4-CF ₃ S	B34	CF ₃	Cl	Me
15	4-CF ₃ S	CO ₂ -nC ₁₂ H ₂₅	CF ₃	Cl	Me
	4-CF ₃ S	CO-nC ₁₅ H ₃₁	CF ₃	Cl	Me
20	4-CF ₃ S	CO-nC ₁₆ H ₃₃	Me	Me	Me
	4-CF ₃ S	CO-nC ₁₇ H ₃₅	Me	Cl	Me
	4-CF ₃ CH ₂ S	CO-nC ₁₈ H ₃₇	CF ₃	Cl	Me
25	4-CHF ₂ CF ₂ S	CO-nC ₁₉ H ₃₉	CF ₃	H	Me
	4-CHF ₂ SO	CO-nC ₂₀ H ₄₁	H	CF ₃	Me
	4-CBrF ₂ SO	H	H	Cl	Me
30	4-CBrF ₂ SO	B3	CF ₃	Cl	Me
	4-CBrF ₂ SO	B7	CF ₃	Cl	Me
	4-CBrF ₂ SO	B24	CF ₃	Cl	Me
35	4-CBrF ₂ SO	B32	CF ₃	Cl	Me
	4-CBrF ₂ SO	B33	CF ₃	Cl	Me
40	4-CF ₃ SO	H	Cl	Cl	Me
	4-CF ₃ SO	B3	Cl	Cl	Me
	4-CF ₃ SO	B7	Cl	Cl	Me
45	4-CF ₃ SO	B33	Cl	H	Me
	4-CF ₃ CH ₂ SO ₂	B15	H	H	Me
	4-CHF ₂ CF ₂ SO ₂	B16	OMe	Cl	Me
50	4-CHF ₂ SO ₂	B28	SMe	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CHF ₂ SO ₂	B7	CF ₃	Cl	Me
	4-CHF ₂ SO ₂	B24	CF ₃	Cl	Me
	4-CHF ₂ SO ₂	B32	CF ₃	Cl	Me
15	4-CHF ₂ SO ₂	B33	CF ₃	Cl	Me
	4-CHF ₂ SO ₂	H	Cl	Cl	Me
20	4-CHF ₂ SO ₂	B3	Cl	Cl	Me
	4-CHF ₂ SO ₂	B7	Cl	Cl	Me
	4-CHF ₂ SO ₂	B33	Cl	H	Me
25	4-CBrF ₂ SO ₂	H	SCF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B2	Cl	Cl	Me
	4-CBrF ₂ SO ₂	B3	Cl	Cl	Me
30	4-CBrF ₂ SO ₂	B18	Cl	Cl	Me
	4-CBrF ₂ SO ₂	B19	Cl	Cl	Me
	4-CBrF ₂ SO ₂	B33	Cl	Cl	Me
35	4-CBrF ₂ SO ₂	H	CF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B3	CF ₃	Cl	Me
40	4-CBrF ₂ SO ₂	B7	CF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B20	CF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B32	CF ₃	Cl	Me
45	4-CBrF ₂ SO ₂	B33	CF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B37	CF ₃	Cl	Me
	4-CBrF ₂ SO ₂	B7	Me	Me	Me
50	4-CBrF ₂ SO ₂	B15	Me	Me	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CBrF ₂ SO ₂	B17	Me	Me	Me
	4-CBrF ₂ SO ₂	B7	Me	Cl	Me
	4-CBrF ₂ SO ₂	B16	Me	Cl	Me
15	4-CF ₃ SO ₂	B16	Me	Me	Me
	4-CF ₃ SO ₂	B7	Cl	Cl	Me
20	4-CF ₃ SO ₂	B15	Cl	Cl	Me
	4-CF ₃ SO ₂	B3	CF ₃	Cl	Me
	4-CF ₃ SO ₂	B7	CF ₃	Cl	Me
25	4-CF ₃ SO ₂	B15	Me	Me	Me
	4-CF ₃ SO ₂	B7	Me	Cl	Me
	4-CF ₃ SO ₂	B8	Me	Cl	Me
30	4-Cl ₂ C=CHCH ₂ S	B16	Me	Me	Me
	4-Cl ₂ C=CHCH ₂ SO	B17	Me	Cl	Me
	4-Cl ₂ C=CHCH ₂ SO ₂	B17	Cl	Me	Me
35	4-CBrCCH ₂ S	CO ₂ -nC ₁₀ H ₂₁	Cl	Cl	Me
	4-CBrCCH ₂ SO	B33	CF ₃	Cl	Me
40	4-CBrCCH ₂ SO ₂	B7	CF ₃	H	Me
	4-CHO	B7	H	CF ₃	Me
	4-NO ₂	B8	H	Cl	Me
45	4-CN	B16	Cl	H	Me
	4-(Me) ₂ N	B3	H	H	Me
	4-Me(MeCO)N	B7	OMe	Cl	Me
50	4-PhMeN	B8	SMe	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-PhCH ₂ (MeCO)N	B15	SCF ₃	Cl	Me
	4-(1-naphthyl)	B16	Me	Me	Me
	4-(2-naphthyl)	B28	Me	Me	Me
15	4-(2-Cl-Ph)CH ₂ O	B30	Me	Cl	Me
	4-(3-Cl-Ph)CH ₂ O	B34	Cl	Me	Me
20	4-(4-Cl-Ph)CH ₂ O	B7	CF ₃	Cl	Me
	4-(4-Cl-Ph)CH ₂ O	B7	Cl	Cl	Me
	4-(4-Cl-Ph)CH ₂ O	B37	Cl	Cl	Me
25	4-(4-F-Ph)CH ₂ O	B42	CF ₃	Cl	Me
	4-(2-Me-Ph)CH ₂ O	B43	CF ₃	H	Me
	4-(4-Me-Ph)CH ₂ O	B43	H	CF ₃	Me
30	4-(4-Et-Ph)CH ₂ O	H	H	Cl	Me
	3-(2,4-Cl ₂ -Ph)CH ₂ O	B7	Cl	H	Me
35	4-(3,4-Cl ₂ -Ph)CH ₂ O	B7	H	H	Me
	4-(2,5-Me ₂ -Ph)CH ₂ O	B7	OMe	Cl	Me
	4-(2,3,4,5,6-F ₅ -Ph)CH ₂ O	B7	SMe	Cl	Me
40	4-MeOC(O)	B4	SCF ₃	Cl	Me
	4-EtOC(O)	B5	Me	Me	Me
	4-nPrOC(O)	B6	Me	Me	Me
45	4-iPrOC(O)	B7	Me	Cl	Me
	4-iBuOC(O)	B8	Cl	Me	Me
	4-tBuOC(O)	B9	Cl	Cl	Me
50	4-tBuCH ₂ OC(O)	B7	Cl	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-tBuCH ₂ OC(O)	B15	Cl	Cl	Me
	4-tBuCH ₂ OC(O)	B34	Cl	Cl	Me
	4-tBuCH ₂ OC(O)	B7	CF ₃	Cl	Me
15	4-tBuCH ₂ OC(O)	B15	CF ₃	Cl	Me
	4-tBuCH ₂ OC(O)	B34	CF ₃	Cl	Me
20	4-tBuCH ₂ OC(O)	B10	CF ₃	Cl	Me
	4-Et(Me) ₂ COC(O)	B11	CF ₃	H	Me
	4-nHexOC(O)	B7	H	CF ₃	Me
25	4-MeOCH ₂	B8	H	Cl	Me
	4-EtOCH ₂	B7	Cl	H	Me
	4-iPrOCH ₂	B7	H	H	Me
30	4-MeC(O)	B16	OMe	Cl	Me
	4-EtC(O)	B7	SMe	Cl	Me
	4-iPrC(O)	B8	SCF ₃	Cl	Me
35	4-tBuC(O)	H	Cl	Cl	Me
	4-tBuC(O)	B3	Cl	Cl	Me
40	4-tBuC(O)	B7	Cl	Cl	Me
	4-tBuC(O)	B3	CF ₃	Cl	Me
	4-tBuC(O)	B7	CF ₃	Cl	Me
45	4-tBuC(O)	B15	CF ₃	Cl	Me
	4-tBuC(O)	B7	Me	Me	Me
	4-tBuC(O)	B17	Me	Me	Me
50	4-tBuC(O)	B16	Me	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-CF ₃ C(O)	B7	Me	Me	Me
	4-CF ₃ CF ₂ C(O)	B8	Me	Cl	Me
	4-CF ₂ CF ₂ CF ₂ C(O)	B22	Cl	Me	Me
15	4-MeC(O)O	B23	Cl	Cl	Me
	4-iPrC(O)O	B7	CF ₃	Cl	Me
20	4-tBuC(O)O	B8	CF ₃	H	Me
	4-CF ₃ C(O)O	B7	H	CF ₃	Me
	4-CF ₂ CF ₂ CF ₂ C(O)O	B8	H	Cl	Me
25	4-Me ₂ NC(O)O	B34	Cl	H	Me
	4-Et ₂ NC(O)O	H	H	H	Me
	4-(nPr) ₂ NC(O)O	B7	OMe	Cl	Me
30	3-Ph	B8	SMe	Cl	Me
	4-Ph	B34	SCF ₃	Cl	Me
	4-(4-F-Ph)	B7	Cl	Cl	Me
35	4-(4-F-Ph)	B7	CF ₃	Cl	Me
	3-PhO	B7	Cl	Cl	Me
40	3-PhO	B15	CF ₃	Cl	Me
	4-PhO	B7	Me	Me	Me
	4-(4-F-Ph)O	B35	Me	Cl	Me
45	4-(4-Cl-Ph)O	B36	Cl	Me	Me
	4-(4-Br-Ph)O	B7	Cl	Cl	Me
	4-(4-Me-Ph)	B8	CF ₃	Cl	Me
50	4-(2-Cl-Ph)O	B34	CF ₃	H	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-(2-F-Ph)O	B40	H	CF ₃	Me
	4-(3-Cl-Ph)O	B41	H	Cl	Me
	4-(4-Cl-Ph)O	B42	Cl	H	Me
15	4-(2,4-Cl ₂ -Ph)O	B43	H	H	Me
	4-(3,4-Cl ₂ -Ph)O	B44	OMe	Cl	Me
20	4-(3,4,5-Cl ₃ -Ph)O	COCO ₂ Me	SMe	Cl	Me
	4-(2-Me-Ph)O	H	SCF ₃	Cl	Me
	4-(4-Me-Ph)O	B1	Me	Me	Me
25	4-(3-Cl-4-Me-Ph)O	B2	H	CF ₃	Me
	4-(2-pyridyl)	B3	H	Cl	Me
	4-(5-CF ₃ -pyridin-2-yl)	B4	Cl	H	Me
30	4-(2-pyridyl)O	B7	Cl	Cl	Me
	4-(2-pyridyl)O	B15	Cl	Cl	Me
	4-(2-pyridyl)O	B7	CF ₃	Cl	Me
35	4-(2-pyridyl)O	B8	CF ₃	Cl	Me
	4-(2-pyridyl)O	B34	CF ₃	Cl	Me
40	4-(2-pyridyl)O	B5	Cl	Cl	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B7	Cl	Cl	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B8	Cl	Cl	Me
45	4-(5-CF ₃ -pyridin-2-yl)O	B15	CF ₃	Cl	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B7	CF ₃	Cl	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B15	CF ₃	Cl	Me
50	4-(5-CF ₃ -pyridin-2-yl)O	B34	Me	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B7	Cl	Cl	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B15	Cl	Cl	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B34	Cl	Cl	Me
15	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B7	CF ₃	Cl	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B15	CF ₃	Cl	Me
20	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B17	CF ₃	Cl	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	H	Cl	Cl	Me
	4-(5-Cl-thiophen-2-yl)	B8	Cl	Cl	Me
25	3-OCH ₂ O-4	B9	Cl	Cl	Me
	4-OCF ₂ O-4	B10	CF ₃	Cl	Me
	4-MeCH=N	B11	CF ₃	Cl	Me
30	4-Me ₂ C=N	B12	CF ₃	Cl	Me
	4-MeEtC=N	H	Cl	Cl	Me
	4-PhCH=N	B3	Cl	Cl	Me
35	4-PhMeC=N	B7	Cl	Cl	Me
	4-PhCH ₂ CH=N	B8	CF ₃	Cl	Me
40	4-cC ₆ H ₁₀ =N	B15	CF ₃	Cl	Me
	3-CH ₂ CH ₂ CH ₂ -4	B16	CF ₃	Cl	Me
	3-CH ₂ CH ₂ CH ₂ CH ₂ -4	B28	Cl	Cl	Me
45	4-PhC(O)	H	Cl	Cl	Me
	4-PhC(O)	B7	Cl	Cl	Me
	4-PhC(O)	B7	Cl	Cl	Me
50	4-PhC(O)	B33	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-(2-Cl-Ph)C(O)	B7	CF ₃	Cl	Me
	4-(4-F-Ph)C(O)	H	CF ₃	Cl	Me
	4-(4-Cl-Ph)C(O)	B7	Cl	Cl	Me
15	4-(4-Cl-Ph)C(O)	B15	Cl	Cl	Me
	4-(4-Cl-Ph)C(O)	B34	Cl	Cl	Me
20	4-(4-Me-Ph)C(O)	B3	CF ₃	Cl	Me
	4-(4-Me-Ph)C(O)	B16	CF ₃	Cl	Me
	4-(3,4-Cl ₂ -Ph)C(O)	B45	CF ₃	Cl	Me
25	3,4-Cl ₂	B15	Cl	Cl	Me
	3-Cl-4-F	B7	Cl	Cl	Me
	2,6-F ₂	B15	CF ₃	Cl	Me
30	3-Cl-4-CF ₃	B7	CF ₃	Cl	Me
	4-tBu-3-Cl	B7	Cl	Cl	Me
35	4-tBu-3-Cl	B15	CF ₃	Cl	Me
	4-tBuCH ₂ -3-Cl	B7	Cl	Cl	Me
	4-nHep-3-Cl	B15	CF ₃	Cl	Me
40	3-Cl-4-iPrO	B7	Cl	Cl	Me
	3-Cl-4-iPrO	B7	CF ₃	Cl	Me
	3-Cl-4-nHepO	B15	CF ₃	Cl	Me
45	3-Cl-4-(3,4-Cl ₂ -PhCH ₂)O	H	CF ₃	Cl	Me
	3-Cl-4-PhCH ₂ O	B7	CF ₃	Cl	Me
50	3,4-(MeO) ₂	B16	CF ₃	Cl	Me
	4-MeO-3-Me	B17	CF ₃	Cl	Me

55

Table 11 (continued)

	G	B	Y ¹	Y ²	Y ³
5					
10	4-OH-3,5-(tBu) ₂	B3	CF ₃	Cl	Me
	3,4,5-Cl ₃	B15	CF ₃	Cl	Me
15	2,6-Cl ₂ -4-CF ₃	B7	CF ₃	Cl	Me
	2,6-F ₂ -4-CF ₃	B15	Cl	Cl	Me
	2,6-F ₂ -4-CF ₃ O	B7	CF ₃	Cl	Me
20	3,5-Cl ₂ -4-tBu	B7	Cl	Cl	Me
	3,5-Cl ₂ -4-tBuCH ₂	B15	CF ₃	Cl	Me
	3,5-Cl ₂ -4-nDec	B7	Cl	Cl	Me
25	3,5-Cl ₂ -4-PhCH ₂ O	B15	CF ₃	Cl	Me
	2,3,5,6-F ₄ -4-Me	B3	CF ₃	Cl	Me
30	2,3,4,5,6-F ₅	B33	CF ₃	Cl	Me

35

40

45

50

55

10



or

45

50

55

	G	B	Y ¹	Y ²
5				
	2-Cl	H	Me	Me
10	3-Cl	B1	H	H
	4-Cl	B2	Me	H
	4-Br	B3	H	Me
15	4-I	B4	Me	Me
	4-F	B5	CF ₃	Me
	4-Me	B6	Cl	Me
20	4-Et	B7	H	Me
	4-iPr	B8	Cl	Me
25	4-nBu	B9	H	Me
	4-iBu	B10	OMe	Me
	4-sBu	B11	SMe	Me
30	4-sBu	H	Me	Me
	4-sBu	B16	Et	Me
	4-sBu	B17	Cl	Me
35	4-sBu	B7	Cl	Cl
	4-sBu	B8	CF ₃	Me
40	4-sBu	B16	Me	CF ₃
	4-sBu	B17	Me	Me
	4-sBu	B34	CF ₃	Me
45	4-sBu	B3	CF ₃	Me
	4-sBu	B7	CF ₃	Me
50	4-sBu	B8	Cl	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-sBu	B34	Me	Cl
	4-sBu	B7	H	H
	4-sBu	B17	CF ₃	Me
15	4-tBu	B12	SCF ₃	Me
	4-tBu	H	Me	Me
	4-tBu	B3	Me	Me
20	4-tBu	B7	Me	Me
	4-tBu	B8	Et	Me
25	4-tBu	B15	Me	nPr
	4-tBu	B16	OMe	OMe
	4-tBu	B28	Cl	Cl
30	4-tBu	B30	OCHF ₂	Me
	4-tBu	B34	CF ₃	CF ₃
	4-tBu	CO-nC ₈ H ₁₇	H	H
35	4-tBu	CO-nC ₁₅ H ₃₁	Cl	Cl
	4-tBu	CO ₂ -nHex	Me	Me
40	4-tBu	CO ₂ -nC ₁₀ H ₂₁	Me	Me
	4-tBu	H	CN	Me
	4-tBu	H	CF ₃	Me
45	4-tBu	B3	CF ₃	Me
	4-tBu	B7	CF ₃	Me
	4-tBu	B8	CF ₃	Me
50	4-tBu	B15	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-tBu	B16	CF ₃	Me
	4-tBu	B28	CF ₃	Me
	4-tBu	B30	CF ₃	Me
15	4-tBu	B16	Cl	Cl
	4-tBu	B16	CF ₃	Me
20	4-tBu	B17	CF ₃	Me
	4-tBu	B17	Me	Me
	4-tBu	CO ₂ -nC ₁₀ H ₂₁	CF ₃	Me
25	4-tBu	CH ₂ OEt	CF ₃	Me
	4-tBu	B7	Me	CF ₃
	4-tBu	B7	Cl	Cl
30	4-tBu	B7	CN	Me
	4-tBu	B16	CN	Me
	4-tBu	B3	CN	Me
35	4-tBu	2-(4-tBu-Ph)-3,3-Me ₂ -cPrC(O)	CF ₃	Me
	4-tBu	B45	CF ₃	Me
40	4-tBuCH ₂	B3	CF ₃	Me
	4-tBuCH ₂	B7	Me	Me
	4-tBuCH ₂	B16	Me	Me
45	4-tBuCH ₂	B7	CF ₃	Me
	4-tBuCH ₂	B8	CF ₃	Me
	4-tBuCH ₂	B7	Cl	Me
50	4-Et(Me) ₂ C	H	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-Et (Me) ₂ C	B3	CF ₃	Me
	4-Et (Me) ₂ C	B7	CF ₃	Me
	4-Et (Me) ₂ C	B8	CF ₃	Me
15	4-Et (Me) ₂ C	B34	CF ₃	Me
	4-Et (Me) ₂ C	B42	CF ₃	Me
20	4-Et (Me) ₂ C	B16	CF ₃	Me
	4-Et (Me) ₂ C	B17	CF ₃	Me
	4-Et (Me) ₂ C	H	Cl	Me
25	4-Et (Me) ₂ C	B7	Cl	Me
	4-Et (Me) ₂ C	B8	Cl	Me
	4-Et (Me) ₂ C	B7	Me	CF ₃
30	4-Et (Me) ₂ C	B7	CN	Me
	4-Et (Me) ₂ C	B4	H	Me
35	4-Et (Me) ₂ C	B5	Me	Me
	4-Et (Me) ₂ C	B6	Me	Me
	4-Et (Me) ₂ C	B3	Me	Cl
40	4-Et (Me) ₂ C	B16	Me	Cl
	4-Et (Me) ₂ C	B17	Me	Cl
	4-Et (Me) ₂ C	B24	Me	Cl
45	4-nHex	B34	CF ₃	Me
	4-nHep	B42	CF ₃	Me
50	4-nOct	B43	Me	Me
	4-nNon	B43	Me	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-nDec	H	Cl	Me
	4-(Me) ₂ (CN)C	B7	Cl	Me
	4-PhCH ₂	B7	CF ₃	Me
15	4-Ph(Me) ₂ C	B7	CF ₃	Me
	4-(4-F-Ph)(Me) ₂ C	B7	CN	Me
20	4-MeCH=CH	B4	H	Me
	4-MeCC	B5	Cl	Me
	3-CF ₃	B6	H	Me
25	4-CF ₃	B7	OMe	Me
	4-CF ₃	B8	SMe	Me
	4-CF ₃	B9	SCF ₃	Me
30	4-CF ₃	B16	Me	Me
	4-CF ₃	B17	Me	Me
	4-CF ₃	B16	Me	Me
35	4-CF ₃	B17	Cl	Me
	4-CF ₃	B7	Cl	Me
40	4-CF ₃	B7	CF ₃	Me
	4-CF ₃	B7	Me	Me
	4-CF ₃	B3	Cl	Me
45	4-CF ₃ CH ₂	B7	Me	Me
	4-Cl ₂ C=CHCH ₂	B8	Cl	Me
	4-BrCC	B7	Cl	Me
50	4-(2,2-F ₂)cBuCH ₂	B7	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-(1-Me)cPr	B16	CN	Me
	4-cHex	B7	CF ₃	Me
	4-(1-Me)cHex	B8	CF ₃	Me
15	4-MeO	B7	CF ₃	Me
	4-iPrO	B7	Cl	Me
20	4-iPrO	B7	CF ₃	Me
	4-iPrO	B15	CF ₃	Me
	4-iPrO	B7	Me	Me
25	4-iPrO	B16	Me	Me
	4-iPrO	B17	Me	Me
	4-iPrO	B23	SCF ₃	Me
30	4-tBuO	B7	Me	Me
	4-tBuO	B8	CF ₃	Me
35	4-tBuO	B7	CF ₃	Me
	4-nHexO	B8	CF ₃	Me
	4-nOctO	B34	CF ₃	Me
40	4-nDecO	H	CF ₃	Me
	4-CH ₂ =CHCH ₂ O	B7	CF ₃	Me
	4-CHCCH ₂ O	B8	CF ₃	Me
45	4-CHF ₂ O	B34	CF ₃	Me
	4-CHF ₂ O	B7	Et	Me
	4-CHF ₂ O	B35	Me	Me
50	4-CHF ₂ O	B36	Cl	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CHF ₂ O	B7	CF ₃	Me
	4-CBrF ₂ O	B8	Cl	Me
	4-CBrF ₂ O	B34	Cl	Me
15	4-CBrF ₂ O	B40	Me	Me
	4-CBrF ₂ O	B41	Me	Me
20	4-CBrF ₂ O	B42	Cl	Me
	4-CBrF ₂ O	B7	CF ₃	Me
	4-CBrF ₂ O	B8	CF ₃	Me
25	4-CBrF ₂ O	COCO ₂ Me	CF ₃	Me
	4-CBrF ₂ O	H	H	Me
	4-CBrF ₂ O	B1	CF ₃	Me
30	4-CF ₃ O	B2	Cl	Me
	4-CF ₃ O	B3	H	Me
	4-CF ₃ O	B4	OMe	Me
35	4-CF ₃ O	B5	SMe	Me
	4-CF ₃ O	B6	SCF ₃	Me
40	4-CF ₃ O	B7	CF ₃	Me
	4-CF ₃ CH ₂ O	B8	Me	Me
	4-CF ₂ =CHCH ₂ CH ₂ O	B9	Me	Me
45	4-CCl ₂ =CHCH ₂ O	B10	Cl	Me
	4-ClCCCH ₂ O	B11	Cl	Me
	4-MeS	B12	CF ₃	Me
50	4-sBuS	H	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-EtSO	B3	H	Me
	4-MeSO ₂	H	CF ₃	Me
	4-MeSO ₂	B3	CF ₃	Me
15	4-MeSO ₂	B32	CF ₃	Me
	4-MeSO ₂	B33	CF ₃	Me
20	4-EtSO ₂	H	CF ₃	Me
	4-EtSO ₂	B3	Et	Me
	4-iPrSO ₂	B32	CF ₃	Me
25	4-iPrSO ₂	B33	CF ₃	Me
	4-tBuSO ₂	B7	CF ₃	Me
	4-tBuSO ₂	B33	CF ₃	Me
30	4-MeCH=CHCH ₂ S	B15	H	Me
	4-CH ₂ =CHCH ₂ SO	B16	OMe	Me
	4-CH ₂ =CHCH ₂ SO ₂	B28	SMe	Me
35	4-CHCCH ₂ S	B30	SCF ₃	Me
	4-CHCCH ₂ SO	B34	Me	Me
40	4-CHCCH ₂ SO ₂	CO-nC ₈ H ₁₇	Me	Me
	4-CHF ₂ S	H	CF ₃	Me
	4-CHF ₂ S	B7	CF ₃	Me
45	4-CHF ₂ S	B8	CF ₃	Me
	4-CHF ₂ S	B15	CF ₃	Me
	4-CHF ₂ S	B29	CF ₃	Me
50	4-CHF ₂ S	H	Me	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CHF ₂ S	B7	Me	Me
	4-CHF ₂ S	B15	Me	Me
	4-CBrF ₂ S	B7	Me	CF ₃
15	4-CBrF ₂ S	B15	Me	CF ₃
	4-CBrF ₂ S	B30	Me	CF ₃
20	4-CBrF ₂ S	B43	Me	CF ₃
	4-CBrF ₂ S	CO-nC ₁₅ H ₃₁	nPr	Me
	4-CBrF ₂ S	CO ₂ -nHex	CF ₃	Me
25	4-CBrF ₂ S	H	CF ₃	Me
	4-CBrF ₂ S	B7	CF ₃	Me
	4-CBrF ₂ S	B8	CF ₃	Me
30	4-CBrF ₂ S	B15	CF ₃	Me
	4-CBrF ₂ S	B28	CF ₃	Me
	4-CBrF ₂ S	B34	CF ₃	Me
35	4-CBrF ₂ S	B7	Me	Me
	4-CF ₃ S	CO ₂ -nC ₁₀ H ₂₁	Cl	Me
40	4-CF ₃ S	H	Me	Me
	4-CF ₃ S	B3	Me	Me
	4-CF ₃ S	B7	Me	Me
45	4-CF ₃ S	B8	Me	Me
	4-CF ₃ S	B15	Me	Me
	4-CF ₃ S	H	CF ₃	Me
50	4-CF ₃ S	B7	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CF ₃ S	B8	CF ₃	Me
	4-CF ₃ S	B15	CF ₃	Me
	4-CF ₃ S	B34	CF ₃	Me
15	4-CF ₃ S	CO ₂ -nC ₁₂ H ₂₅	CF ₃	Me
	4-CF ₃ S	CO-nC ₁₅ H ₃₁	CF ₃	Me
20	4-CF ₃ S	CO-nC ₁₆ H ₃₃	Me	Me
	4-CF ₃ S	CO-nC ₁₇ H ₃₅	Me	Me
	4-CF ₃ CH ₂ S	CO-nC ₁₈ H ₃₇	CF ₃	Me
25	4-CHF ₂ CF ₂ S	CO-nC ₁₉ H ₃₉	CF ₃	Me
	4-CHF ₂ SO	CO-nC ₂₀ H ₄₁	Cl	Cl
	4-CBrF ₂ SO	H	H	Me
30	4-CBrF ₂ SO	B3	CF ₃	Me
	4-CBrF ₂ SO	B7	CF ₃	Me
35	4-CBrF ₂ SO	B24	CF ₃	Me
	4-CBrF ₂ SO	B32	CF ₃	Me
	4-CBrF ₂ SO	B33	CF ₃	Me
40	4-CF ₃ SO	H	Me	Me
	4-CF ₃ SO	B3	Me	Me
	4-CF ₃ SO	B7	Me	Me
45	4-CF ₃ SO	B33	Me	Me
	4-CF ₃ CH ₂ SO ₂	B15	H	Me
	4-CHF ₂ CF ₂ SO ₂	B16	OMe	Me
50	4-CHF ₂ SO ₂	B28	SMe	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CHF ₂ SO ₂	B7	CF ₃	Me
	4-CHF ₂ SO ₂	B24	CF ₃	Me
	4-CHF ₂ SO ₂	B32	CF ₃	Me
15	4-CHF ₂ SO ₂	B33	CF ₃	Me
	4-CHF ₂ SO ₂	H	Me	Me
20	4-CHF ₂ SO ₂	B3	Me	Me
	4-CHF ₂ SO ₂	B7	Me	Me
	4-CHF ₂ SO ₂	B33	Me	Me
25	4-CBrF ₂ SO ₂	H	SCF ₃	Me
	4-CBrF ₂ SO ₂	B2	Me	Me
	4-CBrF ₂ SO ₂	B3	Me	Me
30	4-CBrF ₂ SO ₂	B18	Me	Me
	4-CBrF ₂ SO ₂	B19	Me	Me
	4-CBrF ₂ SO ₂	B33	Me	Me
35	4-CBrF ₂ SO ₂	H	CF ₃	Me
	4-CBrF ₂ SO ₂	B3	CF ₃	Me
40	4-CBrF ₂ SO ₂	B7	CF ₃	Me
	4-CBrF ₂ SO ₂	B20	CF ₃	Me
	4-CBrF ₂ SO ₂	B32	CF ₃	Me
45	4-CBrF ₂ SO ₂	B33	CF ₃	Me
	4-CBrF ₂ SO ₂	B37	CF ₃	Me
	4-CBrF ₂ SO ₂	B7	Me	CF ₃
50	4-CBrF ₂ SO ₂	B15	Me	CF ₃

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CBrF ₂ SO ₂	B17	Me	CF ₃
	4-CBrF ₂ SO ₂	B7	Me	CF ₃
	4-CBrF ₂ SO ₂	B16	Me	CF ₃
15	4-CF ₃ SO ₂	B16	Me	Me
	4-CF ₃ SO ₂	B7	Cl	Me
20	4-CF ₃ SO ₂	B15	Cl	Cl
	4-CF ₃ SO ₂	B3	CF ₃	Me
	4-CF ₃ SO ₂	B7	CF ₃	Me
25	4-CF ₃ SO ₂	B15	Me	Me
	4-CF ₃ SO ₂	B7	Me	Me
	4-CF ₃ SO ₂	B8	Me	Me
30	4-Cl ₂ C=CHCH ₂ S	B16	Me	Me
	4-Cl ₂ C=CHCH ₂ SO	B17	Me	Me
	4-Cl ₂ C=CHCH ₂ SO ₂	B17	Cl	Me
35	4-CBrCCH ₂ S	CO ₂ -nC ₁₀ H ₂₁	Cl	Me
	4-CBrCCH ₂ SO	B33	CF ₃	Me
40	4-CBrCCH ₂ SO ₂	B7	CF ₃	Me
	4-CHO	B7	H	Me
	4-NO ₂	B8	H	Me
45	4-CN	B16	Cl	Me
	4-(Me) ₂ N	B3	H	Me
	4-Me(MeCO)N	B7	OMe	Me
50	4-PhMeN	B8	SMe	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-PhCH ₂ (MeCO)N	B15	SCF ₃	Me
	4-(1-naphthyl)	B16	Me	Me
	4-(2-naphthyl)	B28	Me	Me
15	4-(2-Cl-Ph)CH ₂ O	B30	Me	Me
	4-(3-Cl-Ph)CH ₂ O	B34	Cl	Me
20	4-(4-Cl-Ph)CH ₂ O	B7	CF ₃	Me
	4-(4-Cl-Ph)CH ₂ O	B7	Cl	Me
	4-(4-Cl-Ph)CH ₂ O	B37	Cl	Me
25	4-(4-F-Ph)CH ₂ O	B42	CF ₃	Me
	4-(2-Me-Ph)CH ₂ O	B43	CF ₃	Me
	4-(4-Me-Ph)CH ₂ O	B43	CF ₃	Me
30	4-(4-Et-Ph)CH ₂ O	H	CF ₃	Me
	3-(2,4-Cl ₂ -Ph)CH ₂ O	B7	CF ₃	Me
35	4-(3,4-Cl ₂ -Ph)CH ₂ O	B7	H	Me
	4-(2,5-Me ₂ -Ph)CH ₂ O	B7	OMe	Me
	4-(2,3,4,5,6-F ₅ -Ph)CH ₂ O	B7	SMe	Me
40	4-MeOC(O)	B4	SCF ₃	Me
	4-EtOC(O)	B5	Me	Me
	4-nPrOC(O)	B6	Me	Me
45	4-iPrOC(O)	B7	Me	Me
	4-tBuOC(O)	B7	Me	Me
	4-tBuOC(O)	B3	CF ₃	Me
50	4-tBuOC(O)	B5	CF ₃	Me

55

Table 12 (continued).

	G	B	Y ¹	Y ²
5				
10	4-tBuOC(O)	B33	CF ₃	Me
	4-tBuOC(O)	H	CF ₃	Me
	4-tBuOC(O)	B7	CF ₃	Me
15	4-tBuOC(O)	B8	CF ₃	Me
	4-tBuOC(O)	B34	CF ₃	Me
20	4-tBuCH ₂ OC(O)	B10	CF ₃	Me
	4-Et(Me) ₂ COC(O)	B11	CF ₃	Me
	4-nHexOC(O)	B7	H	Me
25	4-MeOCH ₂	B8	H	Me
	4-EtOCH ₂	B7	Cl	Me
	4-iPrOCH ₂	B7	H	Me
30	4-MeC(O)	B16	OMe	Me
	4-EtC(O)	B7	SMe	Me
35	4-iPrC(O)	B8	SCF ₃	Me
	4-tBuC(O)	H	Cl	Cl
	4-tBuC(O)	B3	Cl	Cl
40	4-tBuC(O)	B7	Cl	Cl
	4-tBuC(O)	B3	CF ₃	Me
	4-tBuC(O)	B7	CF ₃	Me
45	4-tBuC(O)	B15	CF ₃	Me
	4-tBuC(O)	B7	Me	Me
	4-tBuC(O)	B17	Me	Me
50	4-tBuC(O)	B16	Me	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-CF ₃ C(O)	B33	Me	Me
	4-CF ₃ CF ₂ C(O)	B8	Me	Me
	4-CF ₂ CF ₂ CF ₂ C(O)	B22	Cl	Me
15	4-MeC(O)O	B23	Cl	Me
	4-iPrC(O)O	B7	CF ₃	Me
20	4-tBuC(O)O	B8	CF ₃	Me
	4-CF ₃ C(O)O	B7	H	Me
	4-CF ₂ CF ₂ CF ₂ C(O)O	B8	H	Me
25	4-Me ₂ NC(O)O	B34	Cl	Me
	4-Et ₂ NC(O)O	H	H	Me
	4-(nPr) ₂ NC(O)O	B7	OMe	Me
30	3-Ph	B8	SMe	Me
	4-Ph	B34	SCF ₃	Me
	4-(4-F-Ph)	B7	Et	Me
35	4-(4-F-Ph)	B7	CF ₃	Me
	3-PhO	B7	Me	Me
40	3-PhO	B15	CF ₃	Me
	4-PhO	B7	Me	Me
	4-(4-F-Ph)O	B35	Me	Me
45	4-(4-Cl-Ph)O	B36	Et	Me
	4-(4-Br-Ph)O	B7	CF ₃	Me
	4-(4-Me-Ph)	B8	CF ₃	Me
50	4-(2-Cl-Ph)O	B34	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-(2-F-Ph)O	B40	H	Me
	4-(3-Cl-Ph)O	B41	H	Me
	4-(4-Cl-Ph)O	B42	Cl	Me
15	4-(2,4-Cl ₂ -Ph)O	B43	H	Me
	4-(3,4-Cl ₂ -Ph)O	B44	OMe	Me
20	4-(3,4,5-Cl ₃ -Ph)O	COCO ₂ Me	SMe	Me
	4-(2-Me-Ph)O	H	SCF ₃	Me
	4-(4-Me-Ph)O	B1	Me	Me
25	4-(3-Cl-4-Me-Ph)O	B2	H	Me
	4-(2-pyridyl)	B3	H	Me
	4-(5-CF ₃ -pyridin-2-yl)	B4	Cl	Me
30	4-(2-pyridyl)O	B7	Me	Me
	4-(2-pyridyl)O	B15	Me	Me
35	4-(2-pyridyl)O	B7	CF ₃	Me
	4-(2-pyridyl)O	B8	CF ₃	Me
	4-(2-pyridyl)O	B34	CF ₃	Me
40	4-(2-pyridyl)O	B5	CF ₃	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B7	Me	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B8	Me	Me
45	4-(5-CF ₃ -pyridin-2-yl)O	B15	CF ₃	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B7	CF ₃	Me
50	4-(5-CF ₃ -pyridin-2-yl)O	B15	CF ₃	Me
	4-(5-CF ₃ -pyridin-2-yl)O	B34	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B7	Me	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B15	Me	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B34	Me	Me
15	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B7	CF ₃	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B15	CF ₃	Me
20	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	B17	CF ₃	Me
	4-(3-Cl-5-CF ₃ -pyridin-2-yl)	H	CF ₃	Me
	4-(5-Cl-thiophen-2-yl)	B8	Cl	Me
25	3-OCH ₂ O-4	B9	Cl	Me
	4-OCF ₃ O-4	B10	CF ₃	Me
	4-MeCH=N	B11	CF ₃	Me
30	4-Me ₂ C=N	B12	CF ₃	Me
	4-MeEtC=N	H	Cl	Me
35	4-PhCH=N	B3	Cl	Me
	4-PhMeC=N	B7	Cl	Me
	4-PhCH ₂ CH=N	B8	CF ₃	Me
40	4-cC ₆ H ₁₀ =N	B15	CF ₃	Me
	3-CH ₂ CH ₂ CH ₂ -4	B16	CF ₃	Me
	3-CH ₂ CH ₂ CH ₂ CH ₂ -4	B28	Cl	Me
45	4-PhC(O)	H	CF ₃	Me
	4-PhC(O)	B7	Et	Me
50	4-PhC(O)	B7	CF ₃	Me
	4-PhC(O)	B33	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	4-(2-Cl-Ph)C(O)	B7	CF ₃	Me
	4-(4-F-Ph)C(O)	H	CF ₃	Me
	4-(4-Cl-Ph)C(O)	B7	CF ₃	Me
15	4-(4-Cl-Ph)C(O)	B15	CF ₃	Me
	4-(4-Cl-Ph)C(O)	B34	CF ₃	Me
20	4-(4-Me-Ph)C(O)	B3	CF ₃	Me
	4-(4-Me-Ph)C(O)	B16	CF ₃	Me
	4-(3,4-Cl ₂ -Ph)C(O)	B45	CF ₃	Me
25	2,4-Cl ₂	B7	CF ₃	Me
	3,4-Cl ₂	B7	CF ₃	Me
	4-Cl-2-F	B7	CF ₃	Me
30	3-Cl-4-nHex	B7	CF ₃	Me
	4-tBu-3-Cl	B7	CF ₃	Me
	4-tBu-3-Cl	B15	CF ₃	Me
35	3-Cl-4-iPrO	B7	Me	Me
	3-Cl-4-iPrO	B7	CF ₃	Me
40	3-Cl-4-nHepO	B15	CF ₃	Me
	3-Cl-4-(3,4-Cl ₂ -PhCH ₂)O	H	CF ₃	Me
	3-Cl-4-PhCH ₂ O	B7	CF ₃	Me
45	3-Cl-4-Me ₃ CCH ₂	B7	CF ₃	Me
	3,4-(MeO) ₂	B7	CF ₃	Me
	4-MeO-3-Me	B17	CF ₃	Me
50	4-OH-3,5-(tBu) ₂	B3	CF ₃	Me

55

Table 12 (continued)

	G	B	Y ¹	Y ²
5				
10	3,4,5-Cl ₃	B15	CF ₃	Me
	3,5-Cl ₂ -4-F	B7	CF ₃	Me
	4-Cl-2,6-F ₂	B7	CF ₃	Me
15	2,6-F ₂ -4-CF ₃	B7	CF ₃	Me
	2,6-F ₂ -4-CF ₃ O	B7	CF ₃	Me
20	3,5-Cl ₂ -4-nOct	B7	CF ₃	Me
	3,5-Cl ₂ -4-PhCH ₂ O	B15	CF ₃	Me
	2,3,5,6-F ₄ -4-Me	B3	CF ₃	Me
25	2,3,4,5,6-F ₅	B33	CF ₃	Me

30

35


40











45

50

55

Table 13





or

	R'	B	A
5	iPr	H	2,5-Me ₂ -1-pyrrolyl
10	iPr	B3	1-Me-2-pyrrolyl
	tBu	B5	3,5-Me ₂ -2-pyrrolyl
	tBu	B6	3,4-Me ₂ -2-pyrrolyl
15	tBu	B7	3,4,5-Me ₂ -2-pyrrolyl
	1-Me-cPr	B8	3,5-Me ₂ -4-MeO-2-pyrrolyl
	1-Me-cPr	B15	4-MeC(O)-3,5-Me ₂ -2-pyrrolyl
20	1-Me-cPr	B16	4-NO ₂ -2-pyrrolyl
	1-Me-cPr	B17	2-Me-3-pyrrolyl
	1-Me-cHex	B22	4-Me-3-pyrrolyl
25	1-Me-cHex	B31	2,4,5-Me ₂ -3-pyrrolyl
	1-Me-cHex	B32	2,4-Me ₂ -5-EtO ₂ C-3-pyrrolyl
30	1-Me-cHex	B33	1,2,3-triazol-4-yl
	PhCH ₂	B34	1-Me-1,2,3-triazol-4-yl
	PhCH ₂	B35	2-Me-1,2,3-triazol-4-yl
35	PhCH ₂	B36	3-Me-1,2,3-triazol-4-yl
	PhMe ₂ C	B40	2-EtO ₂ C-1,2,3-triazol-4-yl
	PhMe ₂ C	B41	5-Me-2-Ph-1,2,3-triazol-4-yl
40	PhMe ₂ C	pyridin-2-yl-C(O)	5-CF ₃ -2-Me-1,2,3-triazol-4-yl
	PhMe ₂ C	pyridin-2-yl-C(O)	2,5-Me ₂ -1,2,3-triazol-4-yl
	Ph	pyridin-2-yl-C(O)	1-PhCH ₂ -5-Me-1,2,3-triazol-4-yl
45	2-F-Ph	H	1-PhCH ₂ -5-CF ₃ -1,2,3-triazol-4-yl
	2-F-Ph	B3	1-PhCH ₂ -5-Cl-1,2,3-triazol-4-yl

Table 13 (continued)

5

10

15

20

25

30

35

40

45

50


55

R'	B	A
2-F-Ph	B5	4-Me-1,2,3-triazol-1-yl
2-F-Ph	B6	5-Me-1,2,3-triazol-2-yl
2-Cl-Ph	B7	4-MeO ₂ C-1,2,3-triazol-1-yl
2-Cl-Ph	B8	4,5-EtO ₂ C-1,2,3-triazol-2-yl
2-Cl-Ph	B15	4,5-Me ₂ -1,2,3-triazol-1-yl
2-Me-Ph	B16	4,5-(MeO ₂ C) ₂ -1,2,3-triazol-2-yl
2-Me-Ph	B17	4,5-Me ₂ -1,2,4-triazol-3-yl
2-Me-Ph	B22	2,4-Me ₂ -1,2,4-triazol-3-yl
4-NO ₂ -Ph	B31	1,5-Me ₂ -1,2,4-triazol-3-yl
2,6-F ₂ -Ph	B32	5-Me-3-CF ₃ -1,2,4-triazol-2-yl
2,6-F ₂ -Ph	B33	3-Cl-5-CF ₃ -1,2,4-triazol-2-yl
2,6-F ₂ -Ph	B34	5-Cl-3-CF ₃ -1,2,4-triazol-2-yl
2,6-F ₂ -Ph	B35	3,5-Me ₂ -1,2,4-triazol-4-yl
2,6-F ₂ -Ph	B36	3,5-Cl ₂ -1,2,4-triazol-4-yl
2,6-Cl ₂ -Ph	B40	3,5-(CF ₃) ₂ -1,2,4-triazol-4-yl
2,6-Cl ₂ -Ph	B41	5-tetrazolyl
2,6-Cl ₂ -Ph	pyridin-2-yl-C(O)	5-Ph-1-tetrazolyl
2,6-Cl ₂ -Ph	pyridin-2-yl-C(O)	5-Ph-2-tetrazolyl
2-pyridyl	pyridin-2-yl-C(O)	3,4,4,5-Me ₄ -2-pyrazolin-1-yl
2-pyridyl	B8	3-Me-5-CF ₃ -2-pyrazolin-1-yl
2-pyridyl	B15	1,5-Me ₂ -3-CF ₃ -2-pyrazolin-4-yl
2-pyridyl	B16	1,4-Me ₂ -3-Ph-2-pyrazolin-4-yl
2-pyridyl	B17	1,4-Me ₂ -5-Ph-2-pyrazolin-4-yl

Table 13 (continued)

	R'	B	A
10	2-pyridyl	B22	1,3-Me ₂ -2-pyrazolin-5-yl
	1-naphthyl	B31	1,5-Me ₂ -2-pyrazolin-3-yl
	1-naphthyl	B32	2-Me-2-imizolin-1-yl
15	1-naphthyl	B33	2-CF ₃ -2-imizolin-1-yl
	iPr	B34	2-MeS-2-imizolin-1-yl
20	iPr	B35	2-MeO-2-imizolin-1-yl
	tBu	B36	5-Me-2-Ph-2-oxazolin-4-yl
	1-Me-cPr	B40	2,5-Me ₂ -2-oxazolin-4-yl
25	cHex	B41	5-Me-2-CF ₃ -2-oxazolin-4-yl
	1-Me-cHex	pyridin-2-yl-C(O)	2-thiazolin-2-yl
	PhCH ₂	pyridin-2-yl-C(O)	2-Me ₂ N-2-thiazolin-4-yl
30	PhMe ₂ C	pyridin-2-yl-C(O)	2,4-Me ₂ -2-thiazolin-5-yl
	Ph	B8	2-Me-4-CF ₃ -2-thiazolin-5-yl
	2-F-Ph	B15	5-Me-2-isoxazolin-3-yl
35	2-Cl-Ph	B16	3-Cl-5-Me-2-isoxazolin-4-yl
	2-Me-Ph	B17	3,5-(MeS) ₂ -2-isothiazolin-4-yl
40	4-NO ₂ -Ph	B22	5-Cl-2-Me-3(2H)-pyridazinon-4-yl
	2,6-F ₂ -Ph	B31	5,6-Cl ₂ -2-Me-pyridazinon-4-yl
	2,6-Cl ₂ -Ph	B32	4-Cl-2-Me-pyridazinon-4-yl
45	2-pyridyl	B33	4,6-Cl ₂ -2-Me-pyridazinon-4-yl
	1-naphthyl	B34	4,5-Cl ₂ -2-Me-pyridazinon-4-yl

Table 14



	R ¹	E	B	A
5	tBu	oxazol-2-yl	H	A1
10	tBu	thiazol-2-yl	B3	A2
	tBu	imidazol-2-yl	B7	A3
	tBu	1,5-Me ₂ -1,2,4-triazol-3-yl	B8	A4
15	tBu	5-Me-1,2,4-oxadiazol-3-yl	B15	A5
	tBu	5-CF ₃ -1,2,4-thiadiazol-3-yl	B16	A6
	tBu	5-Me-1,3,4-oxadiazol-2-yl	B17	A7
20	tBu	tetrazol-5-yl	B18	A8
	tBu	2-oxazolin-2-yl	B32	A9
25	tBu	1,2,4,5-tetrazin-3-yl	B33	A10
	tBu	F	B34	A11
	tBu	Cl	H	A12
30	tBu	Br	B7	A13
	tBu	I	B8	A14
	tBu	CHC	H	A15
35	tBu	CHC	B7	A2
	2,6-F ₂ -Ph	CHC	B7	A2
40	tBu	MeCC	B7	A16
	tBu	EtCC	B7	A17
	tBu	PhCC	B7	A2
45	tBu	PhCC	B8	A13
	2,6-F ₂ -Ph	PhCC	H	A2
50	2,6-F ₂ -Ph	PhCC	B7	A2

Table 14 (continued)

	R ¹	E	B	A
5				
10	pyridin-2-yl	PhCC	B7	A2
	tBu	(2-Cl-Ph)CC	B15	A19
	tBu	(3-Cl-Ph)CC	B15	A20
15	2,6-F ₂ -Ph	(4-Cl-Ph)CC	B16	A21
	2,6-F ₂ -Ph	(4-F-Ph)CC	B17	A22
20	2,6-F ₂ -Ph	(4-Me-Ph)CC	B18	A23
	2,6-F ₂ -Ph	(4-nHex-Ph)CC	B34	A24
	2,6-F ₂ -Ph	(2,6-Cl ₂ -Ph)CC	H	A25
25	2,6-F ₂ -Ph	(2,4-Cl ₂ -Ph)CC	(EtO) ₂ P(S)	A26
	2,6-F ₂ -Ph	(3,4-Cl ₂ -Ph)CC	B3	A27
	2,6-F ₂ -Ph	(2,4,6-Me ₃ -Ph)CC	B7	A28
30	2,6-F ₂ -Ph	(4-CF ₃ -Ph)CC	B15	A29
	2,6-F ₂ -Ph	CF ₃	B7	A2
35	2,6-F ₂ -Ph	CF ₃ CF ₂	H	A31
	2,6-F ₂ -Ph	NO ₂	B3	A32
	2,6-F ₂ -Ph	N ₃	B7	A33
40	2,6-F ₂ -Ph	N ₃	H	A2
	2,6-F ₂ -Ph	N ₃	B7	A1
	tBu	N ₃	B7	A2
45	tBu	N ₃	H	A2
	pyridin-2-yl	N ₃	B7	A2
50	2,6-F ₂ -Ph	CHO	B8	A34
	2,6-F ₂ -Ph	C(O)Me	B15	A35

55

Table 14 (continued)

	R ¹	E	B	A
5				
10	2,6-F ₂ -Ph	C(O)Et	B16	A36
	2,6-F ₂ -Ph	C(O) iPr	B17	A1
	2,6-F ₂ -Ph	C(O) nBu	B18	A2
15	2,6-F ₂ -Ph	C(O) sBu	B32	A3
	2,6-F ₂ -Ph	C(O) tBu	H	A2
20	2,6-F ₂ -Ph	C(O) tBu	H	A1
	2,6-F ₂ -Ph	C(O) tBu	B7	A1
	tBu	C(O) tBu	H	A2
25	tBu	C(O) tBu	B7	A2
	tBu	CO ₂ Me	H	A2
	tBu	CO ₂ Me	B7	A2
30	tBu	CO ₂ Me	B8	A2
	2,6-F ₂ -Ph	CO ₂ Me	H	A2
35	2,6-F ₂ -Ph	CO ₂ Me	B7	A2
	2,6-F ₂ -Ph	CO ₂ Me	B8	A2
	pyridin-2-yl	CO ₂ Me	H	A2
40	pyridin-2-yl	CO ₂ Me	B7	A2
	pyridin-2-yl	CO ₂ Me	B8	A2
	tBu	CO ₂ Me	B34	A5
45	tBu	CO ₂ Et	H	A2
	tBu	CO ₂ Et	B7	A2
	tBu	CO ₂ Et	B8	A2
50	2,6-F ₂ -Ph	CO ₂ Et	H	A2

55

Table 14 (continued)

	R ¹	E	B	A
5				
10	2,6-F ₂ -Ph	CO ₂ Et	B7	A2
	2,6-F ₂ -Ph	CO ₂ Et	B8	A2
15	pyridin-2-yl	CO ₂ Et	H	A2
	pyridin-2-yl	CO ₂ Et	B7	A2
	pyridin-2-yl	CO ₂ Et	B8	A2
20	pyridin-2-yl	CO ₂ Et	H	A6
	pyridin-2-yl	CO ₂ nPr	B7	A7
	pyridin-2-yl	CO ₂ iPr	B8	A8
25	pyridin-2-yl	CO ₂ nBu	H	A9
	pyridin-2-yl	CO ₂ iBu	B7	A10
	pyridin-2-yl	CO ₂ sBu	B7	A11
30	pyridin-2-yl	CO ₂ tBu	B8	A12
	pyridin-2-yl	CO ₂ CH ₂ CH=CH ₂	B15	A13
35	pyridin-2-yl	CO ₂ CH ₂ CH=CH ₂	B7	A2
	tBu	CO ₂ CH ₂ CH=CH ₂	B8	A2
	tBu	CO ₂ CH ₂ CH=CH ₂	H	A2
40	tBu	CO ₂ CH ₂ CH=CH ₂	B7	A2
	2,6-F ₂ -Ph	CO ₂ CH ₂ CH=CH ₂	B8	A2
	2,6-F ₂ -Ph	CO ₂ CH ₂ CH=CH ₂	H	A2
45	2,6-F ₂ -Ph	CO ₂ CH ₂ CH=CH ₂	B7	A2
	pyridin-2-yl	C(O)NHMe	B8	A2
50	2,6-F ₂ -Ph	C(O)NHMe	H	A2
	tBu	C(O)NHMe	H	A2

55

Table 14 (continued)

	R'	E	B	A
5				
10	pyridin-2-yl	C(O)NHEt.	B16	A15
	pyridin-2-yl	C(O)NHnPr	B17	A16
	tBu	C(O)NHiPr	B18	A17
15	tBu	C(O)NHiBu	B34	A18
	tBu	C(O)NHtBu	H	A19
20	tBu	C(O)NMe ₂	(EtO) ₂ P(S)	A20
	tBu	C(O)NMe ₂	H	A2
	tBu	C(O)NMe ₂	B7	A2
25	2,6-F ₂ -Ph	C(O)NMe ₂	B7	A2
	pyridin-4-yl	C(O)NMeEt	B3	A21
	2,6-F ₂ -Ph	C(O)NEt ₂	B7	A22
30	tBu	C(O)N(nPr) ₂	B15	A23
	tBu	PhC(O)	H	A24
35	tBu	PhC(O)	H	A2
	tBu	PhC(O)	B7	A2
	tBu	PhC(O)	B8	A2
40	2,6-F ₂ -Ph	PhC(O)	H	A2
	2,6-F ₂ -Ph	PhC(O)	B7	A2
	2,6-F ₂ -Ph	PhC(O)	B8	A2
45	pyridin-2-yl	PhC(O)	H	A2
	pyridin-2-yl	PhC(O)	B7	A2
50	2,6-F ₂ -Ph	(4-F-Ph)C(O)	B8	A2
	2,6-F ₂ -Ph	(3,4-Cl ₂ -Ph)C(O)	H	A6

55

Table 14 (continued)

5

10

15

20

25

30

35

40

45

50

R ¹	E	B	A
pyridin-3-yl	(3-Cl-4-F-Ph)C(0)	B8	A27
pyridin-3-yl	(4-Me-Ph)C(0)	B15	A28
tBu	C(S)NH ₂	B16	A29
tBu	C(S)NH ₂	H	A2
tBu	C(S)NH ₂	B7	A2
2,6-F ₂ -Ph	C(S)NH ₂	B8	A2
2,6-F ₂ -Ph	C(S)NH ₂	H	A2
2,6-F ₂ -Ph	C(S)NH ₂	B7	A2
pyridin-2-yl	C(S)NH ₂	B8	A2
pyridin-2-yl	C(S)NH ₂	H	A2
2,6-F ₂ -Ph	MeS	B7	A2
2,6-F ₂ -Ph	EtS	B18	A31
pyridin-2-yl	nPrS	B32	A32
pyridin-2-yl	tBuS	B33	A33
tBu	MeSO	B34	A34
tBu	EtSO	H	A35
tBu	nPrSO	B7	A36
2,6-F ₂ -Ph	tBuSO	B8	A1
2,6-F ₂ -Ph	MeSO ₂	H	A2
2,6-F ₂ -Ph	EtSO ₂	B7	A3
pyridin-2-yl	iPrSO ₂	B7	A4
pyridin-2-yl	nBuSO ₂	B8	A5
tBu	PhS	B15	A6

55

Table 14 (continued)

	R ¹	E	B	A
10	tBu	PhS	H	A2
	tBu	PhS	B7	A2
	2,6-F ₂ -Ph	PhS	B8	A2
15	2,6-F ₂ -Ph	PhS	H	A2
	2,6-F ₂ -Ph	PhS	B7	A2
20	pyridin-2-yl	PhS	B8	A2
	pyridin-2-yl	PhS	H	A2
	pyridin-2-yl	PhS	B7	A2
25	tBu	(4-Me-Ph)S	B8	A2
	tBu	(4-Cl-Ph)SO	H	A6
30	tBu	(2-F-Ph)SO ₂	B17	A9
	2,6-F ₂ -Ph	(MeO) ₂ P(O)	B18	A10
	2,6-F ₂ -Ph	(EtO) ₂ P(O)	B34	A11
35	2,6-F ₂ -Ph	(nPrO) ₂ P(O)	H	A12
	pyridin-2-yl	(PhO)(MeO)P(O)	(EtO) ₂ P(S)	A13
	pyridin-2-yl	(MeO) ₂ P(S)	B3	A14
40	tBu	(EtO) ₂ P(S)	B7	A15
	tBu	(nPrO) ₂ P(S)	B15	A16
45	tBu	(PhO)(MeO)P(S)	B7	A17

50 [0156] Where the compounds of the present invention are used as pesticides, in general, they can be mixed with a suitable carrier, for example a solid carrier, such as clay, talc, bentonite, diatomaceous earth or white carbon, or a liquid carrier such as water, alcohols (e.g., isopropanol, butanol, benzyl alcohol, furfuryl alcohol), aromatic hydrocarbons (e.g., toluene, xylene), ethers (e.g., anisole), ketones (e.g., cyclohexanone, isophorone), esters (e.g., butyl acetate),
55 acid amides (e.g., N-methylpyrrolidone) or halogenated hydrocarbons (e.g., chlorobenzene), optionally along with other additives such as surfactant, emulsifier, dispersing agent, penetrating agent, spreading agent, thickener, anti-freezing agent, anti-caking agent and stabilizer, and can be formulated into any desired forms for practical use, such as liquid preparations, emulsions, wettable powders, dry flowables, flowables, dusts and granules.

[0157] Where the compounds of the present invention are used as agricultural chemicals, they can be combined with any other herbicides, various insecticides, acaricides, nematocides, fungicides, plant growth regulators, synergists, fertilizer and soil improvers, when they are formulated into preparations for practical use or while they are actually used through spraying or the like.

[0158] In particular, the combination of the compounds of the invention and other agricultural chemicals or plant hormones will be advantageous in that the amount of the chemicals to be used can be reduced thereby resulting in the reduction of the costs for the treatment, and that the mixed chemicals exhibit synergistic effects to broaden the insecticidal spectrum while displaying higher pesticidal activities. If desired, the compounds of the invention can be combined with a plurality of known agricultural chemicals. For the agricultural chemicals capable of being combined with the compounds of the invention, for example, the compounds described in Farm Chemicals Handbook, 1994 are referred.

[0159] The dose of the compounds of the present invention varies depending on an application place, an application time, an application method, cultivation crops, etc. In general, it may be between approximately 0.005 kg and 50 kg per hectare (ha) in terms of the amount of the active ingredient.

[0160] Now, formulation examples comprising the compounds of the invention are mentioned below, which, however, are not intended to restrict the scope of the invention. In the following formulation examples, "part" or "parts" are by weight.

[Wettable Powders]

[0161]

Compound of the invention	5 to 80 parts
Solid carrier	10 to 85 parts
Surfactant	1 to 10 parts
Others	1 to 5 parts

[0162] The others include, for example, anti-caking agent, etc.

[Emulsions]

[0163]

Compound of the invention	1 to 30 parts
Liquid carrier	30 to 95 parts
Surfactant	5 to 15 parts

[Flowables]

[0164]

Compound of the invention	5 to 70 parts
Liquid carrier	15 to 65 parts
Surfactant	5 to 12 parts
Others	5 to 30 parts

[0165] The others include, for example, anti-freezing agent, thickener, etc.

[Dry Flowables (wetttable granules)]

[0166]

5

10

Compound of the invention	20 to 90 parts
Solid carrier	10 to 60 parts
Surfactant	1 to 20 parts

[Granules]

15 [0167]

20

Compound of the invention	0.1 to 10 parts
Solid carrier	90 to 99.99 parts
Others	1 to 5 parts

25 [Dusts]

[0168]

30

35

Compound of the invention	0.01 to 30 parts
Solid carrier	67 to 99.5 parts
Others	0 to 3 parts

[0169] Where the compounds of the present invention are used as an agent for preventing the attachment of aquatic organisms, they may be formulated into various preparations of, for example, coating paints, solutions, emulsions, pellets or flakes to be applicable to various objects. Depending on the application place, the object and the form, the preparations can be used in any ordinary manners of, for example, coating, spraying, dipping, adding to water or installing in water. To prepare such coating paints, solutions, emulsions and others, employable are any ordinary methods. Apart from the above-mentioned preparations and modes of using the compounds of the present invention, the compounds may also be used, for example, by incorporating them into ropes or fiber materials for fishingnets in the stage of preparing the ropes or fiber materials to thereby making them have the ability to prevent the attachment of aquatic organisms thereto. The agents for preventing the attachment of aquatic organisms according to the present invention can be used either singly or as combined with any other agents for preventing the attachment of aquatic organisms.

[0170] Where the aquatic adhesion inhibitors of the invention are used in the form of antifouling coatings, for example, the compounds of the invention may be mixed with film-forming agents to prepare coatings. The film-forming agents include oil varnishes, synthetic resins, artificial rubbers, etc. If desired, solvents, pigments and others can be added to the coatings. To prepare the paints, the uppermost limit of the concentration of the compounds of the invention to be therein is not specifically limited, provided that the resulting coatings can form film, but may be from 1 to 50 % by weight, preferably from 5 to 20 % by weight, relative to the weight of the antifouling coatings.

[0171] Where the agents for preventing the attachment of aquatic organisms of the present invention are used in the form of solutions, for example, the compounds of the invention may be dissolved in solvents along with film-forming agents to prepare solutions. The film-forming agents include synthetic resins, artificial rubbers, natural resins, etc. The solvents include xylene, toluene, cumene, methyl ethyl ketone, methyl isobutyl ketone, acetone, etc. If desired, additives such as plasticizer may be added to the solutions. To prepare the solutions, the uppermost limit of the concentration of the compounds of the invention to be therein is not specifically limited, provided that the compounds are dissolved to

give solutions, but may be from 1 to 50 % by weight, preferably from 5 to 30 % by weight, relative to the weight of the solutions.

[0172] Where the agents for preventing the attachment of aquatic organisms of the present invention are used in the form of emulsions, surfactants are added to the compounds of the invention to prepare the intended emulsions according to ordinary methods of preparing general emulsions. In this, the type of the surfactants to be used is not specifically limited. To prepare the emulsions, the uppermost limit of the concentration of the compounds of the invention to be therein is not specifically limited, provided that the compounds are emulsified to give emulsions, but may be from 1 to 50 % by weight, preferably from 5 to 30 % by weight, relative to the weight of the emulsions.

[0173] Where the agents for preventing the attachment of aquatic organisms of the present invention are used in the form of pellets or flakes, for example, the constitutive components of the compounds of the invention and optionally plasticizers, surfactants and others are added to the base of hydrophilic resins which are solid at room temperature, such as polyethylene glycol in a solid form, and the resulting mixtures are shaped into pellets or flakes through melting molding, compression molding or the like. To prepare the pellets or flakes, the uppermost limit of the concentration of the compounds to be therein is not specifically limited, provided that the compounds can be shaped into pellets or flakes, but may be from 20 to 95 % by weight, preferably from 30 to 90 % by weight, relative to the weight of the pellets or flakes.

Best Mode of Carrying Out the Invention

[Examples]

[0174] The present invention is illustrated specifically by referring to the following Synthesis Examples, Formulation Examples and Test Examples, which, however, are not intended to restrict the scope of the invention.

[Synthesis Example 1]

Synthesis of 2-[3-(2,6-difluorophenyl)pyrazol-1-yl]-3-(1-methyl-3,5-dichloropyrazol-4-yl)-3-hydroxyacrylonitrile (Compound No. I-40):

[0175]

1) 3.0 g of 3-(2,6-difluorophenyl)pyrazole was dissolved in 20 ml of acetonitrile, and 2.52 g of chloroacetonitrile and 4.61 g of potassium carbonate were added thereto at room temperature, and heated under reflux for 5 hours. After acetonitrile was distilled off under reduced pressure, ethyl acetate was added to the residue, which was then washed with a small amount of water. The organic layer was dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was recrystallized from a mixed solvent of isopropylether and diethyl ether to obtain 1.74 g of 1-cyanomethyl-3-(2,6-difluorophenyl)pyrazole.

2) A solution of 0.5 g of 1-cyanomethyl-3-(2,6-difluorophenyl)pyrazole dissolved in 10 ml of THF was dropwise added to a suspension of 0.15 g of 55 % sodium hydride in 10 ml of THF, at 50 °C. After the resulting product was stirred for 30 minutes, a solution of 0.67 g of 1-(1-methyl-3,5-dichloropyrazole-4-carbonyl)pyrazole dissolved in 10 ml of THF was dropwise added thereto at 50 °C and then stirred overnight at room temperature. The reaction mixture was poured into water, then extracted with ethyl acetate and washed with a small amount of water. The resulting product was dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was recrystallized from a mixed solvent of isopropyl ether/ethyl acetate = 3 / 1 to obtain 0.52 g of 2-[3-(2,6-difluorophenyl)pyrazol-1-yl]-3-(1-methyl-3,5-dichloropyrazol-4-yl)-3-hydroxyacrylonitrile.

[Synthesis Example 2]

Synthesis of 3-(1-methyl-3,5-dichloropyrazol-4-yl)-2-(2-phenylthiazol-4-yl)-3-hydroxyacrylonitrile (Compound No. II-1):

[0176]

1) 2.33 g of thiobenzamide was dissolved in 20 ml of dry methanol, and 2.16 g of 1,3-dichloroacetone was added thereto at room temperature and then heated under reflux for 1 hour. The solvent was distilled off under reduced pressure, and ice water was added to the remaining product, which was then neutralized with an aqueous solution of sodium hydrogen carbonate. The resulting product was extracted with ethyl acetate, washed with saturated saline, and dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through silica gel column chromatography to obtain 2.03 g of 4-chloromethyl-2-phenylthiazole was

obtained from the fraction eluted with chloroform/n-hexane = 1 / 2.

2) 1.39 g of 4-chloromethyl-2-phenylthiazole was dissolved in 10 ml of acetonitrile, and 0.65 g of potassium cyanide and 0.05 g of dibenzo-18-crown-6-ether were added thereto at room temperature, and then heated under reflux for 10 hours. After the temperature was returned to room temperature, ethyl acetate was added the resulting mixture, and the insoluble solid was removed through filtration. The resulting ethyl acetate solution was washed with saturated saline and water, and dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through silica gel column chromatography to obtain 0.98 g of 4-cyanomethyl-2-phenylthiazole from the fraction eluted with chloroform.

3) 0.72 g of 4-cyanomethyl-2-phenylthiazole was dissolved in 10 ml of dry THF, and 4.6 ml of n-butyl lithium (1.56 M hexane solution) was dropwise added thereto at -60 °C or lower in an argon atmosphere. After the resulting product was stirred at -60 °C or lower for 20 minutes, 0.84 g of 1-methyl-3,5-dichloropyrazole-4-carbonyl chloride as dissolved in 3 ml of dry THF was dropwise added thereto at -60 °C or lower. Then, the resulting product was gradually heated, and stirred for 4 hours at room temperature. The reaction mixture was poured into ice water, acidified with diluted hydrochloric acid, extracted with ethyl acetate, and washed with saturated saline. The resulting product was dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through silica gel column chromatography to obtain the intended product from the fraction eluted with chloroform. The resulting product was crystallized and washed with diethyl ether to obtain 0.86 g of 3-(1-methyl-3,5-dichloropyrazol-4-yl)-2-(2-phenylthiazol-4-yl)-3-hydroxyacrylonitrile.

[Synthesis Example 3]

Synthesis of 3-(1-methyl-3-trifluoromethyl-5-chloropyrazol-4-yl)-2-(4-tert-butylthiazol-2-yl)-3-pivaloyloxyacrylonitrile (Compound No. III-6, III-15):

[0177] 0.5 g of 3-(1-methyl-3-trifluoromethyl-5-chloropyrazol-4-yl)-2-(4-tert-butylthiazol-2-yl)-3-hydroxyacrylonitrile and 0.14 g of triethylamine were added to 15 ml of THF at room temperature and stirred to give a uniform solution. 0.16 g of pivaloyl chloride was dropwise added to the solution with cooling with ice, then gradually heated, and stirred at room temperature for 8 hours. The reaction mixture was poured into ice water, extracted with ethyl acetate, and washed thrice with saturated saline. After having been dried over sodium sulfate, the resulting product was passed through a short column filled with silica gel. The solvent was distilled off under reduced pressure, and the residual product was applied to silica gel thin-layer chromatography (developer solvent: chloroform) to obtain 0.16 g of 3-(1-methyl-3-trifluoromethyl-5-chloropyrazol-4-yl)-2-(4-tert-butylthiazol-2-yl)-3-pivaloyloxyacrylonitrile (III-6) and 0.35 g of its geometric isomer (III-15).

Compound No. III-6:

[0178]

¹H-NMR (CDCl₃, δ ppm): 1.18 (9H, s), 1.32 (9H, s), 3.85 (3H, s), 6.88 (1H, s)

Compound No. III-15:

[0179]

¹H-NMR (CDCl₃, δ ppm): 1.33 (9H, s), 1.39 (9H, s), 3.94 (3H, s), 7.03 (1H, s)

[Reference Example]

Synthesis of 1-methyl-3-trifluoromethyl-5-chloropyrazole-4-carboxylic acid:

[0180]

1) 21.35 g of phosphorus oxychloride was dropwise added to 4.72 g of DMF at 10 °C or lower. After the temperature of the reaction solution was returned to room temperature, the reaction mixture was stirred for 1 hour, and 10.71 g of 1-methyl-3-trifluoromethyl-5-pyrazolone was added thereto. The resulting mixture was heated up to 110 °C, and stirred for 7 hours. After having been left to be at 70 °C, the reaction mixture was poured into ice water. After pH of the mixture was made to be about 4 with an aqueous solution of sodium hydroxide added thereto, and precipitated crystals were taken out through filtration and dried to obtain 10.55 g of 1-methyl-3-trifluoromethyl-5-chloropyrazole-

4-carbaldehyde.

2) 8.88 g of 1-methyl-3-2-(tert-trifluoromethyl-5-chloropyrazole-4-carbaldehyde and 7.24 g of potassium permanganate were added to an aqueous solution of 0.23 g of potassium hydroxide in 85 ml of water, at room temperature. After having been heated upto 60 °C, the resulting mixture was stirred for 2 hours. Next, the temperature of the mixture was return to room temperature, and the solid was removed through filtration. The resulting filtrate was acidified with an aqueous solution of hydrochloric acid, and precipitated crystals were taken out through filtration, washed with water, and dried. The thus-obtained crystals were added to 150 ml of chloroform, and heated under reflux, and the insoluble solid was removed through filtration at a heating time. Chloroform was distilled off under reduced pressure, and 6.24 g of 1-methyl-3-trifluoromethyl-5-chloropyrazole-4-carboxylic acid was obtained.

[Synthesis Example 4]

Synthesis of 2-(2-tert-butylthiazol-4-yl)-3-(2-methyl-4-trifluoromethylthiazol-5-yl)-3-benzoyloxyacrylonitrile (Compound No. II-75):

[0181] In the same manner as above, the above-mentioned compound was synthesized (viscous liquid, E-Z mixture).

¹H-NMR (CDCl₃, δ ppm): 1.09 (9H, s), 2.75 (3H, s), 7.3-7.6 (4H, m), 8.05-8.25 (2H, m): major
1.19 (9H, s), 2.70 (3H, s), 7.3-7.6 (4H, m), 8.05-8.25 (2H, m): minor

[Synthesis Example 5]

Synthesis of 2-(4-trifluoromethylphenyl)-3-(1-methyl-3,5-dichloropyrazol-4-yl)-3-(1-methyl-3,5-dichloropyrazole-4-carbonyloxy)acrylonitrile (Compound No. IV-5):

[0182] 1.0 g of 4-(trifluoromethyl)phenylacetonitrile and 2.31 g of 1-methyl-3,5-dichloropyrazole-4-carbonyl chloride were dissolved in 30 ml of dry THF, and 0.61 g of potassium t-butoxide was added thereto at room temperature. After having been heated, the resulting product was kept heated under reflux for 3 hours. 0.61 g of potassium t-butoxide was again added thereto and further heated under reflux for 2 hours. THF was distilled off under reduced pressure, and water was added to the residual product, which was then extracted with ethyl acetate. The resulting organic layer was washed with a dilute aqueous solution of sodium hydroxide and then with water. This was dried with sodium sulfate, and the solvent was distilled off under reduced pressure. The residue was purified through silica gel column chromatography to obtain 1.92 g of 3-(1-methyl-3,5-dichloropyrazol-4-yl)-2-(4-trifluoromethylphenyl)-3-(1-methyl-3,5-dichloropyrazole-4-carbonyloxy)acrylonitrile from the fraction eluted with n-hexane : ethyl acetate = 2 : 1.

[Synthesis Example 6]

Synthesis of 2-(4-tert-butylphenyl)-3-(1-methyl-3,5-dichloropyrazol-4-yl)-3-hydroxyacrylonitrile (Compound No. IV-18):

[0183] 0.22 g of dibenzo-18-crown-6-ether and 1.57 g of sodium cyanide were suspended in 20 ml of DMSO, and 5.00 g of 4-tert-butylbenzyl bromide was dropwise added thereto with cooling with water. After having been stirred overnight at room temperature, the resulting mixture was further stirred at 50 °C for 5 hours. After this was left to be at room temperature, water was added thereto and extracted with ether. The organic layer was washed with water, and dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through silica gel column chromatography to obtain 1.19 g of 4-tert-butylphenylacetonitrile was obtained from the fraction eluted with n-hexane : ethyl acetate = 5 : 1.

[0184] 1.00 g of 4-tert-butylphenylacetonitrile and 1.23 g of 1-methyl-3,5-dichloropyrazole-4-carbonyl chloride were dissolved in 20 ml of THF, and 1.01 g of potassium t-butoxide was added thereto with cooling with ice. After the resulting mixture was stirred overnight at room temperature, water was added thereto, acidified with diluted hydrochloric acid, and extracted with ethyl acetate. The organic layer was washed with water, and dried with sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was dissolved in a mixed solvent of 10 ml of water and 10 ml of dioxane, and 0.38 g of potassium hydroxide was added thereto and heated under reflux for 4 hours. After having been left to be at room temperature, this was acidified with diluted hydrochloric acid, and extracted with ethyl acetate. The organic layer was washed with water, and dried over sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through silica gel column chromatography to obtain 0.64 g of 2-(4-tert-butylphenyl)-3-(1-methyl-3,5-dichloropyrazol-4-yl)-3-hydroxyacrylonitrile from the fraction eluted with n-hexane : ethyl acetate = 2 : 1.

[Synthesis Example 7]

Synthesis of 2-(4-tert-butylphenyl)-3-(1-methyl-3-trifluoromethyl-5-chloropyrazol-4-yl)-3-pivaloyloxyacrylonitrile (Compound No. IV-24):

[0185] In the same manner as above, the above-mentioned compound was synthesized (viscous liquid).

¹H-NMR (CDCl₃, δ ppm); 1.13 (9H, s), 1.33 (9H, s), 3.98 (3H, s), 7.48 (4H, brs)

[Synthesis Example 8]

Synthesis of 2-(4-tert-butylphenyl)-3-(3,5-dichloro-1-methylpyrazol-4-yl)-3-methoxycarbonyloxyacrylonitrile (Compound No. IV-36):

[0186] In the same manner as above, the above-mentioned compound was synthesized (vitreous, E-Z mixture).

¹H-NMR (CDCl₃, δ ppm); 1.32 (9H, s), 3.75 (3H, s), 3.87 (3H, s), 7.49 (2H, d, J = 8Hz), 7.58 (2H, d, J = 8 Hz): 75 % 1.27 (9H, s), 3.88 (3H, s), 3.96 (3H, s), 7.49 (2H, d, J = 8Hz), 7.58 (2H, d, J = 8Hz): 25 %

[Synthesis Example 9]

Synthesis of 2-[2-tert-butyloxazol-4-yl]-3-(3,5-dichloro-1-methylpyrazol-4-yl)-3-hydroxyacrylonitrile (Compound No. V-40):

[0187]

1) 25 g of pivalic acid amide and 25 g of 1,3-dichloro-2-propanone were mixed and heated on an oil bath at 135 °C for 2.5 hours. After having been cooled with ice, the mixture was made alkaline with an aqueous solution of sodium hydroxide added thereto. Then, the resulting product was extracted with ethyl acetate, washed with water, and dried over anhydrous sodium sulfate, and the solvent was distilled off under reduced pressure. The residual product was purified through column chromatography (silica gel; ethyl acetate : n-hexane = 1 : 8) to obtain 17.5 g of 2-tert-butyl-4-chloromethyloxazole.

2) 6.2 g of sodium cyanide was weighed, 50 ml of dimethylsulfoxide was added thereto, and a dimethylsulfoxide solution of 16.9 g of 2-tert-butyl-4-chloromethyloxazole was dropwise added thereto, and heated on an oil bath at 65 °C for 1 hour with stirring. After the resulting product was cooled to room temperature, 150 ml of a dilute aqueous solution of sodium hydroxide was added thereto, and extracted with toluene. The organic layer was fully washed with water, and dried over anhydrous sodium sulfate, and the solvent was distilled off under reduced pressure to obtain 14.8 g of 2-tert-butyl-4-cyanomethyloxazole.

3) 2.87 g of potassium tert-butoxide was suspended in 20 ml of THF, and a solution of 2.00 g of 2-tert-butyl-4-cyanomethyloxazole and 2.37 g of 3,5-dichloro-1-methylpyrazole-4-carbonyl chloride as dissolved in 10 ml of THF was dropwise added thereto with cooling with ice, and then stirred overnight at room temperature. The reaction mixture was poured into ice water, extracted with ethyl acetate, and washed with a small amount of water. After the resulting product was dried with anhydrous sodium sulfate, the solvent was evaporated out under reduced pressure. The residual product was purified through column chromatography (silica gel; n-hexane : ethyl acetate = 4 : 1) to obtain 3.26 g of the intended compound.

[Synthesis Example 10]

Synthesis of 2-(2-tert-butyloxazol-4-yl)-3-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)-3-ethoxymethoxyacrylonitrile (Compound No. V-44):

[0188] 0.6 g of 2-[2-tert-butyloxazol-4-yl]-3-(5-chloro-3-trifluoromethyl-1-methylpyrazol-4-yl)-3-hydroxyacrylonitrile was dissolved in 5 ml of THF, and 0.07 g of 60 % sodium hydride was added thereto with cooling with ice, and then stirred for 15 minutes at room temperature. 0.17 g of ethoxymethyl chloride was added thereto and stirred for 6 days at room temperature. The reaction mixture was poured into ice water, extracted with ethyl acetate, and washed with saturated saline. The resulting product was dried over anhydrous sodium sulfate, and the solvent was distilled off under reduced pressure. The resulting residual product was purified through silica gel thin-layer chromatography (ethyl acetate : n-hexane = 1 : 4) to obtain 0.1 g of the intended compound in vitreous state.

¹H-NMR (CDCl₃, δ ppm); 1.17 (3H, t), 1.41 (9H, s), 3.98 (3H, s), 5.03 (2H, s), 8.00 (1H, s)

[Synthesis Example 11]

5 Synthesis of ethyl 2-phenyl-3-(3,5-dichloro-1-methylpyrazol-4-yl)-3-hydroxyacrylate (Compound No. IV-91)

[0189] 8.2 g (50 mmols) of ethyl phenylacetate and 10.7 g (50 mmols) of 3,5-dichloro-1-methylpyrazole-4-carboxylic acid chloride were dissolved in 100 ml of dry tetrahydrofuran, and 14 g (125 mmols) of potassium tert-butoxide at room temperature. The reaction mixture was stirred at room temperature for 1 hour, and 300 ml of water was added thereto, and extracted with ethyl acetate. The organic layer was washed with water and saturated saline, and dried over anhydrous magnesium sulfate, and the solvent was distilled off under reduced pressure to obtain 17 g of the intended ethyl 2-phenyl-3-(3,5-dichloro-1-methylpyrazol-4-yl)-3-hydroxyacrylate.

15 ¹H-NMR (CDCl₃, δ ppm); 1.1-1.5 (3H, m), 3.59 (1.5H, s), 3.73 (1.5H, s), 3.95-4.45 (2H, m), 5.58 (0.5H, s), 7.0-7.35 (5H, m), 13.21 (0.5H, s)

[Synthesis Example 12]

20 Synthesis of 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-phenyl-2-bromoethanone (Compound No. IV-90):

[0190]

1) 17 g (50 mmols) of ethyl 2-phenyl-3-(3,5-dichloro-1-methylpyrazol-4-yl)-3-hydroxyacrylate was dissolved in 50 ml of 6 N HCl and 250 ml of 1,4-dioxane, and heated under reflux for 15 hours. The reaction mixture was poured into 500 ml of ice water, and precipitated crystals were taken out through filtration to obtain 8 g of the intended 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-phenylethanone as white crystals. m.p.: 94-96 °C

2) 5.38 g (20 mmols) of 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-phenylethane was dissolved in 50 ml of chloroform, and stirred at room temperature for 1 hour, and the solvent was distilled off under reduced pressure to obtain the intended 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-phenyl-2-bromoethanone as white crystals. m.p.: 74.5-75.5 °C

[Synthesis Example 13]

Synthesis of 1-(3,5-dichloro-1-methylpyrazol-4-yl)-1-pivaloyloxy-2-phenyl-2-bromoethylene (Compound No. IV-92):

35 [0191] 0.55 g (1.58 mmols) of 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-phenyl-bromoethane and 0.18 g (1.74 mmols) of triethylamine were dissolved in 4 ml of dry tetrahydrofuran, and 0.19 g (1.58 mmols) of pivalic acid chloride was added thereto at room temperature. After the reaction mixture was stirred for 16 hours at room temperature, 10 ml of water was added thereto, and extracted with ethyl acetate. The organic layer was washed with water and saturated saline, and dried over anhydrous magnesium sulfate, and the solvent was distilled off under reduced pressure. The obtained residue was purified through silica gel column chromatography to obtain 0.23 g of the intended 1-(3,5-dichloro-1-methylpyrazol-4-yl)-1-pivaloyloxy-2-phenyl-2-bromoethylene as a colorless liquid (E-Z mixture).

45 ¹H-NMR (CDCl₃, δ ppm); 1.05 (9H, s), 3.81 (3H, s), 7.37 (5H, m): major
1.32 (9H, s), 3.62 (3H, s), 7.24 (5H, m): minor

[Synthesis Example 14]

Synthesis of 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-[2-(1-methylcyclohexan-1-yl)-thiazol-4-yl]-2-diethylphosphonoethanone (Compound No. II-156):

50 [0192]

1) 4.15 g (18.1 mmols) of 2-(1-methyl-cyclohexan-1-yl)-4-chloromethylthiazole and 3.32 g (20 mmols) of trimethyl phosphite were mixed and heated under reflux for 16 hours. The reaction mixture was cooled to room temperature, and purified through silica gel column chromatography to obtain 4.63 g of the intended diethyl [2-(1-methylcyclohexan-1-yl)-thiazol-4-yl]methylphosphonate as a colorless liquid.

¹H-NMR (CDCl₃, δ ppm); 1.25 (3H, t, J = 7.2 Hz), 1.31 (3H, s), 1.1-2.3 (10H, m), 3.33 (2H, d, J = 20.4 Hz), 4.04 (4H,

dd, J = 7.2, 7.2 Hz), 7.01 (1H, m)

2) 0.85 g (4 mmols) of 3,5-dichloro-1-methylpyrazole-4-carboxylic acid chloride and 1.32 g (4 mmols) of diethyl {2-(1-methylcyclohexan-1-yl)-thiazol-4-yl}methylphosphonate were dissolved in 15 ml of dry tetrahydrofuran, and 1.12 g (10 mmols) of potassium t-butoxide was added thereto at room temperature. The reaction mixture was stirred for 1 hour at room temperature, and 20 ml of water was added thereto, and extracted with ethyl acetate. The organic layer was washed with water and saturated saline, and dried over anhydrous magnesium sulfate, and the solvent was distilled off under reduced pressure. The obtained residue was purified through silica gel column chromatography to obtain 0.4 g of the intended 1-(3,5-dichloro-1-methylpyrazol-4-yl)-2-{2-(1-methylcyclohexan-1-yl)-thiazol-4-yl}-2-diethylphosphonoethanone.

¹H-NMR (CDCl₃, δ ppm): 1.23 (3H, t, J = 7.2 Hz), 1.23 (3H, s), 1.1-2.3 (10H, m), 3.79 (3H, s), 4.09 (2H, dd, J = 7.2, 7.2 Hz), 5.90 (1H, d, J = 22.8 Hz), 7.43 (1H, m)

[Synthesis Example 15]

Synthesis of allyl 2-{3-(2,6-difluorophenyl)pyrazol-1-yl}-3-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)-3-hydroxyacrylate (Compound No. I-133):

[0193]

1) Potassium carbonate (1.53 g) was added to an acetonitrile (10 mL) solution of 3-(2,6-difluorophenyl)-pyrazole (1 g) and allyl 2-bromoacetate (1.49 g), and refluxed for 3 hours. The resulting product was extracted with acetate and diluted hydrochloric acid added thereto at room temperature. The organic layer was dried over anhydrous magnesium sulfate and concentrated, and the resulting concentrate was purified through silica gel column chromatography (chloroform) to obtain allyl 2-{3-(2,6-difluorophenyl)pyrazol-1-yl}acetate (1.5 g).

¹H-NMR (CDCl₃, δ ppm): 4.70 (2H, d, J = 6.0 Hz), 5.10 (2H, s), 5.30-5.60 (2H, m), 5.70-6.40 (1H, m), 6.50-7.80 (5H, m)

2) Potassium butoxide (0.5 g) was added to a THF (10 mL) solution of allyl 2-{3-(2,6-difluorophenyl)pyrazol-1-yl}acetate (0.5 g) and 5-chloro-1-methyl-3-trifluoromethylpyrazole-4-carbonyl chloride (0.44 g) at 0 °C, and stirred for 5 minutes. Water (5 ml) was added thereto, and then extracted with diluted hydrochloric acid and ethyl acetate. After the organic layer was dried over anhydrous magnesium sulfate, and then concentrated, and the resulting concentrate was purified through silica gel column chromatography (chloroform) to obtain the intended product, Compound No. I-133 (0.89 g).

¹H-NMR (CDCl₃, δ ppm): 3.95 (3H, s), 4.80 (2H, d, J = 6.0 Hz), 5.20-5.60 (2H, m), 5.60-6.40 (1H, m), 6.45-7.90 (6H, m)

[Synthesis Example 16]

Synthesis of 2-bromo-2-{3-(2,6-difluorophenyl)pyrazol-1-yl}-1-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)-1-hydroxyethylene (Compound No. I-134):

[0194]

1) Formic acid (60 mg) was added to a THF (1 mL) solution of palladium acetate (7 mg) and triphenylphosphine (17 mg) and stirred for 5 minutes at room temperature in a nitrogen atmosphere. A THF (5 mL) solution of Compound I-133 (0.32 g) was added thereto and refluxed for 1 hour. The reaction mixture was left to be at room temperature, and concentrated, and the resulting concentrate was purified through silica gel column chromatography (chloroform) and recrystallization (chloroform-diisopropyl ether) to obtain 2-{3-(2,6-difluorophenyl)pyrazol-1-yl}-3-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)ethan-1-one (0.1 g).

m.p.: 152-154 °C

2) A THF solution (0.27 mL) of 1M lithium hexamethyldisilazide was added to a THF solution of 2-{3-(2,6-difluorophenyl)pyrazol-1-yl}-3-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)ethan-1-one (0.1 g) at -78 °C and stirred at the same temperature in a nitrogen atmosphere. To the resulting solution was added a THF (2 mL) solution of carbon tetrabromide (0.098 g), and then gradually heated up to room temperature. Water (1 mL) was added thereto,

and then extracted with diluted hydrochloric acid and ethyl acetate. The organic layer was dried over anhydrous magnesium sulfate, concentrated, and recrystallized from chloroform-diethyl ether) to obtain the intended product, Compound No. I-134 (0.062 g). m.p.: 123-125 °C


[Synthesis Example 17]

Synthesis of 2-bromo-2-{3-(2,6-difluorophenyl)pyrazol-1-yl}-1-(5-chloro-1-methyl-3-trifluoromethylpyrazol-4-yl)-1-pivaloyloxyethylene (Compound No. I-135):

[0195] Triethylamine (0.3 g) and pivalic acid chloride (0.23 g) were added in that order to a chloroform (25 mL) solution of Compound No. I-134 (0.47 g) at 0°C, and stirred at room temperature for 1 hour. The resulting product was extracted with water and chloroform. The organic layer was dried with anhydrous magnesium sulfate, concentrated, and purified through silica gel column chromatography (chloroform) to obtain the intended product, Compound No. I-135 (0.4 g). ¹H-NMR (CDCl₃, δ ppm); 1.25 (9H, s), 3.90 (3H, s), 6.55-7.80 (5H, m)

[0196] In accordance with the above-mentioned reaction schemes or Examples, various compounds of the present invention were produced, of which the structure and the melting point are shown in Table 15 to Table 19 below. Unless otherwise specifically indicated, the compounds shown in these are in the form of a mixture of E-form and Z-form. The abbreviations in these have the same meanings as those mentioned above.

Table 15



No.	R ¹	R ²	R ³	E	B	A	m. p. (°C)
I-1	Ph	H	H	CN	H	A1	144-145
I-2	Ph	Cl	H	CN	H	A1	300<
I-3	Ph	H	Me	CN	H	A1	300<
I-4	Ph	Me	H	CN	H	A1	141-143
I-5	Ph	H	H	CN	B1	A1	75-77 *
I-6	Ph	H	H	CN	B2	A1	viscous oil
I-7	Ph	CO ₂ Et	H	CN	H	A1	202-203
I-8	Ph	H	H	CN	H	A2	300<
I-9	Ph	H	H	CN	H	A7	124-125
I-10	Ph	H	H	CN	H	A8	265-267
I-11	2-pyridyl	H	H	CN	H	A1	290<
I-12	2-pyridyl	H	H	CN	H	A2	300<
I-13	2-pyridyl	H	H	CN	H	A3	260-267
I-14	2-pyridyl	H	H	CN	H	A4	300<
I-15	2-pyridyl	H	H	CN	H	A6	297-298
I-16	2-pyridyl	H	H	CN	H	A7	163-165
I-17	2-pyridyl	H	H	CN	H	A8	300<
I-18	2-pyridyl	H	H	CN	H	A9	240-245
I-19	2-pyridyl	H	H	CN	H	A10	261-266
I-20	2-pyridyl	H	H	CN	H	A11	232-234
I-21	2-pyridyl	H	H	CN	H	A12	284-287
I-22	2-pyridyl	H	H	CN	H	A13	300<
I-23	2-pyridyl	H	H	CN	B7	A7	103-110 *

50

55

Table 15 (continued)

	No.	R ¹	R ²	R ³	E	B	A	m. p. (°C)
5	I-24	2-pyridyl	H	H	CN	B8	A1	viscous oil
10	I-25	3-pyridyl	H	H	CN	H	A1	298-300
	I-26	3-pyridyl	H	H	CN	H	A2	158-160
	I-27	3-pyridyl	H	H	CN	H	A7	168-169
15	I-28	4-pyridyl	H	H	CN	H	A1	251-253
	I-29	2-F-Ph	H	H	CN	H	A1	125-126
20	I-30	2-F-Ph	H	H	CN	H	A2	281-282
	I-31	2-F-Ph	Cl	H	CN	H	A1	281-287
	I-32	3-F-Ph	H	H	CN	H	A2	300<
25	I-33	4-F-Ph	H	H	CN	H	A2	169-173
	I-34	2-Cl-Ph	H	H	CN	H	A1	viscous oil
	I-35	2-Cl-Ph	H	H	CN	H	A2	viscous oil
30	I-36	3-Cl-Ph	H	H	CN	H	A1	141-149
	I-37	3-Cl-Ph	H	H	CN	H	A7	291-293
	I-38	4-Cl-Ph	H	H	CN	H	A1	186-188
35	I-39	4-Cl-Ph	H	H	CN	H	A7	300<
	I-40	2,6-F ₂ -Ph	H	H	CN	H	A1	267-269
	I-41	2,6-F ₂ -Ph	H	H	CN	H	A2	300<
40	I-42	2,6-F ₂ -Ph	H	H	CN	H	A7	242-243
	I-43	2,6-Cl ₂ -Ph	H	H	CN	H	A1	147-148
	I-44	2,6-Cl ₂ -Ph	H	H	CN	H	A2	100-102
45	I-45	tBu	H	H	CN	H	A1	viscous oil
	I-46	tBu	H	H	CN	H	A2	65-67

50

55

Table 15 (continued)

	No.	R ¹	R ²	R ³	E	B	A	m. p. (°C)
10	I-47	2-MeO-Ph	H	H	CN	H	A1	300<
	I-48	2-MeO-Ph	H	H	CN	H	A2	300<
	I-49	H	CO ₂ Et	Ph	CN	H	A1	236-237
15	I-50	Me	Ph	H	CN	H	A1	viscous oil
	I-51	cHex	H	H	CN	H	A1	204-205
20	I-52	1-naphthyl	H	H	CN	H	A1	225-227
	I-53	2-thienyl	H	H	CN	H	A1	146-147
	I-54	2-thienyl	H	H	CN	H	A7	271-273
25	I-55	Ph	H	H	CN	H	A34	173.3-174.1
	I-56	Ph	H	H	CN	B1	A34	viscous oil*
	I-57	Ph	H	H	CN	B7	A1	140-141 *
30	I-58	Ph	H	H	CN	B8	A1	50-51 *
	I-59	Ph	H	H	CN	CO ₂ tBu	A1	viscous oil
	I-60	tBu	CO ₂ Me	H	CN	H	A1	105-106
35	I-61	tBu	CO ₂ Me	H	CN	B7	A1	125-126
	I-62	Ph	H	H	CN	B7	A2	viscous oil
	I-63	2,6-F ₂ -Ph	H	H	CN	B8	A2	200-201
40	I-64	Ph	H	H	CN	B6	A2	viscous oil
	I-65	2,6-F ₂ -Ph	H	H	CN	Na	2,6-(MeO) ₂ -Ph	300<
45	I-66	2,6-F ₂ -Ph	H	H	CN	Na	2-CF ₃ O-Ph	282.8-287.2
	I-67	2,6-F ₂ -Ph	H	H	CN	Na	2-MeO-Ph	300<
	I-68	2,6-F ₂ -Ph	H	H	CN	H	2-CF ₃ O-Ph	157.9-160.1
50	I-69	2-pyridyl	H	H	CN	B8	A7	118-119*

Table 15 (continued)

	No.	R ¹	R ²	R ³	E	B	A	m.p. (°C)
5								
10	I-70	2,6-F ₂ -Ph	H	H	CN	B7	A2	viscous oil
	I-71	Ph	H	H	CN	H	2-Cl-Ph	108-109
	I-72	Ph	H	H	CN	H	2,6-F ₂ -Ph	167-168
15	I-73	Ph	H	H	CN	H	2,6-Cl ₂ -Ph	170-171
	I-74	Ph	H	H	CN	H	2-CF ₃ -Ph	viscous oil
	I-75	Ph	H	H	CN	H	1-naphthyl	137-138
20	I-76	Ph	Ph	H	CN	H	A2	145-147
	I-77	Ph	H	H	CN	H	2-Cl-4-F-Ph	94-95
	I-78	Ph	H	H	CN	B35	A2	164-165
25	I-79	2,6-F ₂ -Ph	H	H	CN	H	2-Me-Ph	113.1-119.8
	I-80	2,6-F ₂ -Ph	H	H	CN	H	2-Cl-6-F-Ph	144-146
30	I-81	2,6-F ₂ -Ph	H	H	CN	H	2-NO ₂ -Ph	176-179
	I-82	2,6-F ₂ -Ph	H	H	CN	H	2-AcO-Ph	vitreous state
	I-83	2,6-F ₂ -Ph	H	H	CN	H	2,6-Me-Ph	vitreous state
35	I-84	2-pyridyl	H	H	CN	H	2,6-F ₂ -Ph	188-189
	I-85	2-pyridyl	H	H	CN	H	2,6-Cl ₂ -Ph	278-280
	I-86	2-pyridyl	H	H	CN	H	2-NO ₂ -Ph	285-287
40	I-87	2-pyridyl	H	H	CN	H	2-MeO-Ph	275-276
	I-88	2-pyridyl	H	H	CN	H	2-CO ₂ Me-Ph	248-249
	I-89	2-pyridyl	H	H	CN	B7	2-Cl-Ph	124-125
45	I-90	2-pyridyl	H	H	CN	Na	2-Cl-Ph	278-280
	I-91	2-pyridyl	H	H	CN	H	pyridin-2-yl	216-217
50	I-92	2-pyridyl	H	H	CN	CO ^o C ₁ H ₃ s	A7	58-59

Table 15 (continued)

5

10

15

20

25

30

35

40

45

50

No.	R ¹	R ²	R ³	E	B	A	m. p. (°C)
I-93	t-Bu	CO ₂ Me	H	CN	H	2-Cl-4-F-Ph	114-115.
I-94	t-Bu	CO ₂ Me	H	CN	B7	A2	105-106
I-95	t-Bu	CO ₂ Me	H	CN	H	A2	102-103
I-96	t-Bu	H	H	CN	B7	A2	viscous oil
I-97	t-Bu	H	H	CN	B7	A2	viscous oil ^{*1}
I-98	t-Bu	NO ₂	H	CN	B7	A2	viscous oil
I-99	t-Bu	Br	H	CN	B7	A2	viscous oil
I-100	t-Bu	CN	H	CN	H	A2	178-180
I-101	t-Bu	CN	H	CN	CO ₂ ^t Bu	A2	vitreous state
I-102	t-Bu	CN	H	CN	CO ₂ ^t Bu	A2	201-202.5 ^{**}
I-103	t-Bu	CN	H	CN	CO ₂ Ph	A2	vitreous state
I-104	t-Bu	Cl	H	CN	B7	A2	viscous oil
I-105	t-Bu	CO ₂ Me	H	CN	CO ₂ ^t Bu	A2	155.8-156.9
I-106	t-Bu	Cl	H	CN	H	A2	viscous oil
I-107	t-Bu	NO ₂	H	CN	H	A2	87-88
I-108	t-Bu	CO ₂ ⁿ Hex	H	CN	H	A2	vitreous state
I-109	t-Bu	CO ₂ Me	H	CN	B8	A2	152.1-153.5
I-110	t-Bu	Me	H	CN	H	A2	vitreous state
I-111	t-Bu	CO ₂ Me	H	CN	CO ^o C ₁₇ H ₃₅	A14	viscous oil
I-112	t-Bu	CO ₂ Me	H	CN	B7	A14	viscous oil
I-113	t-Bu	CO ₂ Me	H	CN	H	A14	101-102
I-114	t-Bu	Me	H	CN	B7	A2	vitreous state
I-115	t-Bu	CO ₂ Me	H	CN	B7	A3	131-132

55

Table 15 (continued)

5

10

15

20

25

30

35

40

45


50

No.	R ¹	R ²	R ³	E	B	A	m.p. (°C)
I-116	t-Bu	CO ₂ Me	H	CN	Me	A2	166-167*
I-117	t-Bu	CO ₂ Me	H	CN	B3	A14	viscous oil
I-118	t-Bu	CO ₂ Me	H	CN	H	A21	152.6-154
I-119	t-Bu	CO ₂ Me	H	CN	CO ^o C ₅ H ₁₁	A3	viscous oil
I-120	t-Bu	CO ₂ Me	H	CN	B7	A15	125-127*
I-121	t-Bu	CO ₂ Me	H	CN	H	A15	138-139
I-122	t-Bu	CO ₂ Me	H	CN	B7	A21	viscous oil
I-123	t-Bu	CO ₂ Me	H	CN	CO ^o C ₅ H ₁₁	A21	viscous oil
I-124	t-Bu	CO ₂ Me	H	CN	CO ^o C ₅ H ₁₁	A21	viscous oil**
I-125	H	H	2,6-F ₂ -Ph	CN	H	A2	157.4-162.4
I-126	H	Ph	H	CN	H	A1	vitreous state
I-127	H	t-Bu	H	CN	B7	A2	vitreous state
I-128	H	t-Bu	H	CN	H	A2	vitreous state
I-129	Ph	H	H	CO ₂ Me	H	A1	158-160
I-130	Ph	H	H	CO ₂ Me	B7	A2	viscous oil
I-131	2,6-F ₂ -Ph	H	H	CO ₂ Me	H	A2	248-250
I-132	2,6-F ₂ -Ph	H	H	COMe	H	A2	vitreous state
I-133	2,6-F ₂ -Ph	H	H	CO ₂ CH ₂ CH=CH ₂	H	A2	vitreous state
I-134	2,6-F ₂ -Ph	H	H	Br	H	A2	123-125
I-135	2,6-F ₂ -Ph	H	H	Br	B7	A2	vitreous state
I-136	2-pyridyl	H	H	CN	B7	A37	86-94**
I-137	2-pyridyl	H	H	CN	B7	A10	92-93
I-138	2-pyridyl	Cl	H	CN	B7	A7	viscous oil*

55

- *: E-form or Z-form.
 #1: geometric isomer of I-96
 #2: geometric isomer of I-101
 #3: geometric isomer of I-123
 #4: mixture of E/Z=2/1

Table 16



5

10

15

20

25

30

35

40

45

50

55

No.	R	E	B	A	m.p. (°C)
II-1	Ph	CN	H	A1	200-205
II-2	2-Cl-Ph	CN	H	A2	137-138
II-3	t-Bu	CN	H	A2	151-153
II-4	t-Bu	CN	B3	A2	147-150 *
II-5	t-Bu	CN	B7	A2	89.5-92*
II-6	t-Bu	CN	H	A1	viscous oil*
II-7	t-Bu	CN	B7	A1	viscous oil*
II-8	t-Bu	CN	H	2,6-F ₂ -Ph	90-92.5
II-9	t-Bu	CN	H	2-Cl-Ph	96.2-98.6
II-10	t-Bu	CN	B6	A2	vitreous state*
II-11	t-Bu	CN	B5	A2	viscous oil
II-12	t-Bu	CN	B8	A2	viscous oil
II-13	t-Bu	CN	SO ₂ (4-Cl-Ph)	A2	vitreous state*
II-14	t-Bu	CN	H	2,6-Cl ₂ -Ph	150.3-151.7
II-15	t-Bu	CN	H	2-CF ₃ -Ph	71.9-79.6
II-16	t-Bu	CN	H	A3	viscous oil
II-17	t-Bu	CN	B7	A3	viscous oil*
II-18	t-Bu	CN	CO ₂ Et	A2	viscous oil
II-19	t-Bu	CN	CO ₂ CH ₂ Ph	A2	viscous oil
II-20	t-Bu	CN	CONMe ₂	A2	136.7-138.2
II-21	t-Bu	CN	CH ₂ CO ₂ Me	A2	viscous oil
II-22	t-Bu	CN	PO(OEt) ₂	A2	viscous oil
II-23	2-pyridyl	CN	H	A2	184.5-188.5

Table 16 (continued)

5	No.	R	E	B	A	m.p. (°C)
10	II-24	2-pyridyl	CN	H	A7	210.3-218.8
	II-25	2-pyridyl	CN	B7	A7	162.7-167 *
	II-26	2-pyridyl	CN	B7	A2	vitreous state*
15	II-27	2-pyridyl	CN	H	A3	148-151
	II-28	2-pyridyl	CN	B7	A3	vitreous state*
20	II-29	2-pyridyl	CN	H	A35	188-193
	II-30	2-pyridyl	CN	B7	A35	200.5-202.5*
	II-31	2-pyridyl	CN	H	A36	viscous oil
25	II-32	2-pyridyl	CN	B7	A36	viscous oil
	II-33	c-Hex	CN	H	A2	126.5-128.1
	II-34	c-Hex	CN	H	2,6-F ₂ -Ph	110.9-112.7
30	II-35	c-Hex	CN	B7	2,6-F ₂ -Ph	111.2-117.4*
	II-36	c-Hex	CN	B7	A2	viscous oil*
	II-37	2,6-F ₂ -Ph	CN	H	A2	176.8-178.2
35	II-38	2,6-F ₂ -Ph	CN	B7	A2	95.9-98.0 *
	II-39	2-Cl-Ph	CN	H	A2	172.9-175.2
40	II-40	t-Bu	CN	B35	A2	vitreous state
	II-41	t-Bu	CN	B35	A2	vitreous state**
	II-42	t-Bu	CN	B36	A2	vitreous state
45	II-43	t-Bu	CN	H	A13	168-173
	II-44	t-Bu	CN	B28	A2	vitreous state
	II-45	t-Bu	CN	B30	A2	vitreous state
50	II-46	t-Bu	CN	B30	A2	vitreous state**

55

Table 16 (continued)

5

	No.	R	E	B	A	m.p. (°C)
10	II-47	t-Bu	CN	CO(2-Me-Ph)	A2	vitreous state
	II-48	t-Bu	CN	B38	A2	vitreous state
	II-49	t-Bu	CN	B37	A2	vitreous state
15	II-50	t-Bu	CN	nicotinoyl	A2	vitreous state
	II-51	t-Bu	CN	B40	A2	vitreous state
	II-52	t-Bu	CN	CO ₂ ⁱ Bu	A2	viscous oil
20	II-53	t-Bu	CN	CO ₂ Ph	A2	viscous oil
	II-54	t-Bu	CN	B41	A2	viscous oil
	II-55	t-Bu	CN	CO ₂ ⁿ Hex	A2	viscous oil
25	II-56	t-Bu	CN	H	3-Cl-Ph	89.7-91.1
	II-57	t-Bu	CN	H	3-F-Ph	63.7-64.4
30	II-58	t-Bu	CN	H	2-Br-Ph	86-87
	II-59	t-Bu	CN	H	2-I-Ph	vitreous state
	II-60	t-Bu	CN	H	2-Cl-6-F-Ph	109.6-110.6
35	II-61	t-Bu	CN	CO(2-MeS-Ph)	A2	vitreous state
	II-62	t-Bu	CN	H	2-MeS-Ph	120.6-122.1
	II-63	t-Bu	CN	H	A22	113-118
40	II-64	t-Bu	CN	B7	A22	98-99.5*
	II-65	t-Bu	CN	B15	A22	viscous oil
	II-66	t-Bu	CN	B38	A13	viscous oil
45	II-67	t-Bu	CN	B39	A2	vitreous state
	II-68	t-Bu	CN	CO(4-Cl-Ph)	A2	vitreous state
50	II-69	t-Bu	CN	CO(3-Cl-Ph)	A2	vitreous state

55

Table 16 (continued)

5	No.	R	E	B	A	m.p. (°C)
10	II-70	t-Bu	CN	B7	2,6-F ₂ -Ph	viscous oil
	II-71	t-Bu	CN	B8	2,6-F ₂ -Ph	viscous oil
	II-72	t-Bu	CN	B6	2,6-F ₂ -Ph	150.2-151.3
15	II-73	t-Bu	CN	CO ₂ ⁱ Pr	A2	viscous oil
	II-74	t-Bu	CN	CO ₂ ⁱ Bu	A2	viscous oil
	II-75	t-Bu	CN	B6	A13	viscous oil
20	II-76	t-Bu	CN	CO ₂ CH ₂ CCl ₃	A2	viscous oil
	II-77	t-Bu	CN	CO(2-Cl-Ph)	A2	vitreous state
	II-78	t-Bu	CN	CO(3-CF ₃ -Ph)	A2	vitreous state
25	II-79	t-Bu	CN	CO(4-CF ₃ -Ph)	A2	vitreous state
	II-80	t-Bu	CN	CO(3-NO ₂ -Ph)	A2	vitreous state
	II-81	t-Bu	CN	CO(2-Cl-6-F-Ph)	A2	vitreous state
30	II-82	t-Bu	CN	CO ₂ ⁱ Pen	2,6-F ₂ -Ph	vitreous state
	II-83	t-Bu	CN	3-Cl-pivaloyl	A2	viscous oil
35	II-84	t-Bu	CN	CO ₂ ⁱ Pr	A2	viscous oil
	II-85	t-Bu	CN	CO ₂ CH ₂ CH ₂ Cl	A2	viscous oil
	II-86	t-Bu	CN	CO ₂ CHClCH ₃	A2	viscous oil
40	II-87	t-Bu	CN	CO ⁱ Pr	A2	viscous oil
	II-88	t-Bu	CN	isonicotinoyl	A2	viscous oil
	II-89	t-Bu	CN	picolinoyl	A2	viscous oil
45	II-90	t-Bu	CN	CO(4-Me-Ph)	A2	viscous oil
	II-91	t-Bu	CN	CO(4-NO ₂ -Ph)	A2	viscous oil
	II-92	t-Bu	CN	methacryloyl	A2	viscous oil

50

55

Table 16 (continued)

5

	No.	R	E	B	A	m.p. (°C)
10	II-93	t-Bu	CN	B15	A2	vitreous state
	II-94	t-Bu	CN	PhCH ₂	A2	viscous oil
	II-95	t-Bu	CN	Me	A2	136.5-138
15	II-96	t-Bu	CN	CBrF ₂	A2	84-86.5
	II-97	t-Bu	CN	CO ^o Pr	A2	viscous oil
	II-98	t-Bu	CN	CO ⁱ Bu	A2	viscous oil
20	II-99	t-Bu	CN	B43	A2	vitreous state
	II-100	t-Bu	CN	PhCOCH ₂	A2	148-152*
	II-101	t-Bu	CN	B42	A2	128-129.5*
25	II-102	t-Bu	CN	H	A14	98-99
	II-103	t-Bu	CN	H	A16	viscous oil
30	II-104	t-Bu	CN	B7	A16	viscous oil*
	II-105	t-Bu	CN	cinnamoyl	A2	vitreous state
	II-106	t-Bu	CN	H	A23	109-112
35	II-107	t-Bu	CN	B7	A23	120-122.5
	II-108	t-Bu	CN	B7	A14	viscous oil
	II-109	t-Bu	CN	B7	A14	viscous oil**
40	II-110	t-Bu	CN	CO ^o C ₁₇ H ₃₅	A14	viscous oil
	II-111	t-Bu	CN	PhCH ₂ CO	A2	viscous oil
	II-112	t-Bu	CN	B7	A17	viscous oil
45	II-113	t-Bu	CN	H	A17	140-143
	II-114	t-Bu	CN	H	A24	115-117
50	II-115	t-Bu	CN	CO ₂ ⁱ Bu	A24	vitreous state

55

Table 16 (continued)

5	No.	R	E	B	A	m.p. (°C)
10	II-116	t-Bu	CN	B7	A2	69.5-73.5 [°]
	II-117	t-Bu	CN	H	A25	107-109
	II-118	t-Bu	CN	B7	A25	viscous oil
15	II-119	t-Bu	CN	H	A31	116-117
	II-120	t-Bu	CN	CO ₂ (4-Me-Ph)	A31	92-93
20	II-121	t-Bu	CN	H	A26	133.2-135.4
	II-122	t-Bu	CN	B7	A26	133.9-145
	II-123	t-Bu	CN	H	A27	46-47
25	II-124	t-Bu	CN	H	A28	168-169
	II-125	t-Bu	CN	H	A29	94.7-95.4
	II-126	t-Bu	CN	B8	A29	viscous oil
30	II-127	t-Bu	CN	B8	A29	viscous oil**
	II-128	t-Bu	CN	H	A32	133.9-134.4
	II-129	t-Bu	CN	H	A33	220-230
35	II-130	2,6-F ₂ -Ph	CN	H	2,6-F ₂ -Ph	138-143
	II-131	2-pyridyl	CN	B7	A18	115-145
40	II-132	2-pyridyl	CN	H	A18	176-178
	II-133	2-pyridyl	CN	H	A9	191.5-195
	II-134	2-pyridyl	CN	B7	A9	101-103
45	II-135	2-pyridyl	CN	H	A8	211-216
	II-136	2-pyridyl	CN	H	A10	189-193
	II-137	2-pyridyl	CN	CO ₂ (4-F-Ph)	A10	137-142
50	II-138	2-pyridyl	CN	H	A24	188-191.5

Table 16 (continued)

	No.	R	E	B	A	m.p. (°C)
5						
10	II-139	2-pyridyl	CN	B7	A24	160-163.5
	II-140	2-pyridyl	CN	B7	A30	123-125
	II-141	2-pyridyl	CN	H	A30	165-166
15	II-142	2-pyridyl	CN	H	A13	149.5-151
	II-143	NMePh	CN	H	A7	161.5-164
	II-144	NMePh	CN	B7	A7	120-123
20	II-145	NMePh	CN	H	A2	vitreous state
	II-146	NMePh	CN	B7	A2	vitreous state
	II-147	1-piperidyl	CN	B3	A2	165.5-169
25	II-148	1-piperidyl	CN	H	A2	151-153
	II-149	1-piperidyl	CN	H	A7	187-190
30	II-150	1-piperidyl	CN	B8	A7	viscous oil
	II-151	1-piperidyl	CN	B8	A2	120-121.5
	II-152	1-piperidyl	CN	B6	A2	viscous oil
35	II-153	1-naphthyl	CN	H	A2	161-163
	II-154	1-naphthyl	CN	B7	A2	vitreous state
	II-155	t-Bu	CO ₂ Me	H	A2	viscous oil
40	II-156	1-Me-1- ^c Hex	PO(OEt) ₂	H	A1	vitreous state
	II-157	t-Bu	CO ₂ Et	H	A1	viscous oil
	II-158	t-Bu	CO ₂ Et	B7	A1	viscous oil
45	II-159	1-Me-1- ^c Hex	CN	H	A2	vitreous state
	II-160	n-Pen	CN	H	A2	73-75
50	II-161	t-Bu	CN	B8	A32	108-112

55

Table 16 (continued)

5	No.	R	E	B	A	m.p. (°C)
10	II-162	t-Bu	CN	H	A1	viscous oil
	II-163	t-Bu	CO ₂ Me	H	A1	89-92
	II-164	t-Bu	SO ₂ Ph	H	A1	145-148
15	II-165	t-Bu	SO ₂ Ph	B7	A1	122-123
	II-166	t-Bu	SO ₂ Ph	B7	A1	152-153 ^{*14}
	II-167	t-Bu	CO ₂ Me	B7	A1	viscous oil
20	II-168	t-Bu	CO ₂ Me	B7	A2	76-78
	II-169	t-Bu	CO ₂ CH ₂ CH=CH ₂	H	A2	viscous oil
	II-170	t-Bu	CO ₂ CH ₂ CH=CH ₂	B7	A2	viscous oil
25	II-171 1-Me-1- ^c Hex		CN	B7	A2	vitreous state
	II-172	n-Pen	CN	B7	A2	vitreous state
	II-173 1-Me-1- ^c Hex		CN	CH ₂ O(CH ₂) ₃ OCH ₃	A2	97-98 [*]
30	II-174	t-Bu	5-Me-1,3,4-oxadiazol-2-yl		A1	vitreous state
35	II-175	t-Bu	5-Me-1,3,4-oxadiazol-2-yl		A1	vitreous state
40	II-176	t-Bu	Bu	H	A2	viscous oil
	II-177	t-Bu	CN	B6	A13	104-107 [*]
	II-178	t-Bu	5-Me-1,3,4-oxadiazol-2-yl		A1	134-137
45	II-179	t-Bu	5-Me-1,3,4-oxadiazol-2-yl		A1	114-116 ^{*15}

Table 16 (continued)

No.	R	E	B	A	m.p. (°C)
II-180	t-Bu	5-Me-1,3,4-thiadiazol-2-yl	B7	A1	86-90*

*: E-form or Z-form.

#4: geometric isomer of II-40

#5: geometric isomer of II-45

#6: geometric isomer of II-108


#7: geometric isomer of II-5

#8: geometric isomer of II-126

#14: geometric isomer of II-165

#15: geometric isomer of II-178

Table 17



No.	R	E	B	A	m.p. (°C)
III-1	Ph	CN	B4	A1	viscous oil*
III-2	Ph	CN	B5	A1	40-41 *
III-3	t-Bu	CN	B1	A1	151-152 *
III-4	t-Bu	CN	B4	A1	77-79 *
III-5	t-Bu	CN	B6	A2	55-61 *
III-6	t-Bu	CN	B7	A2	viscous oil*
III-7	2-pentyl	CN	B1	A1	viscous oil
III-8	4-'Bu-Ph	CN	B1	A5	viscous oil
III-9	t-Bu	CN	Na	A2	165-174
III-10	t-Bu	CN	B9	A2	viscous oil
III-11	t-Bu	CN	B10	A2	185-186 *
III-12	t-Bu	CN	B11	A2	viscous oil
III-13	2-NO ₂ -Ph	CN	B9	A1	168-171 *
III-14	1-naphthyl	CN	B9	A7	136-138 *
III-15	t-Bu	CN	B7	A2	viscous oil**
III-16	Ph	CN	B4	A1	solid#10
III-17	t-Bu	CN	B4	A1	viscous oil#11
III-18	2-Cl-6-F-Ph	CN	B7	A2	152-153
III-19	2,6-F ₂ -Ph	CN	B7	A2	vitreous state*
III-20	Ph	CN	B5	A1	105-107#12
III-21	Ph	CN	B7	A2	viscous oil


*: E-form or Z-form, #9: geometric isomer of III-6,
 #10: geometric isomer of III-1, #11: geometric isomer of III-4,
 #12: geometric isomer of III-2

Table 18

5

10

15



20

25

30

35

40

45

50

55

	No.	G	E	B	A	m.p. (°C)
5						
	IV-1	2-CF ₃	CN	H	A1	viscous oil
10	IV-2	3-CF ₃	CN	H	A1	159-163
	IV-3	3-CF ₃	CN	B1	A1	174-175
	IV-4	4-CF ₃	CN	H	A1	176-179
15	IV-5	4-CF ₃	CN	B1	A1	viscous oil
	IV-6	2-CF ₃	CN	CSNMe ₂	A1	viscous oil
	IV-7	3(1-CN-1-Me)-Et	CN	H	A1	viscous oil
20	IV-8	3(1-CN-1-Me)-Et	CN	B1	A1	148-155
	IV-9	3-OPh	CN	H	A1	103-110
	IV-10	3-OPh	CN	B7	A1	viscous oil
25	IV-11	4-OPh	CN	H	A1	148-150
	IV-12	4-OPh	CN	B7	A1	viscous oil
	IV-13	4-Et	CN	H	A1	148-149
30	IV-14	4-Et	CN	B7	A1	81-82
	IV-15	4-Et	CN	B5	A1	viscous oil
35	IV-16	4-i-Pr	CN	H	A1	126-127
	IV-17	4-i-Pr	CN	B7	A1	105-106
	IV-18	4-t-Bu	CN	H	A1	117-118
40	IV-19	4-t-Bu	CN	B1	A1	viscous oil
	IV-20	4-OCF ₃	CN	H	A1	128-129
	IV-21	4-OCF ₃	CN	B7	A1	96-99
45	IV-22	3,4-methylene-dioxy	CN	H	A1	129-131
	IV-23	3,4-methylene-dioxy	CN	B7	A1	viscous oil

50

55

Table 18. (continued)

	No.	G	E	B	A	m.p. (°C)
5						
10	IV-24	4-t-Bu	CN	B7	A2	viscous oil
	IV-25	4-t-Bu	CN	B15	A2	viscous oil
	IV-26	4-t-Bu	CN	H	A2	139-140
15	IV-27	4-t-Bu	CN	B7	A13	87-88
	IV-28	4-t-Bu	CN	H	A13	141-142
	IV-29	4-t-Bu	CN	B8	A2	vitreous state
20	IV-30	4-t-Bu	CN	H	A19	169.5-173
	IV-31	4-t-Bu	CN	H	A20	vitreous state
	IV-32	4-t-Bu	CN	B7	A20	146-148
25	IV-33	4-t-Bu	CN	B15	A14	viscous oil
	IV-34	4-t-Bu	CN	B7	A19	vitreous state
	IV-35	4-t-Bu	CN	B7	A1	viscous oil
30	IV-36	4-t-Bu	CN	B8	A1	viscous oil
	IV-37	4-t-Bu	CN	H	A24	vitreous state
35	IV-38	4-t-Bu	CN	B8	A24	vitreous state
	IV-39	4-t-Bu	CN	CO ₂ Et	A1	viscous oil
	IV-40	4-t-Bu	CN	CO ₂ t-Bu	A1	viscous oil
40	IV-41	4-t-Bu	CN	COCO ₂ CH ₃	A1	viscous oil
	IV-42	4-s-Bu	CN	H	A2	107-108
	IV-43	4-s-Bu	CN	B15	A2	77-85
45	IV-44	4-i-Pr	CN	B15	A1	100-101
	IV-45	4-i-Pr	CN	B15	A2	viscous oil
	IV-46	4-i-Pr	CN	H	A2	98-99

50

55

Table 18 (continued)

No.	G	E	B	A	m.p. (°C)
IV-47	4-i-Pr	CN	B8	A2	viscous oil
IV-48	4-i-Pr	CN	CO(4-NO ₂ -Ph)	A2	vitreous state
IV-49	4-Et	CN	B15	A1	viscous oil
IV-50	4-Ph	CN	H	A1	vitreous state
IV-51	4-Ph	CN	H	A2	vitreous state
IV-52	4-Ph	CN	H	A12	vitreous state
IV-53	4-Ph	CN	H	A13	167-169
IV-54	3,4-Cl ₂	CN	H	A1	vitreous state
IV-55	4-Cl	CN	H	A1	vitreous state
IV-56	2-F-4-CF ₃	CN	H	A2	vitreous state
IV-57	2-F-4-CF ₃	CN	B7	A2	vitreous state
IV-58	2-F-4-CF ₃	CN	B15	A2	vitreous state
IV-59	4-NO ₂	CN	H	A1	186-188
IV-60	4-MeO	CN	H	A1	108-110
IV-61	4-MeO	CN	B15	A1	viscous oil*
IV-62	4-i-PrO	CN	H	A1	127-131
IV-63	4-i-PrO	CN	H	A2	141.4-148.3
IV-64	4-i-PrO	CN	B15	A1	viscous oil
IV-65	4-i-PrO	CN	B15	A2	viscous oil
IV-66	4-i-PrO	CN	B6	A2	viscous oil
IV-67	4-n-BuO	CN	H	A1	101-104
IV-68	4-n-BuO	CN	B15	A1	75-70
IV-69	4-n-BuO	CN	H	A2	104.6-105.4

Table 18 (continued)

	No.	G	E	B	A	m. p. (°C)
5						
10	IV-70	4-n-BuO	CN	B8	A1	77.1-80.7
	IV-71	4-n-BuO	CN	B15	A2	viscous oil
	IV-72	4-t-amyl	CN	B15	A2	viscous oil
15	IV-73	4-allyloxy	CN	H	A1	vitreous state
	IV-74	4-allyloxy	CN	B15	A1	vitreous state
	IV-75	4-(Cl ₂ C=CHCH ₂ O)	CN	H	A1	vitreous state
20	IV-76	4-(Cl ₂ C=CHCH ₂ O)	CN	B15	A1	vitreous state
	IV-77	4-(ClCCCH ₂ O)	CN	H	A1	vitreous state
	IV-78	4-PhCH ₂ O	CN	H	A1	152.9-154.7
25	IV-79	4-PhCH ₂ O	CN	H	A2	189-190.5
	IV-80	4-PhCH ₂ O	CN	B15	A2	123-129
	IV-81	4-MeOCH ₂ O	CN	H	A1	130.4-131.7
30	IV-82	4-CF ₃ CH ₂ O	CN	H	A1	100-103
	IV-83	4-pivaloyl	CN	B15	A2	vitreous state
	IV-84	4-pivaloyl	CN	H	A2	vitreous state
35	IV-85	4-Me ₂ NCO ₂	CN	H	A2	vitreous state
	IV-86	4-Me ₂ NCO ₂	CN	B15	A2	vitreous state
40	IV-87	4-Me ₂ NCO ₂	CN	B7	A2	vitreous state
	IV-88	4-t-Bu	PO(OEt) ₂	H	A1	87-88
	IV-89	4-t-Bu	PO(OEt) ₂	B1	A1	121-124
45	IV-90	H	Br	H	A1	74.5-75.5
	IV-91	H	CO ₂ Et	H	A1	viscous oil
	IV-92	H	Br	B7	A1	viscous oil
50						
55						

Table 18 (continued)

	No.	G	E	B	A	m.p. (°C)
5	IV-93	4-t-Bu	PO(OEt) ₂	H	A2	viscous oil
10	IV-94	4-t-Bu	CN	COCO ₂ Et	A1	viscous oil
	IV-95	4-t-Bu	CN	CO ₂ ⁱ Bu	A2	viscous oil
	IV-96	4-t-Bu	CN	CO ₂ ⁱ Bu	A13	104-105
15	IV-97	4-t-Bu	SO ₂ Ph	H	A1	143-145
	IV-98	H	CO ₂ Et	B7	A1	viscous oil
	IV-99	4-t-Bu	CN	B3	A1	viscous oil
20	IV-100	4-t-Bu	CN	B19	A1	vitreous state
	IV-101	4-t-Bu	CN	CO(4-CO ₂ Me-Ph)	A2	vitreous state
	IV-102	4-t-Bu	CN	CO(4-CO ₂ Me-Ph)	A13	vitreous state
25	IV-103	4-t-Bu	CO ₂ Me	H	A2	88-89
	IV-104	4-t-Bu	CO ₂ Me	H	A1	123-124
30	IV-105	4-t-Bu	CO ₂ Me	B7	A1	77-78
	IV-106	4-t-Bu	CO ₂ Me	B7	A2	viscous oil
	IV-107	4-t-Bu	SO ₂ Ph	B7	A1	98-99
35	IV-108	4-t-Bu	SO ₂ Ph	B7	A1	130-131 ^{#13}
	IV-109	4-t-Bu	CN	B3	A2	71-72*
	IV-110	4-CHF ₂ O	CN	H	A2	vitreous state
40	IV-111	4-CHF ₂ O	CN	B15	A2	vitreous state
	IV-112	4-CHF ₂ O	CN	B7	A2	vitreous state
	IV-113	4-CH ₃ CONH	CN	H	A2	247.9-251.9
45	IV-114	4-CH ₃ CONH	CN	B7	A2	82.1-84.3
	IV-115	4-CO ₂ Me	CN	H	A2	151-152

50

55

Table 18 (continued)

	No.	G	E	B	A	m.p. (°C)
5	IV-116	4-CO ₂ Me	CN	B7	A2	viscous oil*
10	IV-117	4-vinyl	CN	H	A2	vitreous state
	IV-118	4-t-Bu	CN	B15	A1	78-82
	IV-119	4-t-Bu	CN	methacryloyl	A1	viscous oil*
15	IV-120	4-t-Bu	CN	COCH=(CH ₃) ₂	A1	viscous oil
	IV-121	4-t-Bu	CN	B33	A1	viscous oil
	IV-122	4-t-Bu	CN	CH ₂ OCH ₂ Ph	A1	viscous oil
20	IV-123	4-t-Bu	CN	B24	A1	viscous oil
	IV-124	H	Cl	H	A1	48-49
25	IV-125	4-t-Bu	5-Me-1,3,4-oxadiazol-2-yl	H	A1	149-151
	IV-126	4-SMe	CN	H	A2	154-156
30	IV-127	4-SMe	CN	B7	A2	viscous oil*
	IV-128	4-SOMe	CN	H	A2	vitreous state
	IV-129	4-t-Bu	CN	B33	A2	viscous oil
35	IV-130	4-t-Bu	CN	B3	A13	111-112*
	IV-131	4-t-Bu	CN	B7	A3	viscous oil
	IV-132	4-t-Bu	CN	B3	A3	viscous oil
40	IV-133	4-t-Bu	CN	COCH ₂ (4-OMe-Ph)	A1	117-121
	IV-134	4-SO ₂ Me	CN	B7	A2	vitreous state*
	IV-135	4-SOMe	CN	B7	A2	vitreous state*
45	IV-136	4-OCH ₂ Ph-3-Cl	CN	H	A2	vitreous state
	IV-137	4-OPr ⁱ -3-Cl	CN	H	A2	vitreous state
50	IV-138	4-OBu ⁱ -3-Cl	CN	H	A2	vitreous state

55


Table 18 (continued)

No.	G	E	B	A	m.p. (°C)
IV-139	4-t-Bu	CN	B8	A3	viscous oil
IV-140	4-t-Bu	CN	B7	2-Cl-4-CF ₃ -thiazol-5-yl	90-91

*: E-form or Z-form

#13: geometric isomer of IV-107.

Table 19



5	No.	Q	R	E	B	A	m. p. (°C)
	V-1	Q9	1-Ph	CN	H	A1	148.7-151.3
10	V-2	Q9	1-Ph	CN	H	A2	156-157
	V-3	Q9	5-Me-1-'Pr	CN	H	A2	78-80
	V-4	Q9	5-Me-1-'Bu	CN	B7	A2	84-89*
15	V-5	Q9	5-Me-1-'Bu	CN	B7	A2	99-105
	V-6	Q9	5-Me-1-'Bu	CN	H	A2	113-114
	V-7	Q9	5-Me-1-'Bu	CN	H	A2	75-80
20	V-8	Q9	1-t-Bu	CN	B7	A2	vitreous state*
	V-9	Q9	1-t-Bu	CN	H	2,6-F ₂ -Ph	111-113
	V-10	Q9	1-t-Bu	CN	H	A2	127-129
25	V-11	Q9	1-pyridin- 2-yl	CN	H	A2	156.4-158.1
	V-12	Q9	1-pyridin- 2-yl	CN	B15	A2	vitreous state*
30	V-13	Q9	1-pyridin- 2-yl	CN	B7	A2	vitreous state*
	V-14	Q10	1-Ph	CN	B7	A2	130-131
	V-15	Q10	1-Ph	CN	H	A2	207-208
35	V-16	Q10	1-t-Bu	CN	B7	A2	viscous oil
	V-17	Q10	1-t-Bu	CN	H	A2	viscous oil
	V-18	Q11	1-Me-3-'Bu	CN	H	A2	vitreous state
40	V-19	Q11	1-Me-3-'Bu	CN	B7	A2	119-124
	V-20	Q12	Ph	CN	H	A2	247-253
	V-21	Q12	Ph	CN	B7	A2	147.5-148.5*
45	V-22	Q12	Ph	CN	SO ₂ (4-'Bu-Ph)	A2	174-176.5
	V-23	2-naphthyl	—	CN	B1	A1	viscous oil

50

55

Table 19

	No.	Q	R	E	B	A	m.p. (°C)
10	V-24	2-naphthyl	—	CN	H	A1	140.1-141.1
	V-25	2-naphthyl	—	CN	B7	A1	viscous oil
	V-26	Q13	—	CN	H	A2	121-122
15	V-27	Q1	5-Cl	CN	H	A2	160 (decomposition)
	V-28	Q1	5-Cl	CN	B7	A2	79.5-81
20	V-29	Q2	4-Ph	CN	H	A1	231-232
	V-30	Q2	4-t-Bu	CN	H	A1	218-219
	V-31	Q3	3-Ph	CN	H	A1	243-245
25	V-32	Q4	Ph	CN	H	A1	255.8-256.8
	V-33	Q4	Ph	CN	B1	A1	187-190
	V-34	Q5	t-Bu	CN	H	A2	158-160
30	V-35	Q6	t-Bu	CN	H	A2	215-216
	V-36	Q7	5-CF ₃	CN	H	A1	184-185
	V-37	Q7	5-CF ₃	CN	H	A2	211-212
35	V-38	Q7	5-PhCH ₂ O	CN	H	A1	220-221
	V-39	Q8	4,6-(MeO) ₂	CN	H	A1	149-155
40	V-40	Q14	t-Bu	CN	H	A1	137.9-143.7
	V-41	Q14	t-Bu	CN	B7	A1	vitreous state
	V-42	Q14	t-Bu	CN	H	A2	127.5-128.9
45	V-43	Q14	t-Bu	CN	B7	A2	vitreous state
	V-44	Q14	t-Bu	CN	B33	A2	vitreous state
	V-45	Q14	t-Bu	CN	H	2,6-F ₂ -Ph	105.6-108.1
50	V-46	Q14	t-Bu	CN	B7	2,6-F ₂ -Ph	viscous oil

Table 19

5	No.	Q	R	E	B	A	m. p. (°C)
10	V-47	Q14	Ph	CN	H	A2	113.0-114.9
	V-48	Q14	Ph	CN	B7	A2	vitreous state
	V-49	Q14	Ph	CN	B15	A2	vitreous state
15	V-50	Q14	2-Cl-Ph	CN	H	A1	125.5-127.5
	V-51	Q14	2-Cl-Ph	CN	B7	A1	104.0-107.5
	V-52	Q14	2-Cl-Ph	CN	H	A2	142.4-143.6
20	V-53	Q14	2-Cl-Ph	CN	B15	A2	vitreous state
	V-54	Q14	2-Cl-Ph	CN	B7	A2	vitreous state
25	V-55	Q14	2,6-F ₂ -Ph	CN	H	A2	136.3-164.7
	V-56	Q14	2,6-F ₂ -Ph	CN	B15	A2	vitreous state
	V-57	Q14	2,6-F ₂ -Ph	CN	B7	A2	vitreous state
30	V-58	Q14	PhCH ₂	CN	H	A2	113.2-114.3
	V-59	Q14	PhCH ₂	CN	B15	A2	vitreous state
	V-60	Q14	PhCH ₂	CN	B7	A2	vitreous state
35	V-61	Q14	2-Cl-Ph	CN	H	2-MeO-Ph	131.4-132.8
	V-62	Q14	2-Cl-Ph	CN	CO ₂ -2-Oct	2-MeO-Ph	viscous oil
	V-63	Q14	2-Cl-Ph	CN	B44	2-MeO-Ph	vitreous state
40	V-64	Q14	2-Cl-Ph	CN	H	2,6-F ₂ -Ph	155.1-157.9
	V-65	Q14	2-Cl-Ph	CN	B45	2,6-F ₂ -Ph	159.3-160.3
	V-66	Q14	2-Cl-Ph	CN	H	A7	150-152
45	V-67	Q14	2-Cl-Ph	CN	SO ₂ (3-Cl-Ph)	A7	132-133
	V-68	Q14	PhMe ₂ C	CN	H	A2	vitreous state
50	V-69	Q14	PhMe ₂ C	CN	B7	A2	vitreous state

55

Table 19

No.	Q	R	E	B	A	m. p. (°C)
V-70	Q14	PhMe ₂ C	CN	COCH ₂ OMe	A2	vitreous state
V-71	Q15	Ph	CN	H	A1	151-153
V-72	Q16	3-CN-Ph	CN	H	A1	174-175
V-73	Q17	5-CO ₂ Et	CN	B7	A2	viscous oil
V-74	Q18	3-pyridin-2-yl	CN	H	A2	219 (decomposition)
V-75	Q19	5-Me-2-Ph	CN	H	A2	181-182
V-76	Q19	5-Me-2-Ph	CN	B7	A2	viscous oil
V-77	Q18	3-pyridin-2-yl	CN	B7	A2	vitreous state
V-78	Q18	3-pyridin-2-yl	CN	B46	A2	vitreous state
V-79	Q18	t-Bu	CN	H	A2	110.4-110.8
V-80	Q20	6-I	CN	H	A2	205-208
V-81	Q20	6-I	CN	B7	A2	137-142
V-82	4-Ph-oxazol-2-yl	—	CN	H	A2	165.9-166.7
V-83	4-Ph-oxazol-2-yl	—	CN	B15	A2	vitreous state
V-84	4-Ph-oxazol-2-yl	—	CN	B7	A2	vitreous state
V-85	Q19	5-Me-2-Ph	CN	H	A7	117-118
V-86	3-(2-Cl-Ph)-imidazolin-2-on-1-yl	—	CN	H	A2	155-156

*: E-form or Z-form

[Formulation Examples]

[0197] Now, Formulation Examples of pesticides comprising the compounds of the present invention as the active ingredient are shown below, which, however, are not intended to restrict the scope of the invention. In the following For-

mulation Examples, "part" or "parts" are by weight.

[Formulation Example 1] Wettable Powder:

[0198]

Compound No. I-1 of the invention	50 parts
Zeekite PFP (trade name, kaolin-type clay manufactured by Zeekite Mining Industries, Co., Ltd.)	43 parts
Solpol 5050 (trade name, anionic surfactant manufactured by Toho Chemical Co., Ltd.)	2 parts
Runox 1000C (trade name, anionic surfactant manufactured by Toho Chemical Co., Ltd.)	3 parts
Carplex #80 (anti-caking agent, trade name, white carbon manufactured by Shionogi Pharmaceutical Co., Ltd.)	2 parts

[0199] The above-mentioned components were homogeneously mixed and ground to form a wettable powder.

[Formulation Example 2] Emulsion:

[0200]

Compound No. I-1 of the invention	3 parts
Methylnaphthalene	76 parts
Isophorone	15 parts
Solpol 3005X (trade name, mixture of nonionic surfactant and anionic surfactant manufactured by Toho Chemical Co., Ltd.)	6 parts

[0201] The above-mentioned components were homogeneously mixed to form an emulsion.

[Formulation Example 3] Flowable:

[0202]

Compound No. I-1 of the invention	35 parts
Agrisol S-711 (trade name, nonionic surfactant manufactured by Kao Corp.)	8 parts
Runox 1000C (trade name, anionic surfactant manufactured by Toho Chemical Co., Ltd.)	0.5 part
Aqueous solution of 1 % Rhodopol (trade name, thickener manufactured by Rhone-Poulenc)	20 parts
Ethylene glycol (freezing inhibitor)	8 parts
Water	28.5 parts

[0203] The above-mentioned components were homogeneously mixed to prepare a flowable.

[Formulation Example 4] Granular wettable powder (Dry flowable):

[0204]

Compound No. I-1 of the invention	75 parts
Isoban No. 1 (trade name, anionic surfactant manufactured by Kuraray Isoprene Chemical Co., Ltd.)	10 parts
Vanilex N (trade name, anionic surfactant manufactured by Sanyo Kokusaku Pulp Co., Ltd.)	5 parts
Carplex #80 (trade name, white carbon manufactured by Shionogi Pharmaceutical Co., Ltd.)	10 parts

[0205] The above-mentioned components were homogeneously mixed and finely ground to form a dry flowable.

[Formulation Example 5] Granules:

[0206]

Compound No. I-1 of the invention	0.1 part
Bentonite	55.0 parts
Talc	44.9 parts

[0207] The above-mentioned components were homogeneously mixed and ground, to which was added a small amount of water, stirred, mixed and kneaded. The resulting mixture was granulated and dried into granules, using an extrusion granulator.

[Formulation Example 6] Dust:

[0208]

Compound No. I-1 of the invention	3.0 parts
Carplex #80 (trade name, white carbon manufactured by Shionogi Pharmaceutical Co., Ltd.)	0.5 part
Clay	95 parts
Diisopropyl phosphate	1.5 parts

[0209] The above-mentioned components were homogeneously mixed and ground to form a dust.

[0210] Upon use, the wettable powder, emulsion, flowable and dry flowable are diluted from 50 to 20000 times with water, and applied in an amount of from 0.005 to 50 kg/ha in terms of the active ingredient.

[0211] Now, Formulation Examples of agents for preventing the attachment of aquatic organisms of the present invention are shown below, which, however, are not intended to restrict the scope of the invention.

[Formulation Example 7]

[0212]

Compound No. II-2 of the invention	8 parts
------------------------------------	---------

(continued)

	VYHH (vinyl-type synthetic resin manufactured by UCC Co., Ltd.)	7 parts
	Rosin	7 parts
5	Tricresyl phosphate	3 parts
	Talc	20 parts
	Barium sulfate	15 parts
10	Red iron oxide	10 parts
	Xylene	20 parts
	Methyl isobutyl ketone	10 parts

15 [0213] The above-mentioned components were homogeneously mixed to form an agent for preventing the attachment of aquatic organisms of the invention. This agent can be used as a coating paint.

[Formulation Example 8]

20 [0214]

25	Compound No. II-2 of the invention	5 parts
	CR-10 (chlorine rubber resin manufactured by Asahi Denka KK)	13 parts
	Zinc flower	20 parts
	Talc	20 parts
30	Plasticizer	2 parts
	Red iron oxide	10 parts
	Xylene	30 parts

35 [0215] The above-mentioned components were homogeneously mixed to form an agent for preventing the attachment of aquatic organisms of the invention. This agent can be used as a coating paint.

[Formulation Example 9]

40

[0216]

45	Compound No. II-2 of the invention	8 parts
	VYHH (vinyl-type synthetic resin manufactured by UCC Co., Ltd.)	7 parts
	Rosin	7 parts
50	Tricresyl phosphate	3 parts
	Talc	20 parts
	Barium sulfate	15 parts
	Red iron oxide	10 parts
55	Xylene	20 parts
	Methyl isobutyl ketone	10 parts

[0217] The above-mentioned components were homogeneously mixed to form an agent for preventing the attachment of aquatic organisms the invention. This agent can be used as a coating paint.

[Formulation Example 10]

[0218]

Compound No. II-2 of the invention	5 parts
CR-10 (chlorine rubber resin manufactured by Asahi Denka KK)	13 parts
Zinc flower	20 parts
Talc	20 parts
Plasticizer	2 parts
Red iron oxide	10 parts
Xylene	30 parts

[0219] The above-mentioned components were homogeneously mixed to form an agent for preventing the attachment of aquatic organisms of the invention. This agent can be used as a coating paint.

[Test Examples]

[0220] Now, the following Test Examples are to demonstrate the usefulness of the compounds of the present invention as pesticides.

Test Example 1: Insecticidal test for Brown rice planthopper (*Nilaparvata lugens* Stal):

[0221] A 5 % emulsion (or 25 % wettable powder) of a compound of the present invention was diluted with water containing a spreading agent to give a 500 ppm solution of the compound.

[0222] The stems and leaves of rice-plants in 1/20,000 are pot were sufficiently applied with the resulting solution. After the thus-applied chemical solution was dried in air, each pot was covered with a cylindrical cover. Ten (10) second instar nymphae of brown rice planthoppers (*Nilaparvata lugens*) were released in each pot. After having been thus covered, the pots were stored in a thermostatic chamber. After 6 days passed, the insects in each pot were observed, and the mortality thereof was determined according to the following equation. Each compound was tested in that manner for two groups of pots.

$$\text{Mortality (\%)} = [\text{number of insect killed} / (\text{number of insect killed} + \text{number of living insect})] \times 100$$

[0223] In this test, the following compounds exhibited mortality of 80 % or more.

Compounds of the invention: Nos. I-2, I-18, I-19, I-23, I-30, I-31, I-32, I-35, I-39, I-42, I-44, I-58, I-59, I-62, I-63, I-70, I-72, I-80, I-106, I-114, I-123, I-137, II-1, II-2, II-3, II-5, II-6, II-12, II-15, II-23, II-25, II-26, II-28, II-33, II-34, II-36, II-37, II-38, II-39, II-43, II-44, II-46, II-53, II-54, II-55, II-61, II-66, II-73, II-74, II-75, II-76, II-80, II-83, II-84, II-85, II-86, II-87, II-88, II-89, II-91, II-92, II-93, II-97, II-98, II-111, II-114, II-116, II-134, II-136, II-137, II-154, II-155, II-159, III-1, III-2, III-4, III-6, III-15, III-16, III-17, III-18, III-19, III-21, IV-48, IV-58, V-2, V-12, V-13, V-28, V-48, V-49, V-51, V-53, V-54, V-55, V-56, V-57, V-59, V-60

Test Example 2: Insecticidal test for Green rice leafhoppers (*Nephotettix cincticeps* Uhler):

[0224] The stems and leaves of plants was dipped in a 500 ppm emulsion of a compound of the invention for about 10 seconds. The thus-treated stems and leaves were put into glass cylinders, into which were released adults of green rice leafhoppers (*Nephotettix cincticeps*) that were resistant to organic phosphorous insecticides. Each glass cylinder was covered with a perforated cover, and stored in a thermostatic chamber at 25 °C. After 6 days passed, the insects in each cylinder were observed, and the mortality of the insects was determined according to the same equation as in

Test Example 1. Each compound was tested in that manner for two groups of cylinders. In this test, the following compounds exhibited mortality of 80 % or more.

Compounds of the invention: Nos. I-1, I-2, I-4, I-5, I-8, I-9, I-10, I-19, I-24, I-29, I-30, I-31, I-32, I-33, I-34, I-35, I-36, I-39, I-40, I-41, I-42, I-43, I-44, I-47, I-53, I-54, I-55, I-56, I-57, I-58, I-59, I-62, I-63, I-69, I-70, I-71, I-72, I-74, I-79, I-80, I-81, I-115, I-121, I-125, I-127, I-137, II-1, II-2, II-3, II-5, II-6, II-7, II-9, II-10, II-11, II-12, II-13, II-15, II-23, II-26, II-28, II-33, II-34, II-36, II-38, II-37, II-43, II-46, II-49, II-52, II-54, II-55, II-63, II-64, II-65, II-66, II-67, II-68, II-69, II-73, II-74, II-75, II-76, II-77, II-78, II-79, II-80, II-81, II-83, II-84, II-85, II-86, II-87, II-88, II-89, II-91, II-92, II-93, II-97, II-98, II-99, II-107, II-111, II-116, II-117, II-130, II-131, II-132, II-134, II-136, II-137, II-142, II-145, II-153, II-154, III-1, III-2, III-3, III-4, III-5, III-6, III-13, III-15, III-16, III-17, III-18, III-19, III-20, III-21, IV-32, IV-58, V-2, V-12, V-13, V-14, V-38, V-41, V-43, V-48, V-49, V-51, V-53, V-54, V-55, V-56, V-57, V-59, V-60, V-75

Test Example 3: Insecticidal test for Green peach aphids (*Myzus persicae* Sulzer):

[0225] Moistured filter paper was placed in each laboratory glass dish having an inner diameter of 3 cm, and a leaf cabbage having the same diameter as that of the dish was put on the filter paper. Four female, apterous adults of green peach aphids (*Myzus persicae*) were put on the cabbage leaf. Following day, a chemical sample (2.5 mg/cm²) was sprayed over the dishes, using a rotary sprinkler. The chemical solution herein was prepared by diluting a 5 % emulsion (or 25 % wettable powder) of a compound of the invention to 500 ppm with water containing a spreading agent. After 6 days passed, the insects in each cylinder were observed, and mortality of the insects (larvae and adults) was determined according to the following equation. Each compound was tested in that manner for two groups of dishes.

$$\text{Mortality (\%)} = [\text{number of insect killed} / (\text{number of insect killed} + \text{number of living insect})] \times 100$$

[0226] In this test, the following compounds exhibited mortality of 80 % or more.

Compounds of the invention: Nos. I-1, I-2, I-3, I-4, I-5, I-7, I-8, I-9, I-10, I-11, I-12, I-13, I-14, I-16, I-17, I-18, I-19, I-21, I-22, I-23, I-24, I-25, I-26, I-27, I-28, I-29, I-30, I-31, I-32, I-33, I-34, I-35, I-36, I-37, I-38, I-40, I-41, I-42, I-43, I-44, I-45, I-46, I-47, I-48, I-51, I-52, I-53, I-54, I-55, I-56, I-57, I-58, I-59, I-62, I-63, I-69, I-70, I-71, I-72, I-73, I-74, I-76, I-77, I-78, I-79, I-80, I-81, I-84, I-85, I-86, I-89, I-90, I-92, I-96, I-97, I-104, I-108, I-125, I-136, I-137, I-138, II-2, II-3, II-5, II-6, II-7, II-8, II-9, II-10, II-11, II-12, II-15, II-16, II-17, II-23, II-24, II-25, II-26, II-27, II-28, II-33, II-34, II-35, II-36, II-37, II-38, II-39, II-43, II-44, II-50, II-52, II-53, II-54, II-55, II-58, II-60, II-63, II-64, II-65, II-66, II-68, II-69, II-70, II-71, II-73, II-74, II-75, II-76, II-78, II-79, II-83, II-84, II-85, II-86, II-87, II-88, II-89, II-90, II-91, II-92, II-93, II-97, II-98, II-99, II-101, II-102, II-105, II-107, II-111, II-116, II-117, II-118, II-121, II-130, II-131, II-132, II-133, II-134, II-136, II-137, II-138, II-140, II-141, II-142, II-151, II-153, II-154, II-159, II-160, III-1, III-2, III-3, III-4, III-5, III-6, III-15, III-16, III-17, III-18, III-19, III-20, III-21, IV-10, IV-11, IV-21, IV-23, IV-45, V-1, V-2, V-10, V-11, V-12, V-13, V-14, V-28, V-31, V-32, V-41, V-45, V-48, V-49, V-50, V-51, V-52, V-53, V-54, V-55, V-56, V-57, V-59, V-60, V-73, V-75

Test Example 4: Insecticidal test for Diamond back moth (*Plutella xylostella* Linne):

[0227] The leaves of cabbage were dipped in a 500 ppm aqueous emulsion of a compound of the invention for about 10 seconds. After having been dried in air, the thus-treated leaves were put into laboratory dishes. Ten (10) second larvae of diamond back moth (*Plutella xylostella*) were released in each dish. Each dish was covered with a perforated cover, and stored in a thermostatic chamber at 25 °C. After 6 days passed, the insects in each dish were observed, and mortality of the insects was obtained according to the same equation as in Test Example 1. Each compound was tested in that manner for two groups of dishes. In this test, the following compounds exhibited mortality of 80 % or more.

Compounds of the invention: Nos. I-1, I-2, I-4, I-5, I-6, I-8, I-9, I-10, I-13, I-18, I-19, I-29, I-30, I-31, I-33, I-34, I-35, I-36, I-38, I-39, I-40, I-41, I-43, I-44, I-45, I-46, I-47, I-51, I-52, I-53, I-56, I-57, I-58, I-59, I-62, I-63, I-70, I-71, I-72, I-73, I-74, I-76, I-77, I-78, I-79, I-80, I-81, I-84, I-86, I-89, I-96, I-97, I-99, I-104, I-106, I-114, I-125, I-137, II-1, II-2, II-5, II-6, II-7, II-8, II-9, II-10, II-11, II-12, II-13, II-15, II-17, II-23, II-24, II-25, II-26, II-27, II-28, II-33, II-34, II-35, II-36, II-37, II-38, II-39, II-40, II-41, II-42, II-43, II-54, II-55, II-58, II-60, II-61, II-62, II-63, II-64, II-65, II-66, II-67, II-68, II-69, II-70, II-71, II-72, II-73, II-74, II-75, II-76, II-77, II-78, II-79, II-80, II-81, II-83, II-84, II-85, II-86, II-87, II-88, II-89, II-90, II-91, II-92, II-93, II-94, II-97, II-98, II-99, II-100, II-101, II-105, II-106, II-107, II-108, II-109, II-110, II-111, II-116, II-117, II-118, II-121, II-122, II-155, II-159, II-161, III-1, III-2, III-3, III-4, III-5, III-6, III-7, III-9, III-10, III-11, III-13, III-14, III-15, III-16, III-17, III-18, III-19, III-20, III-21, IV-7, IV-8, IV-29, IV-47, IV-53, IV-58, V-1, V-2, V-11, V-12, V-13, V-29, V-37, V-41, V-43, V-46, V-48, V-50, V-51, V-52, V-53, V-54, V-55, V-56, V-57, V-58, V-59, V-60, V-64, V-75

Test Example 5: Insecticidal test for cucurbit leaf beetles (*Aulacophora femoralis* Motschulsky):

[0228] A 5 % emulsion (or 25 % wettable powder) of a compound of the present invention was diluted with water containing a spreading agent to give a 500 ppm solution of the compound. The leaves of cucumbers were dipped in this chemical solution for about 10 seconds, dried in air, and put into a laboratory dish. Ten (10) second instar nymphae of cucurbit leaf beetles (*Aulacophora femoralis*) were released in each dish. Each dish was covered with a cover, and stored in a thermostatic chamber at 25 °C. After 6 days passed, the insects in each dish were observed, and mortality of the insects was determined according to the same equation as in Test Example 1. Each compound was tested in that manner for two groups of dishes.

[0229] In this test, the following compounds exhibited mortality of 100 %.

Compounds of the invention: Nos. I-1, I-2, I-4, I-6, I-8 I-9, I-10, I-11, I-12, I-13, I-29, I-30, I-31, I-32, I-33, I-34, I-35, I-39, I-40, I-41, I-43, I-44, I-46, I-53, I-54, I-55, I-56, I-57, I-58, I-59, I-61, I-62, I-63, I-69, I-70, I-71, I-72, I-74, I-76, I-77, I-78, I-79, I-80, I-81, I-82, I-83, I-92, I-101, I-103, I-104, I-108, I-109, I-124, I-127, I-128, II-1, II-6, II-7, II-8, II-9, II-10, II-11, II-12, II-13, II-14, II-15, II-16, II-17, II-23, II-24, II-25, II-26, II-27, II-28, II-33, II-34, II-35, II-36, II-37, II-38, II-39, II-41, II-42, II-43, II-47, II-50, II-53, II-54, II-55, II-57, II-58, II-61, II-62, II-63, II-65, II-66, II-99, II-101, II-102, II-104, II-105, II-106, II-107, II-108, II-109, II-110, II-114, II-122, II-124, II-125, II-131, II-132, II-133, II-134, II-136, II-137, II-139, II-140, II-141, II-142, II-153, II-154, III-1, III-2, III-3, III-4, III-5, III-6, III-9, III-10, III-11, III-12, III-14, III-15, III-16, III-17, III-20, IV-6, IV-13, IV-33, IV-39, IV-56, IV-60, IV-61, IV-72, IV-82, V-1, V-2, V-11, V-12, V-13, V-17, V-22, V-26, V-27, V-29, V-37, V-40, V-42, V-48, V-49, V-50, V-51, V-52, V-54, V-55, V-57, V-59, V-60, V-61, V-64, V-75

Test Example 6: Acaricidal test for two-spotted spider mites (*Tetranychus urticae* Koch):

[0230] The leaves of kidney bean plants were punched into 3 cm-diameter discs, using a leaf punch, and put onto moistured filter paper in a 7 cm-diameter styrol cup. Ten (10) larvae of two-spotted spider mites (*Tetranychus urticae*) were put to each leaf. A 5 % emulsion (or 25 % wettable powder) of a compound of the invention was diluted with water containing a spreading agent to give a 500 ppm solution of the compound. The solution was sprayed over each cup in an amount of 2 ml/cup, using a rotary sprinkler, and the cups were stored in a thermostatic chamber at 25 °C. After 96 hours passed, the mites in each cup were observed, and mortality of the mites was determined according to the same equation as in Test Example 1. Each compound was tested in that manner for two groups of cups.

[0231] In this test, the following compounds exhibited the mites at a percentage of 80 % or more.

Compounds of the invention: Nos. I-1, I-2, I-3, I-4, I-5, I-7, I-8, I-9, I-10, I-12, I-13, I-19, I-24, I-25, I-26, I-27, I-28, I-29, I-30, I-31, I-32, I-33, I-34, I-35, I-36, I-38, I-40, I-41, I-42, I-43, I-44, I-45, I-46, I-47, I-48, I-50, I-51, I-52, I-55, I-56, I-57, I-58, I-59, I-60, I-61, I-62, I-63, I-70, I-71, I-72, I-74, I-76, I-80, I-94, I-95, I-96, I-97, I-99, I-101, I-102, I-103, I-104, I-105, I-106, I-108, I-109, I-110, I-111, I-112, I-113, I-114, I-115, I-117, I-118, I-119, I-122, I-123, I-124, I-125, I-126, I-127, I-128, I-137, II-2, II-3, II-5, II-6, II-7, II-8, II-9, II-10, II-11, II-12, II-13, II-15, II-16, II-17, II-23, II-25, II-26, II-27, II-28, II-33, II-34, II-35, II-36, II-37, II-38, II-39, II-40, II-41, II-42, II-43, II-45, II-46, II-47, II-48, II-50, II-52, II-53, II-54, II-55, II-58, II-59, II-60, II-61, II-63, II-64, II-64, II-66, II-67, II-68, II-69, II-70, II-71, II-72, II-73, II-74, II-75, II-76, II-77, II-78, II-79, II-80, II-81, II-83, II-84, II-85, II-86, II-87, II-88, II-89, II-90, II-91, II-92, II-93, II-95, II-97, II-98, II-99, II-101, II-102, II-103, II-105, II-106, II-107, II-108, II-109, II-110, II-111, II-116, II-117, II-118, II-133, II-134, II-136, II-137, II-151, II-153, II-154, II-155, II-159, II-160, II-161, II-173, III-3, III-4, III-5, III-6, III-7, III-9, III-10, III-11, III-12, III-15, III-17, III-18, III-19, III-21, IV-1, IV-2, IV-3, IV-4, IV-5, IV-7, IV-10, IV-11, IV-12, IV-13, IV-14, IV-16, IV-17, IV-18, IV-19, IV-20, IV-21, IV-22, IV-24, IV-25, IV-26, IV-28, IV-29, IV-33, IV-35, IV-36, IV-39, IV-40, IV-41, IV-42, IV-43, IV-44, IV-45, IV-46, IV-47, IV-48, IV-49, IV-50, IV-51, IV-54, IV-55, IV-56, IV-58, IV-59, IV-60, IV-61, IV-62, IV-63, IV-64, IV-65, IV-66, IV-67, IV-68, IV-69, IV-70, IV-71, IV-72, IV-74, IV-75, IV-76, IV-79, IV-80, IV-82, IV-94, IV-95, IV-96, IV-99, IV-100, IV-101, IV-102, IV-109, IV-110, IV-111, IV-112, V-1, V-2, V-3, V-4, V-5, V-6, V-7, V-8, V-10, V-11, V-12, V-13, V-14, V-15, V-16, V-17, V-19, V-23, V-24, V-25, V-26, V-28, V-31, V-36, V-37, V-38, V-40, V-41, V-42, V-43, V-44, V-46, V-47, V-48, V-49, V-50, V-51, V-52, V-53, V-54, V-55, V-56, V-57, V-58, V-59, V-60, V-73, V-75

Test Example 7: Test for preventing Leaf rust, Brown rust (*Puccinia recondita* ex Desmazière):

[0232] A chemical solution obtained by diluting an emulsion of a compound of the invention to 500 ppm with water was sprayed on wheat plants (Norin No. 61) grown to 1.5- to 2.0-leaf in a pot having a diameter of 5.5 cm-diameter at a dose of 20 ml/pot using a spraygun.

[0233] The following day, a spore suspension (2×10^5 spore/ml) of leaf rust (brown rust) (*Puccinia recondita*) was sprayed over the plant-pots were placed overnight in an inoculation box having a temperature of 25 °C and a humidity

of 95 % or more. Then, the pots were put in a green house. After 7 days of the inoculation, a ratio of an infected and spored area formed to the leaf inoculated was measured, and a preventive value was calculated according to the following equation.

$$\text{Preventive value} = [1 - (\text{infected and spotted area ratio in treated region} / \text{infected and spotted area ratio in untreated region})] \times 100$$

[0234] In this test, the following compounds had an protective value of from 70 to 100.


Compounds of the invention: Nos. I-9, I-108, I-127, I-128, II-14, II-15, IV-2, IV-7, V-15, V-10.

Industrial Applicability

[0235] With the long-term use of insecticides and microbicides, recently, some pests have become resistant to chemicals and are often difficult to exterminate with conventional insecticides and microbicides. In addition, some insecticides are highly toxic and are prone to remain long, without being decomposed, to destroy the ecosystem. Accordingly, the present invention provides novel, non-toxic and non-persistent insecticides and fungicides, and provides agents for preventing the attachment of aquatic organisms having few influences on the ecosystem and causing little secondary pollution.

Claims

1. Ethylene derivatives of a formula (I):



[wherein;

Q represents a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, 1,2,4,5-tetrazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, imidazolinone, imidazolidinedione, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalyl, phthalazinyl, cinnolinyl or quinazolinyl group);

A represents a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalyl, phthalazinyl, cinnolinyl or quinazolinyl group);

provided that, (a) when Q is a thienyl group optionally substituted by R, a furyl group optionally substituted by R, a quinolyl group optionally substituted by R, or an isoquinolyl group optionally substituted by R, then A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinoxalyl, phthalazinyl, cinnolinyl or quinazolinyl group);

(b) when Q is a 2-thiazolyl group optionally substituted by R, then A is a naphthyl group optionally substituted

by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinoxalinyl group);

(c) when Q is a pyridyl group optionally substituted by R, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinoxal-
inyl, phthalazinyl, cinnolinyl or quinoxalinyl group);

(d) when Q is an isothiazolyl group optionally substituted by R, a 1,2,3-triazolyl group optionally substituted by R, or a benzoxazolyl group optionally substituted by R, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalyl, phthalazyl, cinnolyl or quinazolyl group);

(e) when Q is a 1,2,4-triazolyl group optionally substituted by R, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinazolinyl group);

(f) when Q is a benzothiazolyl group optionally substituted by R, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinazolinyl group);

(g) when Q is a benzimidazolyl group optionally substituted by R, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(3H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinazolinyl group);

(h) when Q is a phenyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinoxalinyl group);

(i) when Q is a naphthyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y (said heterocyclic group being a thienyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl, 3(2H)-pyridazinone, benzothiazolyl, benzimidazolyl, indazolyl, benzoxazolyl, quinolyl, isoquinolyl, quinoxalinyl, phthalazinyl, cinnolinyl or quinazolinyl group);

B represents H, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃SCH₂, CH₃OC₂H₄OCH₂, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a benzoyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a tetrahydropyranyl group, (CH₃)₃Si, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group

optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₁-C₄ monoalkylaminosulfonyl group, a C₂-C₈ dialkylaminosulfonyl group, a phenylaminosulfonyl group, a C₂-C₅ monoalkylaminothiocarbonyl group, a C₃-C₉ dialkylaminothiocarbonyl group, a C₂-C₅ cyanoalkyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, -P(=S)T²T³, an alkali metal atom, an alkaline earth metal atom, or NHT⁴T⁵T⁶;

provided that, when Q is a 2-thiazolyl or 2-benzothiazolyl group, then B is a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃SCH₂, CH₃OC₂H₄OCH₂, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a benzoyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a tetrahydropyranyl group, (CH₃)₃Si, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₁-C₄ monoalkylaminosulfonyl group, a C₂-C₈ dialkylaminosulfonyl group, a phenylaminosulfonyl group, a C₂-C₅ monoalkylaminothiocarbonyl group, a C₃-C₉ dialkylaminothiocarbonyl group, a C₂-C₅ cyanoalkyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, or -P(=S)T²T³;

E represents a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl, 1,3,4-oxadiazol-2-yl, 5-tetrazolyl, 2-oxazolyl or 1,2,4,5-tetrazin-3-yl group) - or represents a halogen, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, an isonitrile group, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxycarbonyl group, a C₃-C₅ alkenyloxycarbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocarbonyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³;

G is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₂-C₄ cyanoalkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₂-C₆ haloalkenyl group, a C₂-C₆ haloalkynyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a C₁-C₁₀ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfonyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylnsulfinyl group, a C₂-C₆ haloalkynylnsulfinyl group, a C₂-C₆ haloalkynylnsulfonyl group, CHO, NO₂, CN, -NU¹U², OH, a naphthyl group, a methoxy group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₇ alkoxycarbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a C₂-C₄ haloalkylcarbonyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₅ haloalkylcarbonyloxy group, a C₃-C₇ dialkylaminocarbonyloxy group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a benzoyl group optionally substituted by Z, a pyridyl group optionally substituted by Z, a pyridyloxy group optionally substituted by Z, a thienyl group optionally substituted by Z, a methylenedioxy group as bonded at the adjacent substituting positions, a halomethylenedioxy group as bonded at the adjacent substituting positions, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring), (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, G, is 1, 2, 3 or 4; or G is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

R is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₂-C₆ haloalkenyl group, a C₂-C₆ haloalkynyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfonyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylnsulfinyl group, a C₂-C₆ haloalkynylnsulfinyl group, a C₂-C₆ haloalkynylnsulfonyl group, NO₂, CN, -NU¹U², a phenoxy group, OH, a naphthyl group, a C₂-C₇ alkoxycarbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₅ haloalkylcarbonyloxy group, a benzoyl group optionally substituted by X, a phenyl group optionally substituted by X, a pyridyl group optionally substituted by X, a thienyl group optionally

substituted by X, and $-N=CT^7T^8$, (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituents, R, is 1, 2, 3 or 4; or R is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

Y is a substituent freely selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, a C₂-C₆ alkynyloxy group, a C₁-C₄ haloalkoxy group, a C₂-C₆ haloalkenyloxy group, a C₂-C₆ haloalkynyloxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₆ alkenylsulfenyl group, a C₂-C₆ alkenylsulfinyl group, a C₂-C₆ alkenylsulfonyl group, a C₂-C₆ alkynylsulfenyl group, a C₂-C₆ alkynylsulfinyl group, a C₂-C₆ alkynylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₆ haloalkenylsulfenyl group, a C₂-C₆ haloalkenylsulfinyl group, a C₂-C₆ haloalkenylsulfonyl group, a C₂-C₆ haloalkynylsulfenyl group, a C₂-C₆ haloalkynylsulfinyl group, a C₂-C₆ haloalkynylsulfonyl group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy carbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₅ alkylcarbonyloxy group, a C₂-C₅ haloalkylcarbonyloxy group, a C₃-C₇ dialkylaminocarbonyloxy group, a phenyl group optionally substituted by X, and $-N=CT^7T^8$ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or a C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring), (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, Y, is 1, 2, 3 or 4; or Y is an alkylene group as bonded to the adjacent substituting positions to form a 5-, 6-, 7- or 8-membered ring;

W is a substituent freely selected from a halogen atom, a C₁-C₆ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group, a C₂-C₄ alkenyl group, a C₂-C₄ haloalkenyl group, a C₂-C₄ alkenyloxy group, a C₂-C₄ haloalkenyloxy group, a C₂-C₄ alkenylsulfenyl group, a C₂-C₄ alkenylsulfinyl group, a C₂-C₄ alkenylsulfonyl group, a C₂-C₄ haloalkenylsulfenyl group, a C₂-C₄ haloalkenylsulfinyl group, a C₂-C₄ haloalkenylsulfonyl group, a C₂-C₄ alkynyl group, a C₂-C₄ haloalkynyl group, a C₂-C₄ alkynyloxy group, a C₂-C₄ haloalkynyloxy group, a C₂-C₄ alkynylsulfenyl group, a C₂-C₄ alkynylsulfinyl group, a C₂-C₄ alkynylsulfonyl group, a C₂-C₄ haloalkynylsulfenyl group, a C₂-C₄ haloalkynylsulfinyl group, a C₂-C₄ haloalkynylsulfonyl group, NO₂, CN, a formyl group, a C₂-C₆ alkoxy carbonyl group, a C₂-C₆ alkylcarbonyl group, a C₂-C₆ haloalkylcarbonyl group, a C₂-C₆ alkylcarbonyloxy group, and -NU¹U², (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, W, is 1, 2, 3 or 4;

T¹ represents a C₁-C₂₀ alkyl group, a C₂-C₆ alkenyl group, a C₁-C₆ haloalkyl group, a C₁-C₄ alkoxy-C₁-C₄ alkyl group, a C₃-C₆ halocycloalkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a cycloalkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a cyclopropyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group and a C₁-C₄ alkyl group, a C₃-C₄ cycloalkyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkoxy group and a halogen, a cyclopropyl group substituted by both a C₂-C₄ alkenyl group optionally substituted by a halogen, and a C₁-C₄ alkyl group, a C₂-C₄ alkenyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₁₂ alkoxy group, a C₁-C₄ haloalkoxy group, a C₂-C₅ alkenyloxy group, a C₃-C₆ cycloalkoxy group optionally substituted by a C₁-C₃ alkyl group, a benzyloxy group, a C₂-C₅ alkoxy carbonyl group, -NU¹U², a phenylamino group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a phenylthio group optionally substituted by Z, a naphthyl group optionally substituted by Z, or a 5-membered or 6-membered heterocyclic group optionally substituted by Z, (said heterocyclic group being selected from thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-thiadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl, imidazolinyl, oxazolinyl, isoxazolinyl, thiazolinyl and 3(2H)-pyridazinone groups);

T² and T³ each independently represent OH, a phenyl group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy group, or a C₁-C₄ alkylsulfenyl group;

T⁴, T⁵ and T⁶ each independently represent H, a C₁-C₆ alkyl group, a C₁-C₆ alkenyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, or a benzyl group; or any two of T⁴, T⁵ and T⁶ may form, together with the nitrogen atom to which they are bonded, a 5-, 6-, 7- or 8-membered cyclic group optionally containing oxygen, nitrogen and/or sulfur atoms;

X and Z are independently substituents as freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₅ alkenylsulfenyl group, a C₂-C₅ alkenylsulfinyl group, a C₂-C₅ alkenylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfinyl group, a C₁-C₄ haloalkylsulfonyl group,

sulfonyl group, NO₂, CN, CHO, OH, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxycarbonyl group, (provided that when the substituent is two or more, then said substituents may be the same or different), and the number of the substituent, X and Z, is 1, 2, 3, 4 or 5 each;

T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring; and

U¹ and U² each independently represent H, a C₁-C₆ alkyl, a C₂-C₅ alkylcarbonyl, phenyl or benzyl group, or U¹ and U² may, together with the nitrogen atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring.


2. Ethylene derivatives as claimed in claim 1, wherein Q is a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R, (said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, 1,2,4,5-tetrazinyl, pyrazolinyl, imidazolinyl, imidazolinone or imidazolidinedione group;

A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, said heterocyclic group being a thienyl, furyl, pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1,3,4-oxadiazolyl, 1,2,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,4-triazolyl, 1,2,3-triadiazolyl, 1,2,3-triazolyl, 1,2,3,4-tetrazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,3,5-triazinyl, 1,2,4-triazinyl, pyrazolinyl or imidazolinyl group;


B is H, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₂-C₄ alkoxyalkyl group, CH₃OC₂H₄OCH₂, a C₁-C₄ alkylsulfonyl group, a phenylsulfonyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, -SO₂CF₃, a C₂-C₈ dialkylaminosulfonyl group, a C₂-C₉ dialkylaminothiocarbonyl group, a C₃-C₉ alkoxycarbonylalkyl group, -C(=O)T¹, -P(=O)T²T³, -P(=S)T²T³, an alkali metal atom, an alkaline earth metal atom, or NHT⁴T⁵T⁶; and

T¹ is a C₁-C₂₀ alkyl group, a C₂-C₆ alkenyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy-C₁-C₄ alkyl group, a C₁-C₄ alkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₃-C₆ halocycloalkyl group, a C₃-C₆ cycloalkyl group optionally substituted by a C₁-C₃ alkyl group, a cycloalkyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, and a cyclopropyl group substituted by both a phenyl optionally substituted by a halogen or a C₁-C₄ alkyl group, and a C₁-C₄ alkyl group, a C₃-C₄ cycloalkyl group substituted by both a phenyl group optionally substituted by a halogen or a C₁-C₄ alkoxy group and a halogen, a cyclopropyl group substituted by both a C₂-C₄ alkenyl group optionally substituted by a halogen and a C₁-C₄ alkyl group, a C₂-C₄ alkenyl group substituted by a phenyl group optionally substituted by a halogen or a C₁-C₄ alkyl group, a C₁-C₁₂ alkoxy group, a C₁-C₄ haloalkoxy group, a C₂-C₅ alkenyloxy group, a C₃-C₆ cycloalkoxy group optionally substituted by a C₁-C₃ alkyl group, a benzyloxy group, a C₂-C₅ alkoxycarbonyl group, a phenyl group optionally substituted by Z, a phenoxy group optionally substituted by Z, a phenylthio group, a naphthyl group, or a heterocyclic group optionally substituted by Z, said heterocyclic group being selected from thienyl, furyl, oxazolyl, thiazolyl, pyrazolyl and pyridinyl groups.


3. Ethylene derivatives as claimed in claim 2, wherein Q is a phenyl group optionally substituted by G, a naphthyl group optionally substituted by G, or a heterocyclic group optionally substituted by R, said heterocyclic group being




5




10




15




20




25




30




35




40




45



50





55



A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, said heterocyclic group being







provided that, when (a) Q is any of Q-1, Q-2, Q-3 or Q-4, then A is a phenyl group optionally substituted by W, a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(b) when Q is Q-12, then A is a naphthyl group optionally substituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(c) when Q is any of Q-52, Q-53 or Q-54, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-60, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(d) when Q is any of Q-23, Q-24, Q-43, Q-44, Q-45, Q-46 or Q-49, then A is a naphthyl group optionally sub-

stituted by W, or a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(e) when Q is any of Q-37, Q-38, Q-39, Q-40, Q-41 or Q-42, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-57, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75),

(f) when Q is a phenyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y, said heterocyclic group being any of A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75,

(g) when Q is a naphthyl group optionally substituted by G, then A is a heterocyclic group optionally substituted by Y, (said heterocyclic group being any of A-1, A-2, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74 or A-75,

R¹ is selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₂-C₆ alkenyl group, a C₂-C₆ alkynyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy-carbonyl group, a C₂-C₄ alkoxyalkyl group, a C₂-C₄ alkylcarbonyl group, a phenyl group optionally substituted by X, a pyridyl group optionally substituted by X, a thienyl group optionally substituted by X, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring); or may, together with the adjacent R, form a 5-, 6-, 7- or 8-membered ring as an alkylene group ;

Y¹ is selected from a halogen atom, a C₁-C₁₀ alkyl group, a C₁-C₆ haloalkyl group, a C₁-C₆ alkoxy group, a C₂-C₆ alkenyloxy group, NO₂, CN, -NU¹U², OH, a C₂-C₇ alkoxy-carbonyl group, a C₂-C₄ alkoxyalkyl group, a phenyl group optionally substituted by X, and -N=CT⁷T⁸ (in which T⁷ and T⁸ each independently represent H, or a phenyl, benzyl or C₁-C₆ alkyl group, or T⁷ and T⁸ may, together with the carbon atom to which they are bonded, form a 5-, 6-, 7- or 8-membered ring); or may, together with the adjacent Y¹, form a 5-, 6-, 7- or 8-membered ring as an alkylene group;

X is a substituent of which the number is from 1 to 4 and which is freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a C₂-C₅ alkenylsulfenyl group, a C₂-C₅ alkenylsulfanyl group, a C₂-C₅ alkenylsulfonyl group, a C₁-C₄ haloalkylsulfenyl group, a C₁-C₄ haloalkylsulfanyl group, a C₁-C₄ haloalkylsulfonyl group, NO₂, CN, CHO, OH, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxy-carbonyl group, (provided that when the substituent is two or more then said substituents may be the same or different);

Z is a substituent of which the number is from 1 to 4 and which is freely selected from a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ haloalkoxy group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfanyl group, a C₁-C₄ alkylsulfonyl group, a C₁-C₄ alkenylsulfenyl group, a C₁-C₄ alkenylsulfanyl group, a C₁-C₄ alkenylsulfonyl group, NO₂, CN, -NU¹U², a phenyl group, a phenoxy group, and a C₂-C₅ alkoxy-carbonyl group, (provided that when the substituent is two or more, then said substituents may be the same or different);

m indicates the number of the substituents, and is 0, 1, 2 or 3;

n indicates the number of the substituents, and is 0, 1, 2, 3, or 4;

p indicates the number of the substituents, and is 0, 1 or 2;

q indicates the number of the substituents, and is 0 or 1;


(provided that when m, n and p each are an integer of 2 or more, the substituents may be the same or different).

4. Ethylene derivatives as claimed in claim 2, wherein E is CN.

5. Ethylene derivatives as claimed in claim 3, wherein E is CN.

6. Ethylene derivatives as claimed in claim 2, wherein E is a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group) - or is a halogen atom, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxy carbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocabonyl group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.
7. Ethylene derivatives as claimed in claim 3, wherein E is a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group - (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group) - or is a halogen atom, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxy carbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocabonyl group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.
8. Ethylene derivatives as claimed in claim 4, wherein Q is a phenyl group optionally substituted by G, an oxazolyl group optionally substituted by R, a thiazolyl group optionally substituted by R, a pyrazolyl group optionally substituted by R, a 1,2,3-triazolyl group optionally substituted by R, a pyridinyl group optionally substituted by R, or a pyrimidinyl group optionally substituted by R.
9. Ethylene derivatives as claimed in claim 8, wherein Q is a phenyl group optionally substituted by G.
10. Ethylene derivatives as claimed in claim 8, wherein Q is an oxazolyl group optionally substituted by R or a 1,2,3-triazolyl group optionally substituted by R.
11. Ethylene derivatives as claimed in claim 8, wherein Q is a thiazolyl group optionally substituted by R.
12. Ethylene derivatives as claimed in claim 8, wherein Q is a pyrazolyl group optionally substituted by R.
13. Ethylene derivatives as claimed in claim 5, wherein Q is a phenyl group optionally substituted by G, or is Q-9, Q-10, Q-11, Q-12, Q-13, Q-14, Q-25, Q-26, Q-27, Q-28, Q-29, Q-30, Q-44, Q-45, Q-46, Q-47, Q-52, Q-53, Q-54, Q-55, Q-56 or Q-57.
14. Ethylene derivatives as claimed in claim 7, wherein Q is a phenyl group optionally substituted by G, or is Q-9, Q-10, Q-11, Q-12, Q-13, Q-14, Q-25, Q-26, Q-27, Q-28, Q-29, Q-30, Q-44, Q-45, Q-46, Q-47, Q-52, Q-53, Q-54, Q-55, Q-56 or Q-57.
15. Ethylene derivatives as claimed in claim 13, wherein Q is Q-10, Q-44, Q-45, Q-46 or Q-47.
16. Ethylene derivatives as claimed in claim 13, wherein Q is Q-12, Q-13 or Q-14.
17. Ethylene derivatives as claimed in claim 13, wherein Q is Q-25, Q-26, Q-27, Q-28, Q-29 or Q-30.
18. Ethylene derivatives as claimed in claim 13, wherein Q is a phenyl group optionally substituted by G.
19. Ethylene derivatives as claimed in claim 2, wherein A is a phenyl group optionally substituted by W, a thiazolyl group optionally substituted by Y, a pyrazolyl group optionally substituted by Y, a pyridinyl group optionally substituted by Y, or a pyrimidinyl group optionally substituted by Y.
20. Ethylene derivatives as claimed in claim 3, wherein Q is a phenyl group optionally substituted by G, a naphthyl group, Q-31, Q-32, Q-33, Q-34, Q-35, Q-36, Q-37, Q-44, Q-45, Q-46, Q-49,









Y² is a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ haloalkyl group, a C₁-C₄ alkoxy group, NO₂, CN, or a C₂-C₅ alkoxycarbonyl group; and











Y³ is a halogen atom, a C₁-C₄ alkyl group, a C₁-C₆ haloalkyl group, a C₂-C₄ alkoxyalkyl group, or a phenyl group optionally substituted by X.











21. Ethylene derivatives as claimed in claim 20, wherein E is CN.









22. Ethylene derivatives as claimed in claim 20, wherein E is a heterocyclic group optionally substituted by a C₁-C₄ alkyl or C₁-C₄ haloalkyl group (said heterocyclic group being a 2-oxazolyl, 2-thiazolyl, 2-imidazolyl, 1,2,4-triazol-3-yl, 1,2,4-oxadiazol-3-yl, 1,2,4-thiadiazol-3-yl or 1,3,4-oxadiazol-2-yl group)- or is a halogen atom, a C₂-C₄ alkynyl group, a phenylethynyl group optionally substituted by Z, a C₁-C₄ haloalkyl group, CN, NO₂, N₃, CHO, a C₂-C₅ alkylcarbonyl group, a C₂-C₅ alkoxycarbonyl group, a C₂-C₄ alkylaminocarbonyl group, a C₃-C₉ dialkylaminocarbonyl group, a benzoyl group optionally substituted by Z, an aminothiocarbonyl group, a C₁-C₄ alkylsulfenyl group, a C₁-C₄ alkylsulfinyl group, a C₁-C₄ alkylsulfonyl group, a phenylsulfenyl group optionally substituted by Z, a phenylsulfinyl group optionally substituted by Z, a phenylsulfonyl group optionally substituted by Z, -P(=O)T²T³, or -P(=S)T²T³.

23. Ethylene derivatives as claimed in claim 1, wherein the derivatives are selected from the following:












(33)




(34)




(35)



(36)



(37)



24. An agricultural chemical containing, as an active ingredient, one or more ethylene derivatives of the claim 1 to 23.

25. An agent for preventing the attachment of aquatic organisms containing, as an active ingredient, one or more acrylonitrile derivatives of the claim 1 to 23.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP97/01440

A. CLASSIFICATION OF SUBJECT MATTER Int. Cl ⁶ C07D207/325, 335, 231/16, 20, 237/08, 239/26, 249/04, 08, 251/14, 253/065, 257/08, 261/10, 12, 14, 18, 263/34, 40, 46, According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int. Cl ⁶ C07D207/325, 335, 231/16, 20, 237/08, 239/26, 249/04, 08, 251/14, 253/065, 257/08, 261/10, 12, 14, 18, 263/34, 40, 46, Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) CAS ONLINE		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	JP, 52-105167, A (CIBA-Geigy AG.), September 3, 1977 (03. 09. 77), Example etc. & BE, 851812, A & DE, 2707658, A & NL, 7701885, A & SE, 7702106, A & NO, 7700655, A & DK, 7700828, A & FI, 7700346, A & FR, 2342285, A & ZA, 7701129, A & PT, 66236, A & DD, 129784, A & US, 4130652, A & CS, 7701277, A & CS, 7800887, A & IL, 51549, A & AT, 7701279, A & AT, 7902488, A & GB, 1574921, A & CA, 1085413, A & US, 4251542, A	1-3, 6, 7, 19 4, 5, 8-18, 20-25
X A	JP, 60-209571, A (Sand AG.), October 22, 1985 (22. 10. 85), Example etc. & AU, 8539890, A & FI, 8501055, A & PT, 80107, A	1-3, 7 4-6, 8-25
X	Arch. Pharm. (Weinheim, Ger.), 319(3), (1986), p. 242-51	1-3, 6-8, 10
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "A" document member of the same patent family		
Date of the actual completion of the international search July 22, 1997 (22. 07. 97)		Date of mailing of the international search report August 5, 1997 (05. 08. 97)
Name and mailing address of the ISA/ Japanese Patent Office Facsimile No.		Authorized officer Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP97/01440

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Synthesis, (7), (1987), p. 619-26	1-3, 6, 7, 19
X	Ukr. Khim. Zh. (Russ. Ed.), 51(6), (1985), p. 649-52	1-5, 6, 7
X	An. Quim., Ser. C, 83(2), (1987), p. 182-94	1-3, 6-8, 10, 19
X	Chem.-Ztg., 113(3), (1989), p. 125-7	1-3, 6, 7, 19, 20, 22
X	Chem.-Ztg., 113(6), (1989), p. 217-19	1-3, 6, 7, 19, 20, 22
X	Khim.-Farm. Zh., 22(10), (1988), p. 1223-5	1-8, 11, 13, 14, 16, 19-22, 24
X	Ann. N. Y. Acad. Sci., 544 (Antifungal Drugs), (1988), p. 63-73	1-4, 7, 19-22, 24
Y	JP, 57-502215, A (Siegfried AG.), December 16, 1982 (16. 12. 82), Claim & WO, 82/02552, A & EP, 69754, A & CH, 648552, A & US, 4554356, A	1 - 23
Y	JP, 59-219228, A (Sanofi), December 10, 1984 (10. 12. 84), Claim & EP, 117811, A & FR, 2541114, A & AU, 8424805, A & DK, 8400791, A & ZA, 8401262, A & FR, 2554720, A	1 - 23
Y	US, 3337565, A (William Laszlo Bencze et al.), August 22, 1967 (22. 08. 67), Claims (Family: none)	1 - 23
X	Chemical Abstracts, Vol. 109, Abstract No. 93171 & Zh. Obshch. Khim., 57(10), (1987), p. 2234-49	1-3, 6-8, 13, 14, 19
X	Chemical Abstracts, Vol. 101, Abstract No. 211021 & Bull. Chem. Soc. Jpn., 57(8), (1984), p. 2329-30	1-3, 6, 8, 10, 13, 14
X	Chemical Abstracts, Vol. 96, Abstract No. 217794 & Indian J. Chem., Sect. B, 21B(1), p. 1-3	1-3, 6, 7

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP97/01440

A. (Continuation) CLASSIFICATION OF SUBJECT MATTER

56, 271/06, 10, 275/02, 277/30, 64, 285/08, 12, 401/06, 14,
403/06, 405/06, 409/06, 14, 413/06, 14, 417/06, 14, 521/00,
A01N43/38, 42, 50, 52, 54, 56, 58, 60, 64, 647, 653, 713, 76, 78,
80, 82, 47/12, 16, 55/00, 57/16

B. (Continuation) FIELDS SEARCHED

56, 271/06, 10, 275/02, 277/30, 64, 285/08, 12, 041/06, 14,
403/06, 405/06, 409/06, 14, 413/06, 14, 417/06, 14, 521/00,
A01N43/38, 42, 50, 52, 54, 56, 58, 60, 64, 647, 653, 713, 76, 78,
80, 82, 47/12, 16, 55/00, 57/16